

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.839 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.264	1.264	
19	192.5	≦* <	197.5	156	2.96142	1.242	1.242	
18	187.5	≦* <	192.5	152	2.91081	1.221	1.221	
17	182.5	≦* <	187.5	148	2.86019	1.200	1.200	
16	177.5	≦* <	182.5	144	2.80957	1.179	1.179	
15	172.5	≦* <	177.5	140	2.75895	1.157	1.157	
14	167.5	≦* <	172.5	136	2.70834	1.136	1.136	
13	162.5	≦* <	167.5	132	2.65772	1.115	1.115	
12	157.5	≦* <	162.5	128	2.60710	1.094	1.094	
11	152.5	≦* <	157.5	124	2.55648	1.072	1.072	
10	147.5	≦* <	152.5	120	2.50587	1.051	1.051	
9	142.5	≦* <	147.5	116	2.45525	1.030	1.030	
8	137.5	≦* <	142.5	112	2.40463	1.009	1.009	
7	132.5	≦* <	137.5	108	2.35401	0.988	0.988	
6	127.5	≦* <	132.5	104	2.30340	0.966	0.966	
5	122.5	≦* <	127.5	100	2.25278	0.945	0.945	
4	117.5	≦* <	122.5	96	2.20216	0.924	0.924	
3	112.5	≦* <	117.5	92	2.15154	0.903	0.903	
2	107.5	≦* <	112.5	88	2.10093	0.881	0.881	
1	102.5	≦* <	107.5	84	2.05031	0.860	0.860	
0	97.5	≦* <	102.5	80	1.99969	0.839	0.839	
-1	92.5	≦* <	97.5	76	1.94908	0.818	0.818	
-2	87.5	≦* <	92.5	72	1.89846	0.796	0.796	
-3	82.5	≦* <	87.5	68	1.84784	0.775	0.775	
-4	77.5	≦* <	82.5	64	1.79722	0.754	0.754	
-5	72.5	≦* <	77.5	60	1.74661	0.733	0.733	
-6	67.5	≦* <	72.5	56	1.69599	0.711	0.711	
-7	62.5	≦* <	67.5	52	1.64537	0.690	0.690	
-8	57.5	≦* <	62.5	48	1.59475	0.669	0.669	
-9	52.5	≦* <	57.5	44	1.54414	0.648	0.648	
-10	47.5	≦* <	52.5	40	1.49352	0.627	0.627	
-11	42.5	≦* <	47.5	36	1.44290	0.605	0.605	
-12	37.5	≦* <	42.5	32	1.39228	0.584	0.584	
-13	32.5	≦* <	37.5	28	1.34167	0.563	0.563	
-14	27.5	≦* <	32.5	24	1.29105	0.542	0.542	
-15	22.5	≦* <	27.5	20	1.24043	0.520	0.520	
-16	17.5	≦* <	22.5	16	1.18982	0.499	0.499	
-17	12.5	≦* <	17.5	12	1.13920	0.478	0.478	
-18	7.5	≦* <	12.5	8	1.08858	0.457	0.457	
-19	2.5	≦* <	7.5	4	1.03796	0.435	0.435	
-20	0.0	≦* <	2.5	1.00	1.00000	0.419	0.419	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.839 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.201	1.201	
19	192.5	≦* <	197.5	156	2.96142	1.180	1.180	
18	187.5	≦* <	192.5	152	2.91081	1.160	1.160	
17	182.5	≦* <	187.5	148	2.86019	1.140	1.140	
16	177.5	≦* <	182.5	144	2.80957	1.120	1.120	
15	172.5	≦* <	177.5	140	2.75895	1.099	1.099	
14	167.5	≦* <	172.5	136	2.70834	1.079	1.079	
13	162.5	≦* <	167.5	132	2.65772	1.059	1.059	
12	157.5	≦* <	162.5	128	2.60710	1.039	1.039	
11	152.5	≦* <	157.5	124	2.55648	1.018	1.018	
10	147.5	≦* <	152.5	120	2.50587	0.998	0.998	
9	142.5	≦* <	147.5	116	2.45525	0.979	0.979	
8	137.5	≦* <	142.5	112	2.40463	0.959	0.959	
7	132.5	≦* <	137.5	108	2.35401	0.939	0.939	
6	127.5	≦* <	132.5	104	2.30340	0.918	0.918	
5	122.5	≦* <	127.5	100	2.25278	0.898	0.898	
4	117.5	≦* <	122.5	96	2.20216	0.878	0.878	
3	112.5	≦* <	117.5	92	2.15154	0.858	0.858	
2	107.5	≦* <	112.5	88	2.10093	0.837	0.837	
1	102.5	≦* <	107.5	84	2.05031	0.817	0.817	
0	97.5	≦* <	102.5	80	1.99969	0.797	0.797	
-1	92.5	≦* <	97.5	76	1.94908	0.777	0.777	
-2	87.5	≦* <	92.5	72	1.89846	0.756	0.756	
-3	82.5	≦* <	87.5	68	1.84784	0.736	0.736	
-4	77.5	≦* <	82.5	64	1.79722	0.716	0.716	
-5	72.5	≦* <	77.5	60	1.74661	0.696	0.696	
-6	67.5	≦* <	72.5	56	1.69599	0.675	0.675	
-7	62.5	≦* <	67.5	52	1.64537	0.656	0.656	
-8	57.5	≦* <	62.5	48	1.59475	0.636	0.636	
-9	52.5	≦* <	57.5	44	1.54414	0.616	0.616	
-10	47.5	≦* <	52.5	40	1.49352	0.596	0.596	
-11	42.5	≦* <	47.5	36	1.44290	0.575	0.575	
-12	37.5	≦* <	42.5	32	1.39228	0.555	0.555	
-13	32.5	≦* <	37.5	28	1.34167	0.535	0.535	
-14	27.5	≦* <	32.5	24	1.29105	0.515	0.515	
-15	22.5	≦* <	27.5	20	1.24043	0.494	0.494	
-16	17.5	≦* <	22.5	16	1.18982	0.474	0.474	
-17	12.5	≦* <	17.5	12	1.13920	0.454	0.454	
-18	7.5	≦* <	12.5	8	1.08858	0.434	0.434	
-19	2.5	≦* <	7.5	4	1.03796	0.413	0.413	
-20	0.0	≦* <	2.5	1.00	1.00000	0.398	0.398	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.576 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.867	0.867	
19	192.5	≦* <	197.5	156	2.96142	0.853	0.853	
18	187.5	≦* <	192.5	152	2.91081	0.838	0.838	
17	182.5	≦* <	187.5	148	2.86019	0.824	0.824	
16	177.5	≦* <	182.5	144	2.80957	0.809	0.809	
15	172.5	≦* <	177.5	140	2.75895	0.795	0.795	
14	167.5	≦* <	172.5	136	2.70834	0.780	0.780	
13	162.5	≦* <	167.5	132	2.65772	0.765	0.765	
12	157.5	≦* <	162.5	128	2.60710	0.751	0.751	
11	152.5	≦* <	157.5	124	2.55648	0.736	0.736	
10	147.5	≦* <	152.5	120	2.50587	0.722	0.722	
9	142.5	≦* <	147.5	116	2.45525	0.707	0.707	
8	137.5	≦* <	142.5	112	2.40463	0.693	0.693	
7	132.5	≦* <	137.5	108	2.35401	0.678	0.678	
6	127.5	≦* <	132.5	104	2.30340	0.663	0.663	
5	122.5	≦* <	127.5	100	2.25278	0.649	0.649	
4	117.5	≦* <	122.5	96	2.20216	0.634	0.634	
3	112.5	≦* <	117.5	92	2.15154	0.620	0.620	
2	107.5	≦* <	112.5	88	2.10093	0.605	0.605	
1	102.5	≦* <	107.5	84	2.05031	0.590	0.590	
0	97.5	≦* <	102.5	80	1.99969	0.576	0.576	
-1	92.5	≦* <	97.5	76	1.94908	0.561	0.561	
-2	87.5	≦* <	92.5	72	1.89846	0.547	0.547	
-3	82.5	≦* <	87.5	68	1.84784	0.532	0.532	
-4	77.5	≦* <	82.5	64	1.79722	0.518	0.518	
-5	72.5	≦* <	77.5	60	1.74661	0.503	0.503	
-6	67.5	≦* <	72.5	56	1.69599	0.488	0.488	
-7	62.5	≦* <	67.5	52	1.64537	0.474	0.474	
-8	57.5	≦* <	62.5	48	1.59475	0.459	0.459	
-9	52.5	≦* <	57.5	44	1.54414	0.445	0.445	
-10	47.5	≦* <	52.5	40	1.49352	0.430	0.430	
-11	42.5	≦* <	47.5	36	1.44290	0.416	0.416	
-12	37.5	≦* <	42.5	32	1.39228	0.401	0.401	
-13	32.5	≦* <	37.5	28	1.34167	0.386	0.386	
-14	27.5	≦* <	32.5	24	1.29105	0.372	0.372	
-15	22.5	≦* <	27.5	20	1.24043	0.357	0.357	
-16	17.5	≦* <	22.5	16	1.18982	0.343	0.343	
-17	12.5	≦* <	17.5	12	1.13920	0.328	0.328	
-18	7.5	≦* <	12.5	8	1.08858	0.314	0.314	
-19	2.5	≦* <	7.5	4	1.03796	0.299	0.299	
-20	0.0	≦* <	2.5	1.00	1.00000	0.288	0.288	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.576 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.824	0.824	
19	192.5	≦* <	197.5	156	2.96142	0.810	0.810	
18	187.5	≦* <	192.5	152	2.91081	0.796	0.796	
17	182.5	≦* <	187.5	148	2.86019	0.783	0.783	
16	177.5	≦* <	182.5	144	2.80957	0.769	0.769	
15	172.5	≦* <	177.5	140	2.75895	0.755	0.755	
14	167.5	≦* <	172.5	136	2.70834	0.741	0.741	
13	162.5	≦* <	167.5	132	2.65772	0.727	0.727	
12	157.5	≦* <	162.5	128	2.60710	0.713	0.713	
11	152.5	≦* <	157.5	124	2.55648	0.699	0.699	
10	147.5	≦* <	152.5	120	2.50587	0.686	0.686	
9	142.5	≦* <	147.5	116	2.45525	0.672	0.672	
8	137.5	≦* <	142.5	112	2.40463	0.658	0.658	
7	132.5	≦* <	137.5	108	2.35401	0.644	0.644	
6	127.5	≦* <	132.5	104	2.30340	0.630	0.630	
5	122.5	≦* <	127.5	100	2.25278	0.617	0.617	
4	117.5	≦* <	122.5	96	2.20216	0.602	0.602	
3	112.5	≦* <	117.5	92	2.15154	0.589	0.589	
2	107.5	≦* <	112.5	88	2.10093	0.575	0.575	
1	102.5	≦* <	107.5	84	2.05031	0.561	0.561	
0	97.5	≦* <	102.5	80	1.99969	0.547	0.547	
-1	92.5	≦* <	97.5	76	1.94908	0.533	0.533	
-2	87.5	≦* <	92.5	72	1.89846	0.520	0.520	
-3	82.5	≦* <	87.5	68	1.84784	0.505	0.505	
-4	77.5	≦* <	82.5	64	1.79722	0.492	0.492	
-5	72.5	≦* <	77.5	60	1.74661	0.478	0.478	
-6	67.5	≦* <	72.5	56	1.69599	0.464	0.464	
-7	62.5	≦* <	67.5	52	1.64537	0.450	0.450	
-8	57.5	≦* <	62.5	48	1.59475	0.436	0.436	
-9	52.5	≦* <	57.5	44	1.54414	0.423	0.423	
-10	47.5	≦* <	52.5	40	1.49352	0.409	0.409	
-11	42.5	≦* <	47.5	36	1.44290	0.395	0.395	
-12	37.5	≦* <	42.5	32	1.39228	0.381	0.381	
-13	32.5	≦* <	37.5	28	1.34167	0.367	0.367	
-14	27.5	≦* <	32.5	24	1.29105	0.353	0.353	
-15	22.5	≦* <	27.5	20	1.24043	0.339	0.339	
-16	17.5	≦* <	22.5	16	1.18982	0.326	0.326	
-17	12.5	≦* <	17.5	12	1.13920	0.312	0.312	
-18	7.5	≦* <	12.5	8	1.08858	0.298	0.298	
-19	2.5	≦* <	7.5	4	1.03796	0.284	0.284	
-20	0.0	≦* <	2.5	1.00	1.00000	0.274	0.274	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.434 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.654	0.654	
19	192.5	≦* <	197.5	156	2.96142	0.643	0.643	
18	187.5	≦* <	192.5	152	2.91081	0.632	0.632	
17	182.5	≦* <	187.5	148	2.86019	0.621	0.621	
16	177.5	≦* <	182.5	144	2.80957	0.610	0.610	
15	172.5	≦* <	177.5	140	2.75895	0.599	0.599	
14	167.5	≦* <	172.5	136	2.70834	0.588	0.588	
13	162.5	≦* <	167.5	132	2.65772	0.577	0.577	
12	157.5	≦* <	162.5	128	2.60710	0.566	0.566	
11	152.5	≦* <	157.5	124	2.55648	0.555	0.555	
10	147.5	≦* <	152.5	120	2.50587	0.544	0.544	
9	142.5	≦* <	147.5	116	2.45525	0.533	0.533	
8	137.5	≦* <	142.5	112	2.40463	0.522	0.522	
7	132.5	≦* <	137.5	108	2.35401	0.511	0.511	
6	127.5	≦* <	132.5	104	2.30340	0.500	0.500	
5	122.5	≦* <	127.5	100	2.25278	0.489	0.489	
4	117.5	≦* <	122.5	96	2.20216	0.478	0.478	
3	112.5	≦* <	117.5	92	2.15154	0.467	0.467	
2	107.5	≦* <	112.5	88	2.10093	0.456	0.456	
1	102.5	≦* <	107.5	84	2.05031	0.445	0.445	
0	97.5	≦* <	102.5	80	1.99969	0.434	0.434	
-1	92.5	≦* <	97.5	76	1.94908	0.423	0.423	
-2	87.5	≦* <	92.5	72	1.89846	0.412	0.412	
-3	82.5	≦* <	87.5	68	1.84784	0.401	0.401	
-4	77.5	≦* <	82.5	64	1.79722	0.390	0.390	
-5	72.5	≦* <	77.5	60	1.74661	0.379	0.379	
-6	67.5	≦* <	72.5	56	1.69599	0.368	0.368	
-7	62.5	≦* <	67.5	52	1.64537	0.357	0.357	
-8	57.5	≦* <	62.5	48	1.59475	0.346	0.346	
-9	52.5	≦* <	57.5	44	1.54414	0.335	0.335	
-10	47.5	≦* <	52.5	40	1.49352	0.324	0.324	
-11	42.5	≦* <	47.5	36	1.44290	0.313	0.313	
-12	37.5	≦* <	42.5	32	1.39228	0.302	0.302	
-13	32.5	≦* <	37.5	28	1.34167	0.291	0.291	
-14	27.5	≦* <	32.5	24	1.29105	0.280	0.280	
-15	22.5	≦* <	27.5	20	1.24043	0.269	0.269	
-16	17.5	≦* <	22.5	16	1.18982	0.258	0.258	
-17	12.5	≦* <	17.5	12	1.13920	0.247	0.247	
-18	7.5	≦* <	12.5	8	1.08858	0.236	0.236	
-19	2.5	≦* <	7.5	4	1.03796	0.225	0.225	
-20	0.0	≦* <	2.5	1.00	1.00000	0.217	0.217	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.434 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.621	0.621	
19	192.5	≦* <	197.5	156	2.96142	0.611	0.611	
18	187.5	≦* <	192.5	152	2.91081	0.600	0.600	
17	182.5	≦* <	187.5	148	2.86019	0.590	0.590	
16	177.5	≦* <	182.5	144	2.80957	0.580	0.580	
15	172.5	≦* <	177.5	140	2.75895	0.569	0.569	
14	167.5	≦* <	172.5	136	2.70834	0.559	0.559	
13	162.5	≦* <	167.5	132	2.65772	0.548	0.548	
12	157.5	≦* <	162.5	128	2.60710	0.538	0.538	
11	152.5	≦* <	157.5	124	2.55648	0.527	0.527	
10	147.5	≦* <	152.5	120	2.50587	0.517	0.517	
9	142.5	≦* <	147.5	116	2.45525	0.506	0.506	
8	137.5	≦* <	142.5	112	2.40463	0.496	0.496	
7	132.5	≦* <	137.5	108	2.35401	0.485	0.485	
6	127.5	≦* <	132.5	104	2.30340	0.475	0.475	
5	122.5	≦* <	127.5	100	2.25278	0.465	0.465	
4	117.5	≦* <	122.5	96	2.20216	0.454	0.454	
3	112.5	≦* <	117.5	92	2.15154	0.444	0.444	
2	107.5	≦* <	112.5	88	2.10093	0.433	0.433	
1	102.5	≦* <	107.5	84	2.05031	0.423	0.423	
0	97.5	≦* <	102.5	80	1.99969	0.412	0.412	
-1	92.5	≦* <	97.5	76	1.94908	0.402	0.402	
-2	87.5	≦* <	92.5	72	1.89846	0.391	0.391	
-3	82.5	≦* <	87.5	68	1.84784	0.381	0.381	
-4	77.5	≦* <	82.5	64	1.79722	0.371	0.371	
-5	72.5	≦* <	77.5	60	1.74661	0.360	0.360	
-6	67.5	≦* <	72.5	56	1.69599	0.350	0.350	
-7	62.5	≦* <	67.5	52	1.64537	0.339	0.339	
-8	57.5	≦* <	62.5	48	1.59475	0.329	0.329	
-9	52.5	≦* <	57.5	44	1.54414	0.318	0.318	
-10	47.5	≦* <	52.5	40	1.49352	0.308	0.308	
-11	42.5	≦* <	47.5	36	1.44290	0.297	0.297	
-12	37.5	≦* <	42.5	32	1.39228	0.287	0.287	
-13	32.5	≦* <	37.5	28	1.34167	0.276	0.276	
-14	27.5	≦* <	32.5	24	1.29105	0.266	0.266	
-15	22.5	≦* <	27.5	20	1.24043	0.256	0.256	
-16	17.5	≦* <	22.5	16	1.18982	0.245	0.245	
-17	12.5	≦* <	17.5	12	1.13920	0.235	0.235	
-18	7.5	≦* <	12.5	8	1.08858	0.224	0.224	
-19	2.5	≦* <	7.5	4	1.03796	0.214	0.214	
-20	0.0	≦* <	2.5	1.00	1.00000	0.206	0.206	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.200 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.301	0.301	
19	192.5	≦* <	197.5	156	2.96142	0.296	0.296	
18	187.5	≦* <	192.5	152	2.91081	0.291	0.291	
17	182.5	≦* <	187.5	148	2.86019	0.286	0.286	
16	177.5	≦* <	182.5	144	2.80957	0.281	0.281	
15	172.5	≦* <	177.5	140	2.75895	0.276	0.276	
14	167.5	≦* <	172.5	136	2.70834	0.271	0.271	
13	162.5	≦* <	167.5	132	2.65772	0.266	0.266	
12	157.5	≦* <	162.5	128	2.60710	0.261	0.261	
11	152.5	≦* <	157.5	124	2.55648	0.256	0.256	
10	147.5	≦* <	152.5	120	2.50587	0.251	0.251	
9	142.5	≦* <	147.5	116	2.45525	0.246	0.246	
8	137.5	≦* <	142.5	112	2.40463	0.240	0.240	
7	132.5	≦* <	137.5	108	2.35401	0.235	0.235	
6	127.5	≦* <	132.5	104	2.30340	0.230	0.230	
5	122.5	≦* <	127.5	100	2.25278	0.225	0.225	
4	117.5	≦* <	122.5	96	2.20216	0.220	0.220	
3	112.5	≦* <	117.5	92	2.15154	0.215	0.215	
2	107.5	≦* <	112.5	88	2.10093	0.210	0.210	
1	102.5	≦* <	107.5	84	2.05031	0.205	0.205	
0	97.5	≦* <	102.5	80	1.99969	0.200	0.200	
-1	92.5	≦* <	97.5	76	1.94908	0.195	0.195	
-2	87.5	≦* <	92.5	72	1.89846	0.190	0.190	
-3	82.5	≦* <	87.5	68	1.84784	0.185	0.185	
-4	77.5	≦* <	82.5	64	1.79722	0.180	0.180	
-5	72.5	≦* <	77.5	60	1.74661	0.175	0.175	
-6	67.5	≦* <	72.5	56	1.69599	0.170	0.170	
-7	62.5	≦* <	67.5	52	1.64537	0.165	0.165	
-8	57.5	≦* <	62.5	48	1.59475	0.159	0.159	
-9	52.5	≦* <	57.5	44	1.54414	0.154	0.154	
-10	47.5	≦* <	52.5	40	1.49352	0.149	0.149	
-11	42.5	≦* <	47.5	36	1.44290	0.144	0.144	
-12	37.5	≦* <	42.5	32	1.39228	0.139	0.139	
-13	32.5	≦* <	37.5	28	1.34167	0.134	0.134	
-14	27.5	≦* <	32.5	24	1.29105	0.129	0.129	
-15	22.5	≦* <	27.5	20	1.24043	0.124	0.124	
-16	17.5	≦* <	22.5	16	1.18982	0.119	0.119	
-17	12.5	≦* <	17.5	12	1.13920	0.114	0.114	
-18	7.5	≦* <	12.5	8	1.08858	0.109	0.109	
-19	2.5	≦* <	7.5	4	1.03796	0.104	0.104	
-20	0.0	≦* <	2.5	1.00	1.00000	0.100	0.100	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.200 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.286	0.286	
19	192.5	≦* <	197.5	156	2.96142	0.281	0.281	
18	187.5	≦* <	192.5	152	2.91081	0.276	0.276	
17	182.5	≦* <	187.5	148	2.86019	0.272	0.272	
16	177.5	≦* <	182.5	144	2.80957	0.267	0.267	
15	172.5	≦* <	177.5	140	2.75895	0.262	0.262	
14	167.5	≦* <	172.5	136	2.70834	0.257	0.257	
13	162.5	≦* <	167.5	132	2.65772	0.253	0.253	
12	157.5	≦* <	162.5	128	2.60710	0.248	0.248	
11	152.5	≦* <	157.5	124	2.55648	0.243	0.243	
10	147.5	≦* <	152.5	120	2.50587	0.238	0.238	
9	142.5	≦* <	147.5	116	2.45525	0.234	0.234	
8	137.5	≦* <	142.5	112	2.40463	0.228	0.228	
7	132.5	≦* <	137.5	108	2.35401	0.223	0.223	
6	127.5	≦* <	132.5	104	2.30340	0.219	0.219	
5	122.5	≦* <	127.5	100	2.25278	0.214	0.214	
4	117.5	≦* <	122.5	96	2.20216	0.209	0.209	
3	112.5	≦* <	117.5	92	2.15154	0.204	0.204	
2	107.5	≦* <	112.5	88	2.10093	0.200	0.200	
1	102.5	≦* <	107.5	84	2.05031	0.195	0.195	
0	97.5	≦* <	102.5	80	1.99969	0.190	0.190	
-1	92.5	≦* <	97.5	76	1.94908	0.185	0.185	
-2	87.5	≦* <	92.5	72	1.89846	0.181	0.181	
-3	82.5	≦* <	87.5	68	1.84784	0.176	0.176	
-4	77.5	≦* <	82.5	64	1.79722	0.171	0.171	
-5	72.5	≦* <	77.5	60	1.74661	0.166	0.166	
-6	67.5	≦* <	72.5	56	1.69599	0.162	0.162	
-7	62.5	≦* <	67.5	52	1.64537	0.157	0.157	
-8	57.5	≦* <	62.5	48	1.59475	0.151	0.151	
-9	52.5	≦* <	57.5	44	1.54414	0.146	0.146	
-10	47.5	≦* <	52.5	40	1.49352	0.142	0.142	
-11	42.5	≦* <	47.5	36	1.44290	0.137	0.137	
-12	37.5	≦* <	42.5	32	1.39228	0.132	0.132	
-13	32.5	≦* <	37.5	28	1.34167	0.127	0.127	
-14	27.5	≦* <	32.5	24	1.29105	0.123	0.123	
-15	22.5	≦* <	27.5	20	1.24043	0.118	0.118	
-16	17.5	≦* <	22.5	16	1.18982	0.113	0.113	
-17	12.5	≦* <	17.5	12	1.13920	0.108	0.108	
-18	7.5	≦* <	12.5	8	1.08858	0.104	0.104	
-19	2.5	≦* <	7.5	4	1.03796	0.099	0.099	
-20	0.0	≦* <	2.5	1.00	1.00000	0.095	0.095	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.118 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.178	0.178	
19	192.5	≦* <	197.5	156	2.96142	0.175	0.175	
18	187.5	≦* <	192.5	152	2.91081	0.172	0.172	
17	182.5	≦* <	187.5	148	2.86019	0.169	0.169	
16	177.5	≦* <	182.5	144	2.80957	0.166	0.166	
15	172.5	≦* <	177.5	140	2.75895	0.163	0.163	
14	167.5	≦* <	172.5	136	2.70834	0.160	0.160	
13	162.5	≦* <	167.5	132	2.65772	0.157	0.157	
12	157.5	≦* <	162.5	128	2.60710	0.154	0.154	
11	152.5	≦* <	157.5	124	2.55648	0.151	0.151	
10	147.5	≦* <	152.5	120	2.50587	0.148	0.148	
9	142.5	≦* <	147.5	116	2.45525	0.145	0.145	
8	137.5	≦* <	142.5	112	2.40463	0.142	0.142	
7	132.5	≦* <	137.5	108	2.35401	0.139	0.139	
6	127.5	≦* <	132.5	104	2.30340	0.136	0.136	
5	122.5	≦* <	127.5	100	2.25278	0.133	0.133	
4	117.5	≦* <	122.5	96	2.20216	0.130	0.130	
3	112.5	≦* <	117.5	92	2.15154	0.127	0.127	
2	107.5	≦* <	112.5	88	2.10093	0.124	0.124	
1	102.5	≦* <	107.5	84	2.05031	0.121	0.121	
0	97.5	≦* <	102.5	80	1.99969	0.118	0.118	
-1	92.5	≦* <	97.5	76	1.94908	0.115	0.115	
-2	87.5	≦* <	92.5	72	1.89846	0.112	0.112	
-3	82.5	≦* <	87.5	68	1.84784	0.109	0.109	
-4	77.5	≦* <	82.5	64	1.79722	0.106	0.106	
-5	72.5	≦* <	77.5	60	1.74661	0.103	0.103	
-6	67.5	≦* <	72.5	56	1.69599	0.100	0.100	
-7	62.5	≦* <	67.5	52	1.64537	0.097	0.097	
-8	57.5	≦* <	62.5	48	1.59475	0.094	0.094	
-9	52.5	≦* <	57.5	44	1.54414	0.091	0.091	
-10	47.5	≦* <	52.5	40	1.49352	0.088	0.088	
-11	42.5	≦* <	47.5	36	1.44290	0.085	0.085	
-12	37.5	≦* <	42.5	32	1.39228	0.082	0.082	
-13	32.5	≦* <	37.5	28	1.34167	0.079	0.079	
-14	27.5	≦* <	32.5	24	1.29105	0.076	0.076	
-15	22.5	≦* <	27.5	20	1.24043	0.073	0.073	
-16	17.5	≦* <	22.5	16	1.18982	0.070	0.070	
-17	12.5	≦* <	17.5	12	1.13920	0.067	0.067	
-18	7.5	≦* <	12.5	8	1.08858	0.064	0.064	
-19	2.5	≦* <	7.5	4	1.03796	0.061	0.061	
-20	0.0	≦* <	2.5	1.00	1.00000	0.059	0.059	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 10 ガラス室 I 類

共済掛金標準率: 0.118 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.169	0.169	
19	192.5	≦* <	197.5	156	2.96142	0.166	0.166	
18	187.5	≦* <	192.5	152	2.91081	0.163	0.163	
17	182.5	≦* <	187.5	148	2.86019	0.161	0.161	
16	177.5	≦* <	182.5	144	2.80957	0.158	0.158	
15	172.5	≦* <	177.5	140	2.75895	0.155	0.155	
14	167.5	≦* <	172.5	136	2.70834	0.152	0.152	
13	162.5	≦* <	167.5	132	2.65772	0.149	0.149	
12	157.5	≦* <	162.5	128	2.60710	0.146	0.146	
11	152.5	≦* <	157.5	124	2.55648	0.143	0.143	
10	147.5	≦* <	152.5	120	2.50587	0.141	0.141	
9	142.5	≦* <	147.5	116	2.45525	0.138	0.138	
8	137.5	≦* <	142.5	112	2.40463	0.135	0.135	
7	132.5	≦* <	137.5	108	2.35401	0.132	0.132	
6	127.5	≦* <	132.5	104	2.30340	0.129	0.129	
5	122.5	≦* <	127.5	100	2.25278	0.126	0.126	
4	117.5	≦* <	122.5	96	2.20216	0.124	0.124	
3	112.5	≦* <	117.5	92	2.15154	0.121	0.121	
2	107.5	≦* <	112.5	88	2.10093	0.118	0.118	
1	102.5	≦* <	107.5	84	2.05031	0.115	0.115	
0	97.5	≦* <	102.5	80	1.99969	0.112	0.112	
-1	92.5	≦* <	97.5	76	1.94908	0.109	0.109	
-2	87.5	≦* <	92.5	72	1.89846	0.106	0.106	
-3	82.5	≦* <	87.5	68	1.84784	0.104	0.104	
-4	77.5	≦* <	82.5	64	1.79722	0.101	0.101	
-5	72.5	≦* <	77.5	60	1.74661	0.098	0.098	
-6	67.5	≦* <	72.5	56	1.69599	0.095	0.095	
-7	62.5	≦* <	67.5	52	1.64537	0.092	0.092	
-8	57.5	≦* <	62.5	48	1.59475	0.089	0.089	
-9	52.5	≦* <	57.5	44	1.54414	0.086	0.086	
-10	47.5	≦* <	52.5	40	1.49352	0.084	0.084	
-11	42.5	≦* <	47.5	36	1.44290	0.081	0.081	
-12	37.5	≦* <	42.5	32	1.39228	0.078	0.078	
-13	32.5	≦* <	37.5	28	1.34167	0.075	0.075	
-14	27.5	≦* <	32.5	24	1.29105	0.072	0.072	
-15	22.5	≦* <	27.5	20	1.24043	0.069	0.069	
-16	17.5	≦* <	22.5	16	1.18982	0.067	0.067	
-17	12.5	≦* <	17.5	12	1.13920	0.064	0.064	
-18	7.5	≦* <	12.5	8	1.08858	0.061	0.061	
-19	2.5	≦* <	7.5	4	1.03796	0.058	0.058	
-20	0.0	≦* <	2.5	1.00	1.00000	0.056	0.056	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.411 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.679	0.679	
19	192.5	≦* <	197.5	156	2.15198	0.442	0.442	
18	187.5	≦* <	192.5	152	2.12226	0.436	0.436	
17	182.5	≦* <	187.5	148	2.09253	0.430	0.430	
16	177.5	≦* <	182.5	144	2.06280	0.424	0.424	
15	172.5	≦* <	177.5	140	2.03307	0.418	0.418	
14	167.5	≦* <	172.5	136	2.00334	0.412	0.412	
13	162.5	≦* <	167.5	132	1.97361	0.406	0.406	
12	157.5	≦* <	162.5	128	1.94388	0.399	0.399	
11	152.5	≦* <	157.5	124	1.91416	0.393	0.393	
10	147.5	≦* <	152.5	120	1.88443	0.387	0.387	
9	142.5	≦* <	147.5	116	1.85470	0.381	0.381	
8	137.5	≦* <	142.5	112	1.82497	0.375	0.375	
7	132.5	≦* <	137.5	108	1.79524	0.369	0.369	
6	127.5	≦* <	132.5	104	1.76551	0.363	0.363	
5	122.5	≦* <	127.5	100	1.73578	0.357	0.357	
4	117.5	≦* <	122.5	96	1.70605	0.351	0.351	
3	112.5	≦* <	117.5	92	1.67633	0.344	0.344	
2	107.5	≦* <	112.5	88	1.64660	0.338	0.338	
1	102.5	≦* <	107.5	84	1.61687	0.332	0.332	
0	97.5	≦* <	102.5	80	1.58714	0.326	0.326	
-1	92.5	≦* <	97.5	76	1.55741	0.320	0.320	
-2	87.5	≦* <	92.5	72	1.52768	0.314	0.314	
-3	82.5	≦* <	87.5	68	1.49795	0.308	0.308	
-4	77.5	≦* <	82.5	64	1.46823	0.302	0.302	
-5	72.5	≦* <	77.5	60	1.43850	0.296	0.296	
-6	67.5	≦* <	72.5	56	1.40877	0.290	0.290	
-7	62.5	≦* <	67.5	52	1.37904	0.283	0.283	
-8	57.5	≦* <	62.5	48	1.34931	0.277	0.277	
-9	52.5	≦* <	57.5	44	1.31958	0.271	0.271	
-10	47.5	≦* <	52.5	40	1.28985	0.265	0.265	
-11	42.5	≦* <	47.5	36	1.26013	0.259	0.259	
-12	37.5	≦* <	42.5	32	1.23040	0.253	0.253	
-13	32.5	≦* <	37.5	28	1.20067	0.247	0.247	
-14	27.5	≦* <	32.5	24	1.17094	0.241	0.241	
-15	22.5	≦* <	27.5	20	1.14121	0.235	0.235	
-16	17.5	≦* <	22.5	16	1.11148	0.228	0.228	
-17	12.5	≦* <	17.5	12	1.08175	0.222	0.222	
-18	7.5	≦* <	12.5	8	1.05203	0.216	0.216	
-19	2.5	≦* <	7.5	4	1.02230	0.210	0.210	
-20	0.0	≦* <	2.5	1.00	1.00000	0.205	0.205	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.411 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.645	0.645	
19	192.5	≦* <	197.5	156	2.15198	0.420	0.420	
18	187.5	≦* <	192.5	152	2.12226	0.414	0.414	
17	182.5	≦* <	187.5	148	2.09253	0.409	0.409	
16	177.5	≦* <	182.5	144	2.06280	0.403	0.403	
15	172.5	≦* <	177.5	140	2.03307	0.397	0.397	
14	167.5	≦* <	172.5	136	2.00334	0.391	0.391	
13	162.5	≦* <	167.5	132	1.97361	0.386	0.386	
12	157.5	≦* <	162.5	128	1.94388	0.379	0.379	
11	152.5	≦* <	157.5	124	1.91416	0.373	0.373	
10	147.5	≦* <	152.5	120	1.88443	0.368	0.368	
9	142.5	≦* <	147.5	116	1.85470	0.362	0.362	
8	137.5	≦* <	142.5	112	1.82497	0.356	0.356	
7	132.5	≦* <	137.5	108	1.79524	0.351	0.351	
6	127.5	≦* <	132.5	104	1.76551	0.345	0.345	
5	122.5	≦* <	127.5	100	1.73578	0.339	0.339	
4	117.5	≦* <	122.5	96	1.70605	0.333	0.333	
3	112.5	≦* <	117.5	92	1.67633	0.327	0.327	
2	107.5	≦* <	112.5	88	1.64660	0.321	0.321	
1	102.5	≦* <	107.5	84	1.61687	0.315	0.315	
0	97.5	≦* <	102.5	80	1.58714	0.310	0.310	
-1	92.5	≦* <	97.5	76	1.55741	0.304	0.304	
-2	87.5	≦* <	92.5	72	1.52768	0.298	0.298	
-3	82.5	≦* <	87.5	68	1.49795	0.293	0.293	
-4	77.5	≦* <	82.5	64	1.46823	0.287	0.287	
-5	72.5	≦* <	77.5	60	1.43850	0.281	0.281	
-6	67.5	≦* <	72.5	56	1.40877	0.276	0.276	
-7	62.5	≦* <	67.5	52	1.37904	0.269	0.269	
-8	57.5	≦* <	62.5	48	1.34931	0.263	0.263	
-9	52.5	≦* <	57.5	44	1.31958	0.257	0.257	
-10	47.5	≦* <	52.5	40	1.28985	0.252	0.252	
-11	42.5	≦* <	47.5	36	1.26013	0.246	0.246	
-12	37.5	≦* <	42.5	32	1.23040	0.240	0.240	
-13	32.5	≦* <	37.5	28	1.20067	0.235	0.235	
-14	27.5	≦* <	32.5	24	1.17094	0.229	0.229	
-15	22.5	≦* <	27.5	20	1.14121	0.223	0.223	
-16	17.5	≦* <	22.5	16	1.11148	0.217	0.217	
-17	12.5	≦* <	17.5	12	1.08175	0.211	0.211	
-18	7.5	≦* <	12.5	8	1.05203	0.205	0.205	
-19	2.5	≦* <	7.5	4	1.02230	0.200	0.200	
-20	0.0	≦* <	2.5	1.00	1.00000	0.195	0.195	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.410 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.678	0.678	
19	192.5	≦* <	197.5	156	2.15198	0.441	0.441	
18	187.5	≦* <	192.5	152	2.12226	0.435	0.435	
17	182.5	≦* <	187.5	148	2.09253	0.429	0.429	
16	177.5	≦* <	182.5	144	2.06280	0.423	0.423	
15	172.5	≦* <	177.5	140	2.03307	0.417	0.417	
14	167.5	≦* <	172.5	136	2.00334	0.411	0.411	
13	162.5	≦* <	167.5	132	1.97361	0.405	0.405	
12	157.5	≦* <	162.5	128	1.94388	0.398	0.398	
11	152.5	≦* <	157.5	124	1.91416	0.392	0.392	
10	147.5	≦* <	152.5	120	1.88443	0.386	0.386	
9	142.5	≦* <	147.5	116	1.85470	0.380	0.380	
8	137.5	≦* <	142.5	112	1.82497	0.374	0.374	
7	132.5	≦* <	137.5	108	1.79524	0.368	0.368	
6	127.5	≦* <	132.5	104	1.76551	0.362	0.362	
5	122.5	≦* <	127.5	100	1.73578	0.356	0.356	
4	117.5	≦* <	122.5	96	1.70605	0.350	0.350	
3	112.5	≦* <	117.5	92	1.67633	0.344	0.344	
2	107.5	≦* <	112.5	88	1.64660	0.338	0.338	
1	102.5	≦* <	107.5	84	1.61687	0.331	0.331	
0	97.5	≦* <	102.5	80	1.58714	0.325	0.325	
-1	92.5	≦* <	97.5	76	1.55741	0.319	0.319	
-2	87.5	≦* <	92.5	72	1.52768	0.313	0.313	
-3	82.5	≦* <	87.5	68	1.49795	0.307	0.307	
-4	77.5	≦* <	82.5	64	1.46823	0.301	0.301	
-5	72.5	≦* <	77.5	60	1.43850	0.295	0.295	
-6	67.5	≦* <	72.5	56	1.40877	0.289	0.289	
-7	62.5	≦* <	67.5	52	1.37904	0.283	0.283	
-8	57.5	≦* <	62.5	48	1.34931	0.277	0.277	
-9	52.5	≦* <	57.5	44	1.31958	0.271	0.271	
-10	47.5	≦* <	52.5	40	1.28985	0.264	0.264	
-11	42.5	≦* <	47.5	36	1.26013	0.258	0.258	
-12	37.5	≦* <	42.5	32	1.23040	0.252	0.252	
-13	32.5	≦* <	37.5	28	1.20067	0.246	0.246	
-14	27.5	≦* <	32.5	24	1.17094	0.240	0.240	
-15	22.5	≦* <	27.5	20	1.14121	0.234	0.234	
-16	17.5	≦* <	22.5	16	1.11148	0.228	0.228	
-17	12.5	≦* <	17.5	12	1.08175	0.222	0.222	
-18	7.5	≦* <	12.5	8	1.05203	0.216	0.216	
-19	2.5	≦* <	7.5	4	1.02230	0.210	0.210	
-20	0.0	≦* <	2.5	1.00	1.00000	0.205	0.205	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.410 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.644	0.644	
19	192.5	≦* <	197.5	156	2.15198	0.419	0.419	
18	187.5	≦* <	192.5	152	2.12226	0.413	0.413	
17	182.5	≦* <	187.5	148	2.09253	0.408	0.408	
16	177.5	≦* <	182.5	144	2.06280	0.402	0.402	
15	172.5	≦* <	177.5	140	2.03307	0.396	0.396	
14	167.5	≦* <	172.5	136	2.00334	0.390	0.390	
13	162.5	≦* <	167.5	132	1.97361	0.385	0.385	
12	157.5	≦* <	162.5	128	1.94388	0.378	0.378	
11	152.5	≦* <	157.5	124	1.91416	0.372	0.372	
10	147.5	≦* <	152.5	120	1.88443	0.367	0.367	
9	142.5	≦* <	147.5	116	1.85470	0.361	0.361	
8	137.5	≦* <	142.5	112	1.82497	0.355	0.355	
7	132.5	≦* <	137.5	108	1.79524	0.350	0.350	
6	127.5	≦* <	132.5	104	1.76551	0.344	0.344	
5	122.5	≦* <	127.5	100	1.73578	0.338	0.338	
4	117.5	≦* <	122.5	96	1.70605	0.333	0.333	
3	112.5	≦* <	117.5	92	1.67633	0.327	0.327	
2	107.5	≦* <	112.5	88	1.64660	0.321	0.321	
1	102.5	≦* <	107.5	84	1.61687	0.314	0.314	
0	97.5	≦* <	102.5	80	1.58714	0.309	0.309	
-1	92.5	≦* <	97.5	76	1.55741	0.303	0.303	
-2	87.5	≦* <	92.5	72	1.52768	0.297	0.297	
-3	82.5	≦* <	87.5	68	1.49795	0.292	0.292	
-4	77.5	≦* <	82.5	64	1.46823	0.286	0.286	
-5	72.5	≦* <	77.5	60	1.43850	0.280	0.280	
-6	67.5	≦* <	72.5	56	1.40877	0.275	0.275	
-7	62.5	≦* <	67.5	52	1.37904	0.269	0.269	
-8	57.5	≦* <	62.5	48	1.34931	0.263	0.263	
-9	52.5	≦* <	57.5	44	1.31958	0.257	0.257	
-10	47.5	≦* <	52.5	40	1.28985	0.251	0.251	
-11	42.5	≦* <	47.5	36	1.26013	0.245	0.245	
-12	37.5	≦* <	42.5	32	1.23040	0.239	0.239	
-13	32.5	≦* <	37.5	28	1.20067	0.234	0.234	
-14	27.5	≦* <	32.5	24	1.17094	0.228	0.228	
-15	22.5	≦* <	27.5	20	1.14121	0.222	0.222	
-16	17.5	≦* <	22.5	16	1.11148	0.217	0.217	
-17	12.5	≦* <	17.5	12	1.08175	0.211	0.211	
-18	7.5	≦* <	12.5	8	1.05203	0.205	0.205	
-19	2.5	≦* <	7.5	4	1.02230	0.200	0.200	
-20	0.0	≦* <	2.5	1.00	1.00000	0.195	0.195	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.409 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.676	0.676	
19	192.5	≦* <	197.5	156	2.15198	0.440	0.440	
18	187.5	≦* <	192.5	152	2.12226	0.434	0.434	
17	182.5	≦* <	187.5	148	2.09253	0.428	0.428	
16	177.5	≦* <	182.5	144	2.06280	0.422	0.422	
15	172.5	≦* <	177.5	140	2.03307	0.416	0.416	
14	167.5	≦* <	172.5	136	2.00334	0.410	0.410	
13	162.5	≦* <	167.5	132	1.97361	0.404	0.404	
12	157.5	≦* <	162.5	128	1.94388	0.398	0.398	
11	152.5	≦* <	157.5	124	1.91416	0.391	0.391	
10	147.5	≦* <	152.5	120	1.88443	0.385	0.385	
9	142.5	≦* <	147.5	116	1.85470	0.379	0.379	
8	137.5	≦* <	142.5	112	1.82497	0.373	0.373	
7	132.5	≦* <	137.5	108	1.79524	0.367	0.367	
6	127.5	≦* <	132.5	104	1.76551	0.361	0.361	
5	122.5	≦* <	127.5	100	1.73578	0.355	0.355	
4	117.5	≦* <	122.5	96	1.70605	0.349	0.349	
3	112.5	≦* <	117.5	92	1.67633	0.343	0.343	
2	107.5	≦* <	112.5	88	1.64660	0.337	0.337	
1	102.5	≦* <	107.5	84	1.61687	0.331	0.331	
0	97.5	≦* <	102.5	80	1.58714	0.325	0.325	
-1	92.5	≦* <	97.5	76	1.55741	0.318	0.318	
-2	87.5	≦* <	92.5	72	1.52768	0.312	0.312	
-3	82.5	≦* <	87.5	68	1.49795	0.306	0.306	
-4	77.5	≦* <	82.5	64	1.46823	0.300	0.300	
-5	72.5	≦* <	77.5	60	1.43850	0.294	0.294	
-6	67.5	≦* <	72.5	56	1.40877	0.288	0.288	
-7	62.5	≦* <	67.5	52	1.37904	0.282	0.282	
-8	57.5	≦* <	62.5	48	1.34931	0.276	0.276	
-9	52.5	≦* <	57.5	44	1.31958	0.270	0.270	
-10	47.5	≦* <	52.5	40	1.28985	0.264	0.264	
-11	42.5	≦* <	47.5	36	1.26013	0.258	0.258	
-12	37.5	≦* <	42.5	32	1.23040	0.252	0.252	
-13	32.5	≦* <	37.5	28	1.20067	0.246	0.246	
-14	27.5	≦* <	32.5	24	1.17094	0.239	0.239	
-15	22.5	≦* <	27.5	20	1.14121	0.233	0.233	
-16	17.5	≦* <	22.5	16	1.11148	0.227	0.227	
-17	12.5	≦* <	17.5	12	1.08175	0.221	0.221	
-18	7.5	≦* <	12.5	8	1.05203	0.215	0.215	
-19	2.5	≦* <	7.5	4	1.02230	0.209	0.209	
-20	0.0	≦* <	2.5	1.00	1.00000	0.204	0.204	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.409 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.642	0.642	
19	192.5	≦* <	197.5	156	2.15198	0.418	0.418	
18	187.5	≦* <	192.5	152	2.12226	0.412	0.412	
17	182.5	≦* <	187.5	148	2.09253	0.407	0.407	
16	177.5	≦* <	182.5	144	2.06280	0.401	0.401	
15	172.5	≦* <	177.5	140	2.03307	0.395	0.395	
14	167.5	≦* <	172.5	136	2.00334	0.390	0.390	
13	162.5	≦* <	167.5	132	1.97361	0.384	0.384	
12	157.5	≦* <	162.5	128	1.94388	0.378	0.378	
11	152.5	≦* <	157.5	124	1.91416	0.371	0.371	
10	147.5	≦* <	152.5	120	1.88443	0.366	0.366	
9	142.5	≦* <	147.5	116	1.85470	0.360	0.360	
8	137.5	≦* <	142.5	112	1.82497	0.354	0.354	
7	132.5	≦* <	137.5	108	1.79524	0.349	0.349	
6	127.5	≦* <	132.5	104	1.76551	0.343	0.343	
5	122.5	≦* <	127.5	100	1.73578	0.337	0.337	
4	117.5	≦* <	122.5	96	1.70605	0.332	0.332	
3	112.5	≦* <	117.5	92	1.67633	0.326	0.326	
2	107.5	≦* <	112.5	88	1.64660	0.320	0.320	
1	102.5	≦* <	107.5	84	1.61687	0.314	0.314	
0	97.5	≦* <	102.5	80	1.58714	0.309	0.309	
-1	92.5	≦* <	97.5	76	1.55741	0.302	0.302	
-2	87.5	≦* <	92.5	72	1.52768	0.296	0.296	
-3	82.5	≦* <	87.5	68	1.49795	0.291	0.291	
-4	77.5	≦* <	82.5	64	1.46823	0.285	0.285	
-5	72.5	≦* <	77.5	60	1.43850	0.279	0.279	
-6	67.5	≦* <	72.5	56	1.40877	0.274	0.274	
-7	62.5	≦* <	67.5	52	1.37904	0.268	0.268	
-8	57.5	≦* <	62.5	48	1.34931	0.262	0.262	
-9	52.5	≦* <	57.5	44	1.31958	0.257	0.257	
-10	47.5	≦* <	52.5	40	1.28985	0.251	0.251	
-11	42.5	≦* <	47.5	36	1.26013	0.245	0.245	
-12	37.5	≦* <	42.5	32	1.23040	0.239	0.239	
-13	32.5	≦* <	37.5	28	1.20067	0.234	0.234	
-14	27.5	≦* <	32.5	24	1.17094	0.227	0.227	
-15	22.5	≦* <	27.5	20	1.14121	0.221	0.221	
-16	17.5	≦* <	22.5	16	1.11148	0.216	0.216	
-17	12.5	≦* <	17.5	12	1.08175	0.210	0.210	
-18	7.5	≦* <	12.5	8	1.05203	0.204	0.204	
-19	2.5	≦* <	7.5	4	1.02230	0.199	0.199	
-20	0.0	≦* <	2.5	1.00	1.00000	0.194	0.194	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.179 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.296	0.296	
19	192.5	≦* <	197.5	156	2.15198	0.193	0.193	
18	187.5	≦* <	192.5	152	2.12226	0.190	0.190	
17	182.5	≦* <	187.5	148	2.09253	0.187	0.187	
16	177.5	≦* <	182.5	144	2.06280	0.185	0.185	
15	172.5	≦* <	177.5	140	2.03307	0.182	0.182	
14	167.5	≦* <	172.5	136	2.00334	0.179	0.179	
13	162.5	≦* <	167.5	132	1.97361	0.177	0.177	
12	157.5	≦* <	162.5	128	1.94388	0.174	0.174	
11	152.5	≦* <	157.5	124	1.91416	0.171	0.171	
10	147.5	≦* <	152.5	120	1.88443	0.169	0.169	
9	142.5	≦* <	147.5	116	1.85470	0.166	0.166	
8	137.5	≦* <	142.5	112	1.82497	0.163	0.163	
7	132.5	≦* <	137.5	108	1.79524	0.161	0.161	
6	127.5	≦* <	132.5	104	1.76551	0.158	0.158	
5	122.5	≦* <	127.5	100	1.73578	0.155	0.155	
4	117.5	≦* <	122.5	96	1.70605	0.153	0.153	
3	112.5	≦* <	117.5	92	1.67633	0.150	0.150	
2	107.5	≦* <	112.5	88	1.64660	0.147	0.147	
1	102.5	≦* <	107.5	84	1.61687	0.145	0.145	
0	97.5	≦* <	102.5	80	1.58714	0.142	0.142	
-1	92.5	≦* <	97.5	76	1.55741	0.139	0.139	
-2	87.5	≦* <	92.5	72	1.52768	0.137	0.137	
-3	82.5	≦* <	87.5	68	1.49795	0.134	0.134	
-4	77.5	≦* <	82.5	64	1.46823	0.131	0.131	
-5	72.5	≦* <	77.5	60	1.43850	0.129	0.129	
-6	67.5	≦* <	72.5	56	1.40877	0.126	0.126	
-7	62.5	≦* <	67.5	52	1.37904	0.123	0.123	
-8	57.5	≦* <	62.5	48	1.34931	0.121	0.121	
-9	52.5	≦* <	57.5	44	1.31958	0.118	0.118	
-10	47.5	≦* <	52.5	40	1.28985	0.115	0.115	
-11	42.5	≦* <	47.5	36	1.26013	0.113	0.113	
-12	37.5	≦* <	42.5	32	1.23040	0.110	0.110	
-13	32.5	≦* <	37.5	28	1.20067	0.107	0.107	
-14	27.5	≦* <	32.5	24	1.17094	0.105	0.105	
-15	22.5	≦* <	27.5	20	1.14121	0.102	0.102	
-16	17.5	≦* <	22.5	16	1.11148	0.099	0.099	
-17	12.5	≦* <	17.5	12	1.08175	0.097	0.097	
-18	7.5	≦* <	12.5	8	1.05203	0.094	0.094	
-19	2.5	≦* <	7.5	4	1.02230	0.091	0.091	
-20	0.0	≦* <	2.5	1.00	1.00000	0.089	0.089	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.179 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.281	0.281	
19	192.5	≦* <	197.5	156	2.15198	0.183	0.183	
18	187.5	≦* <	192.5	152	2.12226	0.181	0.181	
17	182.5	≦* <	187.5	148	2.09253	0.178	0.178	
16	177.5	≦* <	182.5	144	2.06280	0.176	0.176	
15	172.5	≦* <	177.5	140	2.03307	0.173	0.173	
14	167.5	≦* <	172.5	136	2.00334	0.170	0.170	
13	162.5	≦* <	167.5	132	1.97361	0.168	0.168	
12	157.5	≦* <	162.5	128	1.94388	0.165	0.165	
11	152.5	≦* <	157.5	124	1.91416	0.162	0.162	
10	147.5	≦* <	152.5	120	1.88443	0.161	0.161	
9	142.5	≦* <	147.5	116	1.85470	0.158	0.158	
8	137.5	≦* <	142.5	112	1.82497	0.155	0.155	
7	132.5	≦* <	137.5	108	1.79524	0.153	0.153	
6	127.5	≦* <	132.5	104	1.76551	0.150	0.150	
5	122.5	≦* <	127.5	100	1.73578	0.147	0.147	
4	117.5	≦* <	122.5	96	1.70605	0.145	0.145	
3	112.5	≦* <	117.5	92	1.67633	0.143	0.143	
2	107.5	≦* <	112.5	88	1.64660	0.140	0.140	
1	102.5	≦* <	107.5	84	1.61687	0.138	0.138	
0	97.5	≦* <	102.5	80	1.58714	0.135	0.135	
-1	92.5	≦* <	97.5	76	1.55741	0.132	0.132	
-2	87.5	≦* <	92.5	72	1.52768	0.130	0.130	
-3	82.5	≦* <	87.5	68	1.49795	0.127	0.127	
-4	77.5	≦* <	82.5	64	1.46823	0.124	0.124	
-5	72.5	≦* <	77.5	60	1.43850	0.123	0.123	
-6	67.5	≦* <	72.5	56	1.40877	0.120	0.120	
-7	62.5	≦* <	67.5	52	1.37904	0.117	0.117	
-8	57.5	≦* <	62.5	48	1.34931	0.115	0.115	
-9	52.5	≦* <	57.5	44	1.31958	0.112	0.112	
-10	47.5	≦* <	52.5	40	1.28985	0.109	0.109	
-11	42.5	≦* <	47.5	36	1.26013	0.107	0.107	
-12	37.5	≦* <	42.5	32	1.23040	0.105	0.105	
-13	32.5	≦* <	37.5	28	1.20067	0.102	0.102	
-14	27.5	≦* <	32.5	24	1.17094	0.100	0.100	
-15	22.5	≦* <	27.5	20	1.14121	0.097	0.097	
-16	17.5	≦* <	22.5	16	1.11148	0.094	0.094	
-17	12.5	≦* <	17.5	12	1.08175	0.092	0.092	
-18	7.5	≦* <	12.5	8	1.05203	0.089	0.089	
-19	2.5	≦* <	7.5	4	1.02230	0.086	0.086	
-20	0.0	≦* <	2.5	1.00	1.00000	0.085	0.085	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.076 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.126	0.126	
19	192.5	≦* <	197.5	156	2.15198	0.082	0.082	
18	187.5	≦* <	192.5	152	2.12226	0.081	0.081	
17	182.5	≦* <	187.5	148	2.09253	0.080	0.080	
16	177.5	≦* <	182.5	144	2.06280	0.078	0.078	
15	172.5	≦* <	177.5	140	2.03307	0.077	0.077	
14	167.5	≦* <	172.5	136	2.00334	0.076	0.076	
13	162.5	≦* <	167.5	132	1.97361	0.075	0.075	
12	157.5	≦* <	162.5	128	1.94388	0.074	0.074	
11	152.5	≦* <	157.5	124	1.91416	0.073	0.073	
10	147.5	≦* <	152.5	120	1.88443	0.072	0.072	
9	142.5	≦* <	147.5	116	1.85470	0.070	0.070	
8	137.5	≦* <	142.5	112	1.82497	0.069	0.069	
7	132.5	≦* <	137.5	108	1.79524	0.068	0.068	
6	127.5	≦* <	132.5	104	1.76551	0.067	0.067	
5	122.5	≦* <	127.5	100	1.73578	0.066	0.066	
4	117.5	≦* <	122.5	96	1.70605	0.065	0.065	
3	112.5	≦* <	117.5	92	1.67633	0.064	0.064	
2	107.5	≦* <	112.5	88	1.64660	0.063	0.063	
1	102.5	≦* <	107.5	84	1.61687	0.061	0.061	
0	97.5	≦* <	102.5	80	1.58714	0.060	0.060	
-1	92.5	≦* <	97.5	76	1.55741	0.059	0.059	
-2	87.5	≦* <	92.5	72	1.52768	0.058	0.058	
-3	82.5	≦* <	87.5	68	1.49795	0.057	0.057	
-4	77.5	≦* <	82.5	64	1.46823	0.056	0.056	
-5	72.5	≦* <	77.5	60	1.43850	0.055	0.055	
-6	67.5	≦* <	72.5	56	1.40877	0.054	0.054	
-7	62.5	≦* <	67.5	52	1.37904	0.052	0.052	
-8	57.5	≦* <	62.5	48	1.34931	0.051	0.051	
-9	52.5	≦* <	57.5	44	1.31958	0.050	0.050	
-10	47.5	≦* <	52.5	40	1.28985	0.049	0.049	
-11	42.5	≦* <	47.5	36	1.26013	0.048	0.048	
-12	37.5	≦* <	42.5	32	1.23040	0.047	0.047	
-13	32.5	≦* <	37.5	28	1.20067	0.046	0.046	
-14	27.5	≦* <	32.5	24	1.17094	0.044	0.044	
-15	22.5	≦* <	27.5	20	1.14121	0.043	0.043	
-16	17.5	≦* <	22.5	16	1.11148	0.042	0.042	
-17	12.5	≦* <	17.5	12	1.08175	0.041	0.041	
-18	7.5	≦* <	12.5	8	1.05203	0.040	0.040	
-19	2.5	≦* <	7.5	4	1.02230	0.039	0.039	
-20	0.0	≦* <	2.5	1.00	1.00000	0.038	0.038	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 20 ガラス室Ⅱ類

共済掛金標準率: 0.076 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		311.20063	3.30546	0.120	0.120	
19	192.5	≦* <	197.5	156	2.15198	0.078	0.078	
18	187.5	≦* <	192.5	152	2.12226	0.077	0.077	
17	182.5	≦* <	187.5	148	2.09253	0.076	0.076	
16	177.5	≦* <	182.5	144	2.06280	0.074	0.074	
15	172.5	≦* <	177.5	140	2.03307	0.073	0.073	
14	167.5	≦* <	172.5	136	2.00334	0.072	0.072	
13	162.5	≦* <	167.5	132	1.97361	0.071	0.071	
12	157.5	≦* <	162.5	128	1.94388	0.070	0.070	
11	152.5	≦* <	157.5	124	1.91416	0.069	0.069	
10	147.5	≦* <	152.5	120	1.88443	0.068	0.068	
9	142.5	≦* <	147.5	116	1.85470	0.067	0.067	
8	137.5	≦* <	142.5	112	1.82497	0.066	0.066	
7	132.5	≦* <	137.5	108	1.79524	0.065	0.065	
6	127.5	≦* <	132.5	104	1.76551	0.064	0.064	
5	122.5	≦* <	127.5	100	1.73578	0.063	0.063	
4	117.5	≦* <	122.5	96	1.70605	0.062	0.062	
3	112.5	≦* <	117.5	92	1.67633	0.061	0.061	
2	107.5	≦* <	112.5	88	1.64660	0.060	0.060	
1	102.5	≦* <	107.5	84	1.61687	0.058	0.058	
0	97.5	≦* <	102.5	80	1.58714	0.057	0.057	
-1	92.5	≦* <	97.5	76	1.55741	0.056	0.056	
-2	87.5	≦* <	92.5	72	1.52768	0.055	0.055	
-3	82.5	≦* <	87.5	68	1.49795	0.054	0.054	
-4	77.5	≦* <	82.5	64	1.46823	0.053	0.053	
-5	72.5	≦* <	77.5	60	1.43850	0.052	0.052	
-6	67.5	≦* <	72.5	56	1.40877	0.051	0.051	
-7	62.5	≦* <	67.5	52	1.37904	0.049	0.049	
-8	57.5	≦* <	62.5	48	1.34931	0.048	0.048	
-9	52.5	≦* <	57.5	44	1.31958	0.048	0.048	
-10	47.5	≦* <	52.5	40	1.28985	0.047	0.047	
-11	42.5	≦* <	47.5	36	1.26013	0.046	0.046	
-12	37.5	≦* <	42.5	32	1.23040	0.045	0.045	
-13	32.5	≦* <	37.5	28	1.20067	0.044	0.044	
-14	27.5	≦* <	32.5	24	1.17094	0.042	0.042	
-15	22.5	≦* <	27.5	20	1.14121	0.041	0.041	
-16	17.5	≦* <	22.5	16	1.11148	0.040	0.040	
-17	12.5	≦* <	17.5	12	1.08175	0.039	0.039	
-18	7.5	≦* <	12.5	8	1.05203	0.038	0.038	
-19	2.5	≦* <	7.5	4	1.02230	0.037	0.037	
-20	0.0	≦* <	2.5	1.00	1.00000	0.036	0.036	
計	平均			135.55050	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.372 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.560	0.560	
19	192.5	≦* <	197.5	156	2.96142	0.551	0.551	
18	187.5	≦* <	192.5	152	2.91081	0.541	0.541	
17	182.5	≦* <	187.5	148	2.86019	0.532	0.532	
16	177.5	≦* <	182.5	144	2.80957	0.523	0.523	
15	172.5	≦* <	177.5	140	2.75895	0.513	0.513	
14	167.5	≦* <	172.5	136	2.70834	0.504	0.504	
13	162.5	≦* <	167.5	132	2.65772	0.494	0.494	
12	157.5	≦* <	162.5	128	2.60710	0.485	0.485	
11	152.5	≦* <	157.5	124	2.55648	0.476	0.476	
10	147.5	≦* <	152.5	120	2.50587	0.466	0.466	
9	142.5	≦* <	147.5	116	2.45525	0.457	0.457	
8	137.5	≦* <	142.5	112	2.40463	0.447	0.447	
7	132.5	≦* <	137.5	108	2.35401	0.438	0.438	
6	127.5	≦* <	132.5	104	2.30340	0.428	0.428	
5	122.5	≦* <	127.5	100	2.25278	0.419	0.419	
4	117.5	≦* <	122.5	96	2.20216	0.410	0.410	
3	112.5	≦* <	117.5	92	2.15154	0.400	0.400	
2	107.5	≦* <	112.5	88	2.10093	0.391	0.391	
1	102.5	≦* <	107.5	84	2.05031	0.381	0.381	
0	97.5	≦* <	102.5	80	1.99969	0.372	0.372	
-1	92.5	≦* <	97.5	76	1.94908	0.363	0.363	
-2	87.5	≦* <	92.5	72	1.89846	0.353	0.353	
-3	82.5	≦* <	87.5	68	1.84784	0.344	0.344	
-4	77.5	≦* <	82.5	64	1.79722	0.334	0.334	
-5	72.5	≦* <	77.5	60	1.74661	0.325	0.325	
-6	67.5	≦* <	72.5	56	1.69599	0.315	0.315	
-7	62.5	≦* <	67.5	52	1.64537	0.306	0.306	
-8	57.5	≦* <	62.5	48	1.59475	0.297	0.297	
-9	52.5	≦* <	57.5	44	1.54414	0.287	0.287	
-10	47.5	≦* <	52.5	40	1.49352	0.278	0.278	
-11	42.5	≦* <	47.5	36	1.44290	0.268	0.268	
-12	37.5	≦* <	42.5	32	1.39228	0.259	0.259	
-13	32.5	≦* <	37.5	28	1.34167	0.250	0.250	
-14	27.5	≦* <	32.5	24	1.29105	0.240	0.240	
-15	22.5	≦* <	27.5	20	1.24043	0.231	0.231	
-16	17.5	≦* <	22.5	16	1.18982	0.221	0.221	
-17	12.5	≦* <	17.5	12	1.13920	0.212	0.212	
-18	7.5	≦* <	12.5	8	1.08858	0.202	0.202	
-19	2.5	≦* <	7.5	4	1.03796	0.193	0.193	
-20	0.0	≦* <	2.5	1.00	1.00000	0.186	0.186	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.372 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.532	0.532	
19	192.5	≦* <	197.5	156	2.96142	0.523	0.523	
18	187.5	≦* <	192.5	152	2.91081	0.514	0.514	
17	182.5	≦* <	187.5	148	2.86019	0.505	0.505	
16	177.5	≦* <	182.5	144	2.80957	0.497	0.497	
15	172.5	≦* <	177.5	140	2.75895	0.487	0.487	
14	167.5	≦* <	172.5	136	2.70834	0.479	0.479	
13	162.5	≦* <	167.5	132	2.65772	0.469	0.469	
12	157.5	≦* <	162.5	128	2.60710	0.461	0.461	
11	152.5	≦* <	157.5	124	2.55648	0.452	0.452	
10	147.5	≦* <	152.5	120	2.50587	0.443	0.443	
9	142.5	≦* <	147.5	116	2.45525	0.434	0.434	
8	137.5	≦* <	142.5	112	2.40463	0.425	0.425	
7	132.5	≦* <	137.5	108	2.35401	0.416	0.416	
6	127.5	≦* <	132.5	104	2.30340	0.407	0.407	
5	122.5	≦* <	127.5	100	2.25278	0.398	0.398	
4	117.5	≦* <	122.5	96	2.20216	0.390	0.390	
3	112.5	≦* <	117.5	92	2.15154	0.380	0.380	
2	107.5	≦* <	112.5	88	2.10093	0.371	0.371	
1	102.5	≦* <	107.5	84	2.05031	0.362	0.362	
0	97.5	≦* <	102.5	80	1.99969	0.353	0.353	
-1	92.5	≦* <	97.5	76	1.94908	0.345	0.345	
-2	87.5	≦* <	92.5	72	1.89846	0.335	0.335	
-3	82.5	≦* <	87.5	68	1.84784	0.327	0.327	
-4	77.5	≦* <	82.5	64	1.79722	0.317	0.317	
-5	72.5	≦* <	77.5	60	1.74661	0.309	0.309	
-6	67.5	≦* <	72.5	56	1.69599	0.299	0.299	
-7	62.5	≦* <	67.5	52	1.64537	0.291	0.291	
-8	57.5	≦* <	62.5	48	1.59475	0.282	0.282	
-9	52.5	≦* <	57.5	44	1.54414	0.273	0.273	
-10	47.5	≦* <	52.5	40	1.49352	0.264	0.264	
-11	42.5	≦* <	47.5	36	1.44290	0.255	0.255	
-12	37.5	≦* <	42.5	32	1.39228	0.246	0.246	
-13	32.5	≦* <	37.5	28	1.34167	0.238	0.238	
-14	27.5	≦* <	32.5	24	1.29105	0.228	0.228	
-15	22.5	≦* <	27.5	20	1.24043	0.219	0.219	
-16	17.5	≦* <	22.5	16	1.18982	0.210	0.210	
-17	12.5	≦* <	17.5	12	1.13920	0.201	0.201	
-18	7.5	≦* <	12.5	8	1.08858	0.192	0.192	
-19	2.5	≦* <	7.5	4	1.03796	0.183	0.183	
-20	0.0	≦* <	2.5	1.00	1.00000	0.177	0.177	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.332 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.500	0.500	
19	192.5	≦* <	197.5	156	2.96142	0.492	0.492	
18	187.5	≦* <	192.5	152	2.91081	0.483	0.483	
17	182.5	≦* <	187.5	148	2.86019	0.475	0.475	
16	177.5	≦* <	182.5	144	2.80957	0.466	0.466	
15	172.5	≦* <	177.5	140	2.75895	0.458	0.458	
14	167.5	≦* <	172.5	136	2.70834	0.450	0.450	
13	162.5	≦* <	167.5	132	2.65772	0.441	0.441	
12	157.5	≦* <	162.5	128	2.60710	0.433	0.433	
11	152.5	≦* <	157.5	124	2.55648	0.424	0.424	
10	147.5	≦* <	152.5	120	2.50587	0.416	0.416	
9	142.5	≦* <	147.5	116	2.45525	0.408	0.408	
8	137.5	≦* <	142.5	112	2.40463	0.399	0.399	
7	132.5	≦* <	137.5	108	2.35401	0.391	0.391	
6	127.5	≦* <	132.5	104	2.30340	0.382	0.382	
5	122.5	≦* <	127.5	100	2.25278	0.374	0.374	
4	117.5	≦* <	122.5	96	2.20216	0.366	0.366	
3	112.5	≦* <	117.5	92	2.15154	0.357	0.357	
2	107.5	≦* <	112.5	88	2.10093	0.349	0.349	
1	102.5	≦* <	107.5	84	2.05031	0.340	0.340	
0	97.5	≦* <	102.5	80	1.99969	0.332	0.332	
-1	92.5	≦* <	97.5	76	1.94908	0.324	0.324	
-2	87.5	≦* <	92.5	72	1.89846	0.315	0.315	
-3	82.5	≦* <	87.5	68	1.84784	0.307	0.307	
-4	77.5	≦* <	82.5	64	1.79722	0.298	0.298	
-5	72.5	≦* <	77.5	60	1.74661	0.290	0.290	
-6	67.5	≦* <	72.5	56	1.69599	0.282	0.282	
-7	62.5	≦* <	67.5	52	1.64537	0.273	0.273	
-8	57.5	≦* <	62.5	48	1.59475	0.265	0.265	
-9	52.5	≦* <	57.5	44	1.54414	0.256	0.256	
-10	47.5	≦* <	52.5	40	1.49352	0.248	0.248	
-11	42.5	≦* <	47.5	36	1.44290	0.240	0.240	
-12	37.5	≦* <	42.5	32	1.39228	0.231	0.231	
-13	32.5	≦* <	37.5	28	1.34167	0.223	0.223	
-14	27.5	≦* <	32.5	24	1.29105	0.214	0.214	
-15	22.5	≦* <	27.5	20	1.24043	0.206	0.206	
-16	17.5	≦* <	22.5	16	1.18982	0.198	0.198	
-17	12.5	≦* <	17.5	12	1.13920	0.189	0.189	
-18	7.5	≦* <	12.5	8	1.08858	0.181	0.181	
-19	2.5	≦* <	7.5	4	1.03796	0.172	0.172	
-20	0.0	≦* <	2.5	1.00	1.00000	0.166	0.166	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.332 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.475	0.475	
19	192.5	≦* <	197.5	156	2.96142	0.467	0.467	
18	187.5	≦* <	192.5	152	2.91081	0.459	0.459	
17	182.5	≦* <	187.5	148	2.86019	0.451	0.451	
16	177.5	≦* <	182.5	144	2.80957	0.443	0.443	
15	172.5	≦* <	177.5	140	2.75895	0.435	0.435	
14	167.5	≦* <	172.5	136	2.70834	0.428	0.428	
13	162.5	≦* <	167.5	132	2.65772	0.419	0.419	
12	157.5	≦* <	162.5	128	2.60710	0.411	0.411	
11	152.5	≦* <	157.5	124	2.55648	0.403	0.403	
10	147.5	≦* <	152.5	120	2.50587	0.395	0.395	
9	142.5	≦* <	147.5	116	2.45525	0.388	0.388	
8	137.5	≦* <	142.5	112	2.40463	0.379	0.379	
7	132.5	≦* <	137.5	108	2.35401	0.371	0.371	
6	127.5	≦* <	132.5	104	2.30340	0.363	0.363	
5	122.5	≦* <	127.5	100	2.25278	0.355	0.355	
4	117.5	≦* <	122.5	96	2.20216	0.348	0.348	
3	112.5	≦* <	117.5	92	2.15154	0.339	0.339	
2	107.5	≦* <	112.5	88	2.10093	0.332	0.332	
1	102.5	≦* <	107.5	84	2.05031	0.323	0.323	
0	97.5	≦* <	102.5	80	1.99969	0.315	0.315	
-1	92.5	≦* <	97.5	76	1.94908	0.308	0.308	
-2	87.5	≦* <	92.5	72	1.89846	0.299	0.299	
-3	82.5	≦* <	87.5	68	1.84784	0.292	0.292	
-4	77.5	≦* <	82.5	64	1.79722	0.283	0.283	
-5	72.5	≦* <	77.5	60	1.74661	0.276	0.276	
-6	67.5	≦* <	72.5	56	1.69599	0.268	0.268	
-7	62.5	≦* <	67.5	52	1.64537	0.259	0.259	
-8	57.5	≦* <	62.5	48	1.59475	0.252	0.252	
-9	52.5	≦* <	57.5	44	1.54414	0.243	0.243	
-10	47.5	≦* <	52.5	40	1.49352	0.236	0.236	
-11	42.5	≦* <	47.5	36	1.44290	0.228	0.228	
-12	37.5	≦* <	42.5	32	1.39228	0.219	0.219	
-13	32.5	≦* <	37.5	28	1.34167	0.212	0.212	
-14	27.5	≦* <	32.5	24	1.29105	0.203	0.203	
-15	22.5	≦* <	27.5	20	1.24043	0.196	0.196	
-16	17.5	≦* <	22.5	16	1.18982	0.188	0.188	
-17	12.5	≦* <	17.5	12	1.13920	0.180	0.180	
-18	7.5	≦* <	12.5	8	1.08858	0.172	0.172	
-19	2.5	≦* <	7.5	4	1.03796	0.163	0.163	
-20	0.0	≦* <	2.5	1.00	1.00000	0.158	0.158	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウスI類

共済掛金標準率: 0.331 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.498	0.498	
19	192.5	≦* <	197.5	156	2.96142	0.490	0.490	
18	187.5	≦* <	192.5	152	2.91081	0.482	0.482	
17	182.5	≦* <	187.5	148	2.86019	0.473	0.473	
16	177.5	≦* <	182.5	144	2.80957	0.465	0.465	
15	172.5	≦* <	177.5	140	2.75895	0.457	0.457	
14	167.5	≦* <	172.5	136	2.70834	0.448	0.448	
13	162.5	≦* <	167.5	132	2.65772	0.440	0.440	
12	157.5	≦* <	162.5	128	2.60710	0.431	0.431	
11	152.5	≦* <	157.5	124	2.55648	0.423	0.423	
10	147.5	≦* <	152.5	120	2.50587	0.415	0.415	
9	142.5	≦* <	147.5	116	2.45525	0.406	0.406	
8	137.5	≦* <	142.5	112	2.40463	0.398	0.398	
7	132.5	≦* <	137.5	108	2.35401	0.390	0.390	
6	127.5	≦* <	132.5	104	2.30340	0.381	0.381	
5	122.5	≦* <	127.5	100	2.25278	0.373	0.373	
4	117.5	≦* <	122.5	96	2.20216	0.364	0.364	
3	112.5	≦* <	117.5	92	2.15154	0.356	0.356	
2	107.5	≦* <	112.5	88	2.10093	0.348	0.348	
1	102.5	≦* <	107.5	84	2.05031	0.339	0.339	
0	97.5	≦* <	102.5	80	1.99969	0.331	0.331	
-1	92.5	≦* <	97.5	76	1.94908	0.323	0.323	
-2	87.5	≦* <	92.5	72	1.89846	0.314	0.314	
-3	82.5	≦* <	87.5	68	1.84784	0.306	0.306	
-4	77.5	≦* <	82.5	64	1.79722	0.297	0.297	
-5	72.5	≦* <	77.5	60	1.74661	0.289	0.289	
-6	67.5	≦* <	72.5	56	1.69599	0.281	0.281	
-7	62.5	≦* <	67.5	52	1.64537	0.272	0.272	
-8	57.5	≦* <	62.5	48	1.59475	0.264	0.264	
-9	52.5	≦* <	57.5	44	1.54414	0.256	0.256	
-10	47.5	≦* <	52.5	40	1.49352	0.247	0.247	
-11	42.5	≦* <	47.5	36	1.44290	0.239	0.239	
-12	37.5	≦* <	42.5	32	1.39228	0.230	0.230	
-13	32.5	≦* <	37.5	28	1.34167	0.222	0.222	
-14	27.5	≦* <	32.5	24	1.29105	0.214	0.214	
-15	22.5	≦* <	27.5	20	1.24043	0.205	0.205	
-16	17.5	≦* <	22.5	16	1.18982	0.197	0.197	
-17	12.5	≦* <	17.5	12	1.13920	0.189	0.189	
-18	7.5	≦* <	12.5	8	1.08858	0.180	0.180	
-19	2.5	≦* <	7.5	4	1.03796	0.172	0.172	
-20	0.0	≦* <	2.5	1.00	1.00000	0.165	0.165	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.331 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.473	0.473	
19	192.5	≦* <	197.5	156	2.96142	0.466	0.466	
18	187.5	≦* <	192.5	152	2.91081	0.458	0.458	
17	182.5	≦* <	187.5	148	2.86019	0.449	0.449	
16	177.5	≦* <	182.5	144	2.80957	0.442	0.442	
15	172.5	≦* <	177.5	140	2.75895	0.434	0.434	
14	167.5	≦* <	172.5	136	2.70834	0.426	0.426	
13	162.5	≦* <	167.5	132	2.65772	0.418	0.418	
12	157.5	≦* <	162.5	128	2.60710	0.409	0.409	
11	152.5	≦* <	157.5	124	2.55648	0.402	0.402	
10	147.5	≦* <	152.5	120	2.50587	0.394	0.394	
9	142.5	≦* <	147.5	116	2.45525	0.386	0.386	
8	137.5	≦* <	142.5	112	2.40463	0.378	0.378	
7	132.5	≦* <	137.5	108	2.35401	0.371	0.371	
6	127.5	≦* <	132.5	104	2.30340	0.362	0.362	
5	122.5	≦* <	127.5	100	2.25278	0.354	0.354	
4	117.5	≦* <	122.5	96	2.20216	0.346	0.346	
3	112.5	≦* <	117.5	92	2.15154	0.338	0.338	
2	107.5	≦* <	112.5	88	2.10093	0.331	0.331	
1	102.5	≦* <	107.5	84	2.05031	0.322	0.322	
0	97.5	≦* <	102.5	80	1.99969	0.314	0.314	
-1	92.5	≦* <	97.5	76	1.94908	0.307	0.307	
-2	87.5	≦* <	92.5	72	1.89846	0.298	0.298	
-3	82.5	≦* <	87.5	68	1.84784	0.291	0.291	
-4	77.5	≦* <	82.5	64	1.79722	0.282	0.282	
-5	72.5	≦* <	77.5	60	1.74661	0.275	0.275	
-6	67.5	≦* <	72.5	56	1.69599	0.267	0.267	
-7	62.5	≦* <	67.5	52	1.64537	0.258	0.258	
-8	57.5	≦* <	62.5	48	1.59475	0.251	0.251	
-9	52.5	≦* <	57.5	44	1.54414	0.243	0.243	
-10	47.5	≦* <	52.5	40	1.49352	0.235	0.235	
-11	42.5	≦* <	47.5	36	1.44290	0.227	0.227	
-12	37.5	≦* <	42.5	32	1.39228	0.219	0.219	
-13	32.5	≦* <	37.5	28	1.34167	0.211	0.211	
-14	27.5	≦* <	32.5	24	1.29105	0.203	0.203	
-15	22.5	≦* <	27.5	20	1.24043	0.195	0.195	
-16	17.5	≦* <	22.5	16	1.18982	0.187	0.187	
-17	12.5	≦* <	17.5	12	1.13920	0.180	0.180	
-18	7.5	≦* <	12.5	8	1.08858	0.171	0.171	
-19	2.5	≦* <	7.5	4	1.03796	0.163	0.163	
-20	0.0	≦* <	2.5	1.00	1.00000	0.157	0.157	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウスI類

共済掛金標準率: 0.089 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.134	0.134	
19	192.5	≦* <	197.5	156	2.96142	0.132	0.132	
18	187.5	≦* <	192.5	152	2.91081	0.130	0.130	
17	182.5	≦* <	187.5	148	2.86019	0.127	0.127	
16	177.5	≦* <	182.5	144	2.80957	0.125	0.125	
15	172.5	≦* <	177.5	140	2.75895	0.123	0.123	
14	167.5	≦* <	172.5	136	2.70834	0.121	0.121	
13	162.5	≦* <	167.5	132	2.65772	0.118	0.118	
12	157.5	≦* <	162.5	128	2.60710	0.116	0.116	
11	152.5	≦* <	157.5	124	2.55648	0.114	0.114	
10	147.5	≦* <	152.5	120	2.50587	0.112	0.112	
9	142.5	≦* <	147.5	116	2.45525	0.109	0.109	
8	137.5	≦* <	142.5	112	2.40463	0.107	0.107	
7	132.5	≦* <	137.5	108	2.35401	0.105	0.105	
6	127.5	≦* <	132.5	104	2.30340	0.103	0.103	
5	122.5	≦* <	127.5	100	2.25278	0.100	0.100	
4	117.5	≦* <	122.5	96	2.20216	0.098	0.098	
3	112.5	≦* <	117.5	92	2.15154	0.096	0.096	
2	107.5	≦* <	112.5	88	2.10093	0.093	0.093	
1	102.5	≦* <	107.5	84	2.05031	0.091	0.091	
0	97.5	≦* <	102.5	80	1.99969	0.089	0.089	
-1	92.5	≦* <	97.5	76	1.94908	0.087	0.087	
-2	87.5	≦* <	92.5	72	1.89846	0.084	0.084	
-3	82.5	≦* <	87.5	68	1.84784	0.082	0.082	
-4	77.5	≦* <	82.5	64	1.79722	0.080	0.080	
-5	72.5	≦* <	77.5	60	1.74661	0.078	0.078	
-6	67.5	≦* <	72.5	56	1.69599	0.075	0.075	
-7	62.5	≦* <	67.5	52	1.64537	0.073	0.073	
-8	57.5	≦* <	62.5	48	1.59475	0.071	0.071	
-9	52.5	≦* <	57.5	44	1.54414	0.069	0.069	
-10	47.5	≦* <	52.5	40	1.49352	0.066	0.066	
-11	42.5	≦* <	47.5	36	1.44290	0.064	0.064	
-12	37.5	≦* <	42.5	32	1.39228	0.062	0.062	
-13	32.5	≦* <	37.5	28	1.34167	0.060	0.060	
-14	27.5	≦* <	32.5	24	1.29105	0.057	0.057	
-15	22.5	≦* <	27.5	20	1.24043	0.055	0.055	
-16	17.5	≦* <	22.5	16	1.18982	0.053	0.053	
-17	12.5	≦* <	17.5	12	1.13920	0.051	0.051	
-18	7.5	≦* <	12.5	8	1.08858	0.048	0.048	
-19	2.5	≦* <	7.5	4	1.03796	0.046	0.046	
-20	0.0	≦* <	2.5	1.00	1.00000	0.044	0.044	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.089 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.127	0.127	
19	192.5	≦* <	197.5	156	2.96142	0.125	0.125	
18	187.5	≦* <	192.5	152	2.91081	0.124	0.124	
17	182.5	≦* <	187.5	148	2.86019	0.121	0.121	
16	177.5	≦* <	182.5	144	2.80957	0.119	0.119	
15	172.5	≦* <	177.5	140	2.75895	0.117	0.117	
14	167.5	≦* <	172.5	136	2.70834	0.115	0.115	
13	162.5	≦* <	167.5	132	2.65772	0.112	0.112	
12	157.5	≦* <	162.5	128	2.60710	0.110	0.110	
11	152.5	≦* <	157.5	124	2.55648	0.108	0.108	
10	147.5	≦* <	152.5	120	2.50587	0.106	0.106	
9	142.5	≦* <	147.5	116	2.45525	0.104	0.104	
8	137.5	≦* <	142.5	112	2.40463	0.102	0.102	
7	132.5	≦* <	137.5	108	2.35401	0.100	0.100	
6	127.5	≦* <	132.5	104	2.30340	0.098	0.098	
5	122.5	≦* <	127.5	100	2.25278	0.095	0.095	
4	117.5	≦* <	122.5	96	2.20216	0.093	0.093	
3	112.5	≦* <	117.5	92	2.15154	0.091	0.091	
2	107.5	≦* <	112.5	88	2.10093	0.088	0.088	
1	102.5	≦* <	107.5	84	2.05031	0.086	0.086	
0	97.5	≦* <	102.5	80	1.99969	0.085	0.085	
-1	92.5	≦* <	97.5	76	1.94908	0.083	0.083	
-2	87.5	≦* <	92.5	72	1.89846	0.080	0.080	
-3	82.5	≦* <	87.5	68	1.84784	0.078	0.078	
-4	77.5	≦* <	82.5	64	1.79722	0.076	0.076	
-5	72.5	≦* <	77.5	60	1.74661	0.074	0.074	
-6	67.5	≦* <	72.5	56	1.69599	0.071	0.071	
-7	62.5	≦* <	67.5	52	1.64537	0.069	0.069	
-8	57.5	≦* <	62.5	48	1.59475	0.067	0.067	
-9	52.5	≦* <	57.5	44	1.54414	0.066	0.066	
-10	47.5	≦* <	52.5	40	1.49352	0.063	0.063	
-11	42.5	≦* <	47.5	36	1.44290	0.061	0.061	
-12	37.5	≦* <	42.5	32	1.39228	0.059	0.059	
-13	32.5	≦* <	37.5	28	1.34167	0.057	0.057	
-14	27.5	≦* <	32.5	24	1.29105	0.054	0.054	
-15	22.5	≦* <	27.5	20	1.24043	0.052	0.052	
-16	17.5	≦* <	22.5	16	1.18982	0.050	0.050	
-17	12.5	≦* <	17.5	12	1.13920	0.048	0.048	
-18	7.5	≦* <	12.5	8	1.08858	0.046	0.046	
-19	2.5	≦* <	7.5	4	1.03796	0.044	0.044	
-20	0.0	≦* <	2.5	1.00	1.00000	0.042	0.042	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.053 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.080	0.080	
19	192.5	≦* <	197.5	156	2.96142	0.078	0.078	
18	187.5	≦* <	192.5	152	2.91081	0.077	0.077	
17	182.5	≦* <	187.5	148	2.86019	0.076	0.076	
16	177.5	≦* <	182.5	144	2.80957	0.074	0.074	
15	172.5	≦* <	177.5	140	2.75895	0.073	0.073	
14	167.5	≦* <	172.5	136	2.70834	0.072	0.072	
13	162.5	≦* <	167.5	132	2.65772	0.070	0.070	
12	157.5	≦* <	162.5	128	2.60710	0.069	0.069	
11	152.5	≦* <	157.5	124	2.55648	0.068	0.068	
10	147.5	≦* <	152.5	120	2.50587	0.066	0.066	
9	142.5	≦* <	147.5	116	2.45525	0.065	0.065	
8	137.5	≦* <	142.5	112	2.40463	0.064	0.064	
7	132.5	≦* <	137.5	108	2.35401	0.062	0.062	
6	127.5	≦* <	132.5	104	2.30340	0.061	0.061	
5	122.5	≦* <	127.5	100	2.25278	0.060	0.060	
4	117.5	≦* <	122.5	96	2.20216	0.058	0.058	
3	112.5	≦* <	117.5	92	2.15154	0.057	0.057	
2	107.5	≦* <	112.5	88	2.10093	0.056	0.056	
1	102.5	≦* <	107.5	84	2.05031	0.054	0.054	
0	97.5	≦* <	102.5	80	1.99969	0.053	0.053	
-1	92.5	≦* <	97.5	76	1.94908	0.052	0.052	
-2	87.5	≦* <	92.5	72	1.89846	0.050	0.050	
-3	82.5	≦* <	87.5	68	1.84784	0.049	0.049	
-4	77.5	≦* <	82.5	64	1.79722	0.048	0.048	
-5	72.5	≦* <	77.5	60	1.74661	0.046	0.046	
-6	67.5	≦* <	72.5	56	1.69599	0.045	0.045	
-7	62.5	≦* <	67.5	52	1.64537	0.044	0.044	
-8	57.5	≦* <	62.5	48	1.59475	0.042	0.042	
-9	52.5	≦* <	57.5	44	1.54414	0.041	0.041	
-10	47.5	≦* <	52.5	40	1.49352	0.040	0.040	
-11	42.5	≦* <	47.5	36	1.44290	0.038	0.038	
-12	37.5	≦* <	42.5	32	1.39228	0.037	0.037	
-13	32.5	≦* <	37.5	28	1.34167	0.036	0.036	
-14	27.5	≦* <	32.5	24	1.29105	0.034	0.034	
-15	22.5	≦* <	27.5	20	1.24043	0.033	0.033	
-16	17.5	≦* <	22.5	16	1.18982	0.032	0.032	
-17	12.5	≦* <	17.5	12	1.13920	0.030	0.030	
-18	7.5	≦* <	12.5	8	1.08858	0.029	0.029	
-19	2.5	≦* <	7.5	4	1.03796	0.028	0.028	
-20	0.0	≦* <	2.5	1.00	1.00000	0.026	0.026	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 30 プラスチックハウス I 類

共済掛金標準率: 0.053 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率 (%)	危険段階別共済掛金率 (%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.076	0.076	
19	192.5	≦* <	197.5	156	2.96142	0.074	0.074	
18	187.5	≦* <	192.5	152	2.91081	0.073	0.073	
17	182.5	≦* <	187.5	148	2.86019	0.072	0.072	
16	177.5	≦* <	182.5	144	2.80957	0.070	0.070	
15	172.5	≦* <	177.5	140	2.75895	0.069	0.069	
14	167.5	≦* <	172.5	136	2.70834	0.068	0.068	
13	162.5	≦* <	167.5	132	2.65772	0.067	0.067	
12	157.5	≦* <	162.5	128	2.60710	0.066	0.066	
11	152.5	≦* <	157.5	124	2.55648	0.065	0.065	
10	147.5	≦* <	152.5	120	2.50587	0.063	0.063	
9	142.5	≦* <	147.5	116	2.45525	0.062	0.062	
8	137.5	≦* <	142.5	112	2.40463	0.061	0.061	
7	132.5	≦* <	137.5	108	2.35401	0.059	0.059	
6	127.5	≦* <	132.5	104	2.30340	0.058	0.058	
5	122.5	≦* <	127.5	100	2.25278	0.057	0.057	
4	117.5	≦* <	122.5	96	2.20216	0.055	0.055	
3	112.5	≦* <	117.5	92	2.15154	0.054	0.054	
2	107.5	≦* <	112.5	88	2.10093	0.053	0.053	
1	102.5	≦* <	107.5	84	2.05031	0.051	0.051	
0	97.5	≦* <	102.5	80	1.99969	0.050	0.050	
-1	92.5	≦* <	97.5	76	1.94908	0.049	0.049	
-2	87.5	≦* <	92.5	72	1.89846	0.048	0.048	
-3	82.5	≦* <	87.5	68	1.84784	0.047	0.047	
-4	77.5	≦* <	82.5	64	1.79722	0.046	0.046	
-5	72.5	≦* <	77.5	60	1.74661	0.044	0.044	
-6	67.5	≦* <	72.5	56	1.69599	0.043	0.043	
-7	62.5	≦* <	67.5	52	1.64537	0.042	0.042	
-8	57.5	≦* <	62.5	48	1.59475	0.040	0.040	
-9	52.5	≦* <	57.5	44	1.54414	0.039	0.039	
-10	47.5	≦* <	52.5	40	1.49352	0.038	0.038	
-11	42.5	≦* <	47.5	36	1.44290	0.036	0.036	
-12	37.5	≦* <	42.5	32	1.39228	0.035	0.035	
-13	32.5	≦* <	37.5	28	1.34167	0.034	0.034	
-14	27.5	≦* <	32.5	24	1.29105	0.032	0.032	
-15	22.5	≦* <	27.5	20	1.24043	0.031	0.031	
-16	17.5	≦* <	22.5	16	1.18982	0.030	0.030	
-17	12.5	≦* <	17.5	12	1.13920	0.029	0.029	
-18	7.5	≦* <	12.5	8	1.08858	0.028	0.028	
-19	2.5	≦* <	7.5	4	1.03796	0.027	0.027	
-20	0.0	≦* <	2.5	1.00	1.00000	0.025	0.025	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 2.008 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	4.230	4.230	
19	192.5	≧* <	197.5	156	4.04730	4.063	4.063	
18	187.5	≧* <	192.5	152	3.96866	3.985	3.985	
17	182.5	≧* <	187.5	148	3.89002	3.906	3.906	
16	177.5	≧* <	182.5	144	3.81138	3.827	3.827	
15	172.5	≧* <	177.5	140	3.73274	3.748	3.748	
14	167.5	≧* <	172.5	136	3.65410	3.669	3.669	
13	162.5	≧* <	167.5	132	3.57546	3.590	3.590	
12	157.5	≧* <	162.5	128	3.49682	3.511	3.511	
11	152.5	≧* <	157.5	124	3.41818	3.432	3.432	
10	147.5	≧* <	152.5	120	3.33954	3.353	3.353	
9	142.5	≧* <	147.5	116	3.26090	3.274	3.274	
8	137.5	≧* <	142.5	112	3.18226	3.195	3.195	
7	132.5	≧* <	137.5	108	3.10362	3.116	3.116	
6	127.5	≧* <	132.5	104	3.02498	3.037	3.037	
5	122.5	≧* <	127.5	100	2.94634	2.958	2.958	
4	117.5	≧* <	122.5	96	2.86770	2.879	2.879	
3	112.5	≧* <	117.5	92	2.78906	2.800	2.800	
2	107.5	≧* <	112.5	88	2.71042	2.721	2.721	
1	102.5	≧* <	107.5	84	2.63178	2.642	2.642	
0	97.5	≧* <	102.5	80	2.55314	2.563	2.563	
-1	92.5	≧* <	97.5	76	2.47450	2.484	2.484	
-2	87.5	≧* <	92.5	72	2.39586	2.405	2.405	
-3	82.5	≧* <	87.5	68	2.31722	2.326	2.326	
-4	77.5	≧* <	82.5	64	2.23858	2.248	2.248	
-5	72.5	≧* <	77.5	60	2.15994	2.169	2.169	
-6	67.5	≧* <	72.5	56	2.08130	2.090	2.090	
-7	62.5	≧* <	67.5	52	2.00266	2.011	2.011	
-8	57.5	≧* <	62.5	48	1.92402	1.932	1.932	
-9	52.5	≧* <	57.5	44	1.84538	1.853	1.853	
-10	47.5	≧* <	52.5	40	1.76674	1.774	1.774	
-11	42.5	≧* <	47.5	36	1.68810	1.695	1.695	
-12	37.5	≧* <	42.5	32	1.60946	1.616	1.616	
-13	32.5	≧* <	37.5	28	1.53082	1.537	1.537	
-14	27.5	≧* <	32.5	24	1.45218	1.458	1.458	
-15	22.5	≧* <	27.5	20	1.37354	1.379	1.379	
-16	17.5	≧* <	22.5	16	1.29490	1.300	1.300	
-17	12.5	≧* <	17.5	12	1.21626	1.221	1.221	
-18	7.5	≧* <	12.5	8	1.13762	1.142	1.142	
-19	2.5	≧* <	7.5	4	1.05898	1.063	1.063	
-20	0.0	≧* <	2.5	1.00	1.00000	1.004	1.004	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 2.008 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	4.019	4.019	
19	192.5	≧* <	197.5	156	4.04730	3.860	3.860	
18	187.5	≧* <	192.5	152	3.96866	3.786	3.786	
17	182.5	≧* <	187.5	148	3.89002	3.711	3.711	
16	177.5	≧* <	182.5	144	3.81138	3.636	3.636	
15	172.5	≧* <	177.5	140	3.73274	3.561	3.561	
14	167.5	≧* <	172.5	136	3.65410	3.486	3.486	
13	162.5	≧* <	167.5	132	3.57546	3.411	3.411	
12	157.5	≧* <	162.5	128	3.49682	3.335	3.335	
11	152.5	≧* <	157.5	124	3.41818	3.260	3.260	
10	147.5	≧* <	152.5	120	3.33954	3.185	3.185	
9	142.5	≧* <	147.5	116	3.26090	3.110	3.110	
8	137.5	≧* <	142.5	112	3.18226	3.035	3.035	
7	132.5	≧* <	137.5	108	3.10362	2.960	2.960	
6	127.5	≧* <	132.5	104	3.02498	2.885	2.885	
5	122.5	≧* <	127.5	100	2.94634	2.810	2.810	
4	117.5	≧* <	122.5	96	2.86770	2.735	2.735	
3	112.5	≧* <	117.5	92	2.78906	2.660	2.660	
2	107.5	≧* <	112.5	88	2.71042	2.585	2.585	
1	102.5	≧* <	107.5	84	2.63178	2.510	2.510	
0	97.5	≧* <	102.5	80	2.55314	2.435	2.435	
-1	92.5	≧* <	97.5	76	2.47450	2.360	2.360	
-2	87.5	≧* <	92.5	72	2.39586	2.285	2.285	
-3	82.5	≧* <	87.5	68	2.31722	2.210	2.210	
-4	77.5	≧* <	82.5	64	2.23858	2.136	2.136	
-5	72.5	≧* <	77.5	60	2.15994	2.061	2.061	
-6	67.5	≧* <	72.5	56	2.08130	1.986	1.986	
-7	62.5	≧* <	67.5	52	2.00266	1.910	1.910	
-8	57.5	≧* <	62.5	48	1.92402	1.835	1.835	
-9	52.5	≧* <	57.5	44	1.84538	1.760	1.760	
-10	47.5	≧* <	52.5	40	1.76674	1.685	1.685	
-11	42.5	≧* <	47.5	36	1.68810	1.610	1.610	
-12	37.5	≧* <	42.5	32	1.60946	1.535	1.535	
-13	32.5	≧* <	37.5	28	1.53082	1.460	1.460	
-14	27.5	≧* <	32.5	24	1.45218	1.385	1.385	
-15	22.5	≧* <	27.5	20	1.37354	1.310	1.310	
-16	17.5	≧* <	22.5	16	1.29490	1.235	1.235	
-17	12.5	≧* <	17.5	12	1.21626	1.160	1.160	
-18	7.5	≧* <	12.5	8	1.13762	1.085	1.085	
-19	2.5	≧* <	7.5	4	1.05898	1.010	1.010	
-20	0.0	≧* <	2.5	1.00	1.00000	0.954	0.954	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 1.255 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	2.644	2.644	
19	192.5	≦* <	197.5	156	4.04730	2.540	2.540	
18	187.5	≦* <	192.5	152	3.96866	2.490	2.490	
17	182.5	≦* <	187.5	148	3.89002	2.441	2.441	
16	177.5	≦* <	182.5	144	3.81138	2.392	2.392	
15	172.5	≦* <	177.5	140	3.73274	2.342	2.342	
14	167.5	≦* <	172.5	136	3.65410	2.293	2.293	
13	162.5	≦* <	167.5	132	3.57546	2.244	2.244	
12	157.5	≦* <	162.5	128	3.49682	2.194	2.194	
11	152.5	≦* <	157.5	124	3.41818	2.145	2.145	
10	147.5	≦* <	152.5	120	3.33954	2.096	2.096	
9	142.5	≦* <	147.5	116	3.26090	2.046	2.046	
8	137.5	≦* <	142.5	112	3.18226	1.997	1.997	
7	132.5	≦* <	137.5	108	3.10362	1.948	1.948	
6	127.5	≦* <	132.5	104	3.02498	1.898	1.898	
5	122.5	≦* <	127.5	100	2.94634	1.849	1.849	
4	117.5	≦* <	122.5	96	2.86770	1.799	1.799	
3	112.5	≦* <	117.5	92	2.78906	1.750	1.750	
2	107.5	≦* <	112.5	88	2.71042	1.701	1.701	
1	102.5	≦* <	107.5	84	2.63178	1.651	1.651	
0	97.5	≦* <	102.5	80	2.55314	1.602	1.602	
-1	92.5	≦* <	97.5	76	2.47450	1.553	1.553	
-2	87.5	≦* <	92.5	72	2.39586	1.503	1.503	
-3	82.5	≦* <	87.5	68	2.31722	1.454	1.454	
-4	77.5	≦* <	82.5	64	2.23858	1.405	1.405	
-5	72.5	≦* <	77.5	60	2.15994	1.355	1.355	
-6	67.5	≦* <	72.5	56	2.08130	1.306	1.306	
-7	62.5	≦* <	67.5	52	2.00266	1.257	1.257	
-8	57.5	≦* <	62.5	48	1.92402	1.207	1.207	
-9	52.5	≦* <	57.5	44	1.84538	1.158	1.158	
-10	47.5	≦* <	52.5	40	1.76674	1.109	1.109	
-11	42.5	≦* <	47.5	36	1.68810	1.059	1.059	
-12	37.5	≦* <	42.5	32	1.60946	1.010	1.010	
-13	32.5	≦* <	37.5	28	1.53082	0.961	0.961	
-14	27.5	≦* <	32.5	24	1.45218	0.911	0.911	
-15	22.5	≦* <	27.5	20	1.37354	0.862	0.862	
-16	17.5	≦* <	22.5	16	1.29490	0.813	0.813	
-17	12.5	≦* <	17.5	12	1.21626	0.763	0.763	
-18	7.5	≦* <	12.5	8	1.13762	0.714	0.714	
-19	2.5	≦* <	7.5	4	1.05898	0.665	0.665	
-20	0.0	≦* <	2.5	1.00	1.00000	0.627	0.627	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 1.255 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	2.512	2.512	
19	192.5	≦* <	197.5	156	4.04730	2.413	2.413	
18	187.5	≦* <	192.5	152	3.96866	2.366	2.366	
17	182.5	≦* <	187.5	148	3.89002	2.319	2.319	
16	177.5	≦* <	182.5	144	3.81138	2.272	2.272	
15	172.5	≦* <	177.5	140	3.73274	2.225	2.225	
14	167.5	≦* <	172.5	136	3.65410	2.178	2.178	
13	162.5	≦* <	167.5	132	3.57546	2.132	2.132	
12	157.5	≦* <	162.5	128	3.49682	2.084	2.084	
11	152.5	≦* <	157.5	124	3.41818	2.038	2.038	
10	147.5	≦* <	152.5	120	3.33954	1.991	1.991	
9	142.5	≦* <	147.5	116	3.26090	1.944	1.944	
8	137.5	≦* <	142.5	112	3.18226	1.897	1.897	
7	132.5	≦* <	137.5	108	3.10362	1.851	1.851	
6	127.5	≦* <	132.5	104	3.02498	1.803	1.803	
5	122.5	≦* <	127.5	100	2.94634	1.757	1.757	
4	117.5	≦* <	122.5	96	2.86770	1.709	1.709	
3	112.5	≦* <	117.5	92	2.78906	1.663	1.663	
2	107.5	≦* <	112.5	88	2.71042	1.616	1.616	
1	102.5	≦* <	107.5	84	2.63178	1.568	1.568	
0	97.5	≦* <	102.5	80	2.55314	1.522	1.522	
-1	92.5	≦* <	97.5	76	2.47450	1.475	1.475	
-2	87.5	≦* <	92.5	72	2.39586	1.428	1.428	
-3	82.5	≦* <	87.5	68	2.31722	1.381	1.381	
-4	77.5	≦* <	82.5	64	2.23858	1.335	1.335	
-5	72.5	≦* <	77.5	60	2.15994	1.287	1.287	
-6	67.5	≦* <	72.5	56	2.08130	1.241	1.241	
-7	62.5	≦* <	67.5	52	2.00266	1.194	1.194	
-8	57.5	≦* <	62.5	48	1.92402	1.147	1.147	
-9	52.5	≦* <	57.5	44	1.84538	1.100	1.100	
-10	47.5	≦* <	52.5	40	1.76674	1.054	1.054	
-11	42.5	≦* <	47.5	36	1.68810	1.006	1.006	
-12	37.5	≦* <	42.5	32	1.60946	0.960	0.960	
-13	32.5	≦* <	37.5	28	1.53082	0.913	0.913	
-14	27.5	≦* <	32.5	24	1.45218	0.865	0.865	
-15	22.5	≦* <	27.5	20	1.37354	0.819	0.819	
-16	17.5	≦* <	22.5	16	1.29490	0.772	0.772	
-17	12.5	≦* <	17.5	12	1.21626	0.725	0.725	
-18	7.5	≦* <	12.5	8	1.13762	0.678	0.678	
-19	2.5	≦* <	7.5	4	1.05898	0.632	0.632	
-20	0.0	≦* <	2.5	1.00	1.00000	0.596	0.596	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.623 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.312	1.312	
19	192.5	≦* <	197.5	156	4.04730	1.261	1.261	
18	187.5	≦* <	192.5	152	3.96866	1.236	1.236	
17	182.5	≦* <	187.5	148	3.89002	1.212	1.212	
16	177.5	≦* <	182.5	144	3.81138	1.187	1.187	
15	172.5	≦* <	177.5	140	3.73274	1.163	1.163	
14	167.5	≦* <	172.5	136	3.65410	1.138	1.138	
13	162.5	≦* <	167.5	132	3.57546	1.114	1.114	
12	157.5	≦* <	162.5	128	3.49682	1.089	1.089	
11	152.5	≦* <	157.5	124	3.41818	1.065	1.065	
10	147.5	≦* <	152.5	120	3.33954	1.040	1.040	
9	142.5	≦* <	147.5	116	3.26090	1.016	1.016	
8	137.5	≦* <	142.5	112	3.18226	0.991	0.991	
7	132.5	≦* <	137.5	108	3.10362	0.967	0.967	
6	127.5	≦* <	132.5	104	3.02498	0.942	0.942	
5	122.5	≦* <	127.5	100	2.94634	0.918	0.918	
4	117.5	≦* <	122.5	96	2.86770	0.893	0.893	
3	112.5	≦* <	117.5	92	2.78906	0.869	0.869	
2	107.5	≦* <	112.5	88	2.71042	0.844	0.844	
1	102.5	≦* <	107.5	84	2.63178	0.820	0.820	
0	97.5	≦* <	102.5	80	2.55314	0.795	0.795	
-1	92.5	≦* <	97.5	76	2.47450	0.771	0.771	
-2	87.5	≦* <	92.5	72	2.39586	0.746	0.746	
-3	82.5	≦* <	87.5	68	2.31722	0.722	0.722	
-4	77.5	≦* <	82.5	64	2.23858	0.697	0.697	
-5	72.5	≦* <	77.5	60	2.15994	0.673	0.673	
-6	67.5	≦* <	72.5	56	2.08130	0.648	0.648	
-7	62.5	≦* <	67.5	52	2.00266	0.624	0.624	
-8	57.5	≦* <	62.5	48	1.92402	0.599	0.599	
-9	52.5	≦* <	57.5	44	1.84538	0.575	0.575	
-10	47.5	≦* <	52.5	40	1.76674	0.550	0.550	
-11	42.5	≦* <	47.5	36	1.68810	0.526	0.526	
-12	37.5	≦* <	42.5	32	1.60946	0.501	0.501	
-13	32.5	≦* <	37.5	28	1.53082	0.477	0.477	
-14	27.5	≦* <	32.5	24	1.45218	0.452	0.452	
-15	22.5	≦* <	27.5	20	1.37354	0.428	0.428	
-16	17.5	≦* <	22.5	16	1.29490	0.403	0.403	
-17	12.5	≦* <	17.5	12	1.21626	0.379	0.379	
-18	7.5	≦* <	12.5	8	1.13762	0.354	0.354	
-19	2.5	≦* <	7.5	4	1.05898	0.330	0.330	
-20	0.0	≦* <	2.5	1.00	1.00000	0.311	0.311	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.623 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	1.246	1.246	
19	192.5	≦* <	197.5	156	4.04730	1.198	1.198	
18	187.5	≦* <	192.5	152	3.96866	1.174	1.174	
17	182.5	≦* <	187.5	148	3.89002	1.151	1.151	
16	177.5	≦* <	182.5	144	3.81138	1.128	1.128	
15	172.5	≦* <	177.5	140	3.73274	1.105	1.105	
14	167.5	≦* <	172.5	136	3.65410	1.081	1.081	
13	162.5	≦* <	167.5	132	3.57546	1.058	1.058	
12	157.5	≦* <	162.5	128	3.49682	1.035	1.035	
11	152.5	≦* <	157.5	124	3.41818	1.012	1.012	
10	147.5	≦* <	152.5	120	3.33954	0.988	0.988	
9	142.5	≦* <	147.5	116	3.26090	0.965	0.965	
8	137.5	≦* <	142.5	112	3.18226	0.941	0.941	
7	132.5	≦* <	137.5	108	3.10362	0.919	0.919	
6	127.5	≦* <	132.5	104	3.02498	0.895	0.895	
5	122.5	≦* <	127.5	100	2.94634	0.872	0.872	
4	117.5	≦* <	122.5	96	2.86770	0.848	0.848	
3	112.5	≦* <	117.5	92	2.78906	0.826	0.826	
2	107.5	≦* <	112.5	88	2.71042	0.802	0.802	
1	102.5	≦* <	107.5	84	2.63178	0.779	0.779	
0	97.5	≦* <	102.5	80	2.55314	0.755	0.755	
-1	92.5	≦* <	97.5	76	2.47450	0.732	0.732	
-2	87.5	≦* <	92.5	72	2.39586	0.709	0.709	
-3	82.5	≦* <	87.5	68	2.31722	0.686	0.686	
-4	77.5	≦* <	82.5	64	2.23858	0.662	0.662	
-5	72.5	≦* <	77.5	60	2.15994	0.639	0.639	
-6	67.5	≦* <	72.5	56	2.08130	0.616	0.616	
-7	62.5	≦* <	67.5	52	2.00266	0.593	0.593	
-8	57.5	≦* <	62.5	48	1.92402	0.569	0.569	
-9	52.5	≦* <	57.5	44	1.84538	0.546	0.546	
-10	47.5	≦* <	52.5	40	1.76674	0.523	0.523	
-11	42.5	≦* <	47.5	36	1.68810	0.500	0.500	
-12	37.5	≦* <	42.5	32	1.60946	0.476	0.476	
-13	32.5	≦* <	37.5	28	1.53082	0.453	0.453	
-14	27.5	≦* <	32.5	24	1.45218	0.429	0.429	
-15	22.5	≦* <	27.5	20	1.37354	0.407	0.407	
-16	17.5	≦* <	22.5	16	1.29490	0.383	0.383	
-17	12.5	≦* <	17.5	12	1.21626	0.360	0.360	
-18	7.5	≦* <	12.5	8	1.13762	0.336	0.336	
-19	2.5	≦* <	7.5	4	1.05898	0.314	0.314	
-20	0.0	≦* <	2.5	1.00	1.00000	0.295	0.295	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.158 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.333	0.333	
19	192.5	≦* <	197.5	156	4.04730	0.320	0.320	
18	187.5	≦* <	192.5	152	3.96866	0.314	0.314	
17	182.5	≦* <	187.5	148	3.89002	0.307	0.307	
16	177.5	≦* <	182.5	144	3.81138	0.301	0.301	
15	172.5	≦* <	177.5	140	3.73274	0.295	0.295	
14	167.5	≦* <	172.5	136	3.65410	0.289	0.289	
13	162.5	≦* <	167.5	132	3.57546	0.282	0.282	
12	157.5	≦* <	162.5	128	3.49682	0.276	0.276	
11	152.5	≦* <	157.5	124	3.41818	0.270	0.270	
10	147.5	≦* <	152.5	120	3.33954	0.264	0.264	
9	142.5	≦* <	147.5	116	3.26090	0.258	0.258	
8	137.5	≦* <	142.5	112	3.18226	0.251	0.251	
7	132.5	≦* <	137.5	108	3.10362	0.245	0.245	
6	127.5	≦* <	132.5	104	3.02498	0.239	0.239	
5	122.5	≦* <	127.5	100	2.94634	0.233	0.233	
4	117.5	≦* <	122.5	96	2.86770	0.227	0.227	
3	112.5	≦* <	117.5	92	2.78906	0.220	0.220	
2	107.5	≦* <	112.5	88	2.71042	0.214	0.214	
1	102.5	≦* <	107.5	84	2.63178	0.208	0.208	
0	97.5	≦* <	102.5	80	2.55314	0.202	0.202	
-1	92.5	≦* <	97.5	76	2.47450	0.195	0.195	
-2	87.5	≦* <	92.5	72	2.39586	0.189	0.189	
-3	82.5	≦* <	87.5	68	2.31722	0.183	0.183	
-4	77.5	≦* <	82.5	64	2.23858	0.177	0.177	
-5	72.5	≦* <	77.5	60	2.15994	0.171	0.171	
-6	67.5	≦* <	72.5	56	2.08130	0.164	0.164	
-7	62.5	≦* <	67.5	52	2.00266	0.158	0.158	
-8	57.5	≦* <	62.5	48	1.92402	0.152	0.152	
-9	52.5	≦* <	57.5	44	1.84538	0.146	0.146	
-10	47.5	≦* <	52.5	40	1.76674	0.140	0.140	
-11	42.5	≦* <	47.5	36	1.68810	0.133	0.133	
-12	37.5	≦* <	42.5	32	1.60946	0.127	0.127	
-13	32.5	≦* <	37.5	28	1.53082	0.121	0.121	
-14	27.5	≦* <	32.5	24	1.45218	0.115	0.115	
-15	22.5	≦* <	27.5	20	1.37354	0.109	0.109	
-16	17.5	≦* <	22.5	16	1.29490	0.102	0.102	
-17	12.5	≦* <	17.5	12	1.21626	0.096	0.096	
-18	7.5	≦* <	12.5	8	1.13762	0.090	0.090	
-19	2.5	≦* <	7.5	4	1.05898	0.084	0.084	
-20	0.0	≦* <	2.5	1.00	1.00000	0.079	0.079	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.158 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.316	0.316	
19	192.5	≦* <	197.5	156	4.04730	0.304	0.304	
18	187.5	≦* <	192.5	152	3.96866	0.298	0.298	
17	182.5	≦* <	187.5	148	3.89002	0.292	0.292	
16	177.5	≦* <	182.5	144	3.81138	0.286	0.286	
15	172.5	≦* <	177.5	140	3.73274	0.280	0.280	
14	167.5	≦* <	172.5	136	3.65410	0.275	0.275	
13	162.5	≦* <	167.5	132	3.57546	0.268	0.268	
12	157.5	≦* <	162.5	128	3.49682	0.262	0.262	
11	152.5	≦* <	157.5	124	3.41818	0.257	0.257	
10	147.5	≦* <	152.5	120	3.33954	0.251	0.251	
9	142.5	≦* <	147.5	116	3.26090	0.245	0.245	
8	137.5	≦* <	142.5	112	3.18226	0.238	0.238	
7	132.5	≦* <	137.5	108	3.10362	0.233	0.233	
6	127.5	≦* <	132.5	104	3.02498	0.227	0.227	
5	122.5	≦* <	127.5	100	2.94634	0.221	0.221	
4	117.5	≦* <	122.5	96	2.86770	0.216	0.216	
3	112.5	≦* <	117.5	92	2.78906	0.209	0.209	
2	107.5	≦* <	112.5	88	2.71042	0.203	0.203	
1	102.5	≦* <	107.5	84	2.63178	0.198	0.198	
0	97.5	≦* <	102.5	80	2.55314	0.192	0.192	
-1	92.5	≦* <	97.5	76	2.47450	0.185	0.185	
-2	87.5	≦* <	92.5	72	2.39586	0.180	0.180	
-3	82.5	≦* <	87.5	68	2.31722	0.174	0.174	
-4	77.5	≦* <	82.5	64	2.23858	0.168	0.168	
-5	72.5	≦* <	77.5	60	2.15994	0.162	0.162	
-6	67.5	≦* <	72.5	56	2.08130	0.156	0.156	
-7	62.5	≦* <	67.5	52	2.00266	0.150	0.150	
-8	57.5	≦* <	62.5	48	1.92402	0.144	0.144	
-9	52.5	≦* <	57.5	44	1.84538	0.139	0.139	
-10	47.5	≦* <	52.5	40	1.76674	0.133	0.133	
-11	42.5	≦* <	47.5	36	1.68810	0.126	0.126	
-12	37.5	≦* <	42.5	32	1.60946	0.121	0.121	
-13	32.5	≦* <	37.5	28	1.53082	0.115	0.115	
-14	27.5	≦* <	32.5	24	1.45218	0.109	0.109	
-15	22.5	≦* <	27.5	20	1.37354	0.104	0.104	
-16	17.5	≦* <	22.5	16	1.29490	0.097	0.097	
-17	12.5	≦* <	17.5	12	1.21626	0.091	0.091	
-18	7.5	≦* <	12.5	8	1.13762	0.086	0.086	
-19	2.5	≦* <	7.5	4	1.05898	0.080	0.080	
-20	0.0	≦* <	2.5	1.00	1.00000	0.075	0.075	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.065 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.137	0.137	
19	192.5	≦* <	197.5	156	4.04730	0.132	0.132	
18	187.5	≦* <	192.5	152	3.96866	0.129	0.129	
17	182.5	≦* <	187.5	148	3.89002	0.126	0.126	
16	177.5	≦* <	182.5	144	3.81138	0.124	0.124	
15	172.5	≦* <	177.5	140	3.73274	0.121	0.121	
14	167.5	≦* <	172.5	136	3.65410	0.119	0.119	
13	162.5	≦* <	167.5	132	3.57546	0.116	0.116	
12	157.5	≦* <	162.5	128	3.49682	0.114	0.114	
11	152.5	≦* <	157.5	124	3.41818	0.111	0.111	
10	147.5	≦* <	152.5	120	3.33954	0.109	0.109	
9	142.5	≦* <	147.5	116	3.26090	0.106	0.106	
8	137.5	≦* <	142.5	112	3.18226	0.103	0.103	
7	132.5	≦* <	137.5	108	3.10362	0.101	0.101	
6	127.5	≦* <	132.5	104	3.02498	0.098	0.098	
5	122.5	≦* <	127.5	100	2.94634	0.096	0.096	
4	117.5	≦* <	122.5	96	2.86770	0.093	0.093	
3	112.5	≦* <	117.5	92	2.78906	0.091	0.091	
2	107.5	≦* <	112.5	88	2.71042	0.088	0.088	
1	102.5	≦* <	107.5	84	2.63178	0.086	0.086	
0	97.5	≦* <	102.5	80	2.55314	0.083	0.083	
-1	92.5	≦* <	97.5	76	2.47450	0.080	0.080	
-2	87.5	≦* <	92.5	72	2.39586	0.078	0.078	
-3	82.5	≦* <	87.5	68	2.31722	0.075	0.075	
-4	77.5	≦* <	82.5	64	2.23858	0.073	0.073	
-5	72.5	≦* <	77.5	60	2.15994	0.070	0.070	
-6	67.5	≦* <	72.5	56	2.08130	0.068	0.068	
-7	62.5	≦* <	67.5	52	2.00266	0.065	0.065	
-8	57.5	≦* <	62.5	48	1.92402	0.063	0.063	
-9	52.5	≦* <	57.5	44	1.84538	0.060	0.060	
-10	47.5	≦* <	52.5	40	1.76674	0.057	0.057	
-11	42.5	≦* <	47.5	36	1.68810	0.055	0.055	
-12	37.5	≦* <	42.5	32	1.60946	0.052	0.052	
-13	32.5	≦* <	37.5	28	1.53082	0.050	0.050	
-14	27.5	≦* <	32.5	24	1.45218	0.047	0.047	
-15	22.5	≦* <	27.5	20	1.37354	0.045	0.045	
-16	17.5	≦* <	22.5	16	1.29490	0.042	0.042	
-17	12.5	≦* <	17.5	12	1.21626	0.040	0.040	
-18	7.5	≦* <	12.5	8	1.13762	0.037	0.037	
-19	2.5	≦* <	7.5	4	1.05898	0.034	0.034	
-20	0.0	≦* <	2.5	1.00	1.00000	0.032	0.032	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 40 プラスチックハウスⅡ類

共済掛金標準率: 0.065 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		164.44880	4.21340	0.130	0.130	
19	192.5	≦* <	197.5	156	4.04730	0.125	0.125	
18	187.5	≦* <	192.5	152	3.96866	0.123	0.123	
17	182.5	≦* <	187.5	148	3.89002	0.120	0.120	
16	177.5	≦* <	182.5	144	3.81138	0.118	0.118	
15	172.5	≦* <	177.5	140	3.73274	0.115	0.115	
14	167.5	≦* <	172.5	136	3.65410	0.113	0.113	
13	162.5	≦* <	167.5	132	3.57546	0.110	0.110	
12	157.5	≦* <	162.5	128	3.49682	0.108	0.108	
11	152.5	≦* <	157.5	124	3.41818	0.105	0.105	
10	147.5	≦* <	152.5	120	3.33954	0.104	0.104	
9	142.5	≦* <	147.5	116	3.26090	0.101	0.101	
8	137.5	≦* <	142.5	112	3.18226	0.098	0.098	
7	132.5	≦* <	137.5	108	3.10362	0.096	0.096	
6	127.5	≦* <	132.5	104	3.02498	0.093	0.093	
5	122.5	≦* <	127.5	100	2.94634	0.091	0.091	
4	117.5	≦* <	122.5	96	2.86770	0.088	0.088	
3	112.5	≦* <	117.5	92	2.78906	0.086	0.086	
2	107.5	≦* <	112.5	88	2.71042	0.084	0.084	
1	102.5	≦* <	107.5	84	2.63178	0.082	0.082	
0	97.5	≦* <	102.5	80	2.55314	0.079	0.079	
-1	92.5	≦* <	97.5	76	2.47450	0.076	0.076	
-2	87.5	≦* <	92.5	72	2.39586	0.074	0.074	
-3	82.5	≦* <	87.5	68	2.31722	0.071	0.071	
-4	77.5	≦* <	82.5	64	2.23858	0.069	0.069	
-5	72.5	≦* <	77.5	60	2.15994	0.067	0.067	
-6	67.5	≦* <	72.5	56	2.08130	0.065	0.065	
-7	62.5	≦* <	67.5	52	2.00266	0.062	0.062	
-8	57.5	≦* <	62.5	48	1.92402	0.060	0.060	
-9	52.5	≦* <	57.5	44	1.84538	0.057	0.057	
-10	47.5	≦* <	52.5	40	1.76674	0.054	0.054	
-11	42.5	≦* <	47.5	36	1.68810	0.052	0.052	
-12	37.5	≦* <	42.5	32	1.60946	0.049	0.049	
-13	32.5	≦* <	37.5	28	1.53082	0.048	0.048	
-14	27.5	≦* <	32.5	24	1.45218	0.045	0.045	
-15	22.5	≦* <	27.5	20	1.37354	0.043	0.043	
-16	17.5	≦* <	22.5	16	1.29490	0.040	0.040	
-17	12.5	≦* <	17.5	12	1.21626	0.038	0.038	
-18	7.5	≦* <	12.5	8	1.13762	0.035	0.035	
-19	2.5	≦* <	7.5	4	1.05898	0.032	0.032	
-20	0.0	≦* <	2.5	1.00	1.00000	0.030	0.030	
計	平均			51.86477	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 1.179 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	3.091	3.091	
19	192.5	≦* <	197.5	156	4.05190	2.389	2.389	
18	187.5	≦* <	192.5	152	3.97314	2.342	2.342	
17	182.5	≦* <	187.5	148	3.89438	2.296	2.296	
16	177.5	≦* <	182.5	144	3.81562	2.249	2.249	
15	172.5	≦* <	177.5	140	3.73686	2.203	2.203	
14	167.5	≦* <	172.5	136	3.65810	2.156	2.156	
13	162.5	≦* <	167.5	132	3.57934	2.110	2.110	
12	157.5	≦* <	162.5	128	3.50059	2.064	2.064	
11	152.5	≦* <	157.5	124	3.42183	2.017	2.017	
10	147.5	≦* <	152.5	120	3.34307	1.971	1.971	
9	142.5	≦* <	147.5	116	3.26431	1.924	1.924	
8	137.5	≦* <	142.5	112	3.18555	1.878	1.878	
7	132.5	≦* <	137.5	108	3.10679	1.831	1.831	
6	127.5	≦* <	132.5	104	3.02803	1.785	1.785	
5	122.5	≦* <	127.5	100	2.94928	1.739	1.739	
4	117.5	≦* <	122.5	96	2.87052	1.692	1.692	
3	112.5	≦* <	117.5	92	2.79176	1.646	1.646	
2	107.5	≦* <	112.5	88	2.71300	1.599	1.599	
1	102.5	≦* <	107.5	84	2.63424	1.553	1.553	
0	97.5	≦* <	102.5	80	2.55548	1.506	1.506	
-1	92.5	≦* <	97.5	76	2.47672	1.460	1.460	
-2	87.5	≦* <	92.5	72	2.39797	1.414	1.414	
-3	82.5	≦* <	87.5	68	2.31921	1.367	1.367	
-4	77.5	≦* <	82.5	64	2.24045	1.321	1.321	
-5	72.5	≦* <	77.5	60	2.16169	1.274	1.274	
-6	67.5	≦* <	72.5	56	2.08293	1.228	1.228	
-7	62.5	≦* <	67.5	52	2.00417	1.181	1.181	
-8	57.5	≦* <	62.5	48	1.92541	1.135	1.135	
-9	52.5	≦* <	57.5	44	1.84666	1.089	1.089	
-10	47.5	≦* <	52.5	40	1.76790	1.042	1.042	
-11	42.5	≦* <	47.5	36	1.68914	0.996	0.996	
-12	37.5	≦* <	42.5	32	1.61038	0.949	0.949	
-13	32.5	≦* <	37.5	28	1.53162	0.903	0.903	
-14	27.5	≦* <	32.5	24	1.45286	0.856	0.856	
-15	22.5	≦* <	27.5	20	1.37410	0.810	0.810	
-16	17.5	≦* <	22.5	16	1.29534	0.764	0.764	
-17	12.5	≦* <	17.5	12	1.21659	0.717	0.717	
-18	7.5	≦* <	12.5	8	1.13783	0.671	0.671	
-19	2.5	≦* <	7.5	4	1.05907	0.624	0.624	
-20	0.0	≦* <	2.5	1.00	1.00000	0.589	0.589	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 1.179 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	2.936	2.936	
19	192.5	≦* <	197.5	156	4.05190	2.270	2.270	
18	187.5	≦* <	192.5	152	3.97314	2.225	2.225	
17	182.5	≦* <	187.5	148	3.89438	2.181	2.181	
16	177.5	≦* <	182.5	144	3.81562	2.137	2.137	
15	172.5	≦* <	177.5	140	3.73686	2.093	2.093	
14	167.5	≦* <	172.5	136	3.65810	2.048	2.048	
13	162.5	≦* <	167.5	132	3.57934	2.005	2.005	
12	157.5	≦* <	162.5	128	3.50059	1.961	1.961	
11	152.5	≦* <	157.5	124	3.42183	1.916	1.916	
10	147.5	≦* <	152.5	120	3.34307	1.872	1.872	
9	142.5	≦* <	147.5	116	3.26431	1.828	1.828	
8	137.5	≦* <	142.5	112	3.18555	1.784	1.784	
7	132.5	≦* <	137.5	108	3.10679	1.739	1.739	
6	127.5	≦* <	132.5	104	3.02803	1.696	1.696	
5	122.5	≦* <	127.5	100	2.94928	1.652	1.652	
4	117.5	≦* <	122.5	96	2.87052	1.607	1.607	
3	112.5	≦* <	117.5	92	2.79176	1.564	1.564	
2	107.5	≦* <	112.5	88	2.71300	1.519	1.519	
1	102.5	≦* <	107.5	84	2.63424	1.475	1.475	
0	97.5	≦* <	102.5	80	2.55548	1.431	1.431	
-1	92.5	≦* <	97.5	76	2.47672	1.387	1.387	
-2	87.5	≦* <	92.5	72	2.39797	1.343	1.343	
-3	82.5	≦* <	87.5	68	2.31921	1.299	1.299	
-4	77.5	≦* <	82.5	64	2.24045	1.255	1.255	
-5	72.5	≦* <	77.5	60	2.16169	1.210	1.210	
-6	67.5	≦* <	72.5	56	2.08293	1.167	1.167	
-7	62.5	≦* <	67.5	52	2.00417	1.122	1.122	
-8	57.5	≦* <	62.5	48	1.92541	1.078	1.078	
-9	52.5	≦* <	57.5	44	1.84666	1.035	1.035	
-10	47.5	≦* <	52.5	40	1.76790	0.990	0.990	
-11	42.5	≦* <	47.5	36	1.68914	0.946	0.946	
-12	37.5	≦* <	42.5	32	1.61038	0.902	0.902	
-13	32.5	≦* <	37.5	28	1.53162	0.858	0.858	
-14	27.5	≦* <	32.5	24	1.45286	0.813	0.813	
-15	22.5	≦* <	27.5	20	1.37410	0.770	0.770	
-16	17.5	≦* <	22.5	16	1.29534	0.726	0.726	
-17	12.5	≦* <	17.5	12	1.21659	0.681	0.681	
-18	7.5	≦* <	12.5	8	1.13783	0.637	0.637	
-19	2.5	≦* <	7.5	4	1.05907	0.593	0.593	
-20	0.0	≦* <	2.5	1.00	1.00000	0.560	0.560	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 1.172 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	3.072	3.072	
19	192.5	≦* <	197.5	156	4.05190	2.374	2.374	
18	187.5	≦* <	192.5	152	3.97314	2.328	2.328	
17	182.5	≦* <	187.5	148	3.89438	2.282	2.282	
16	177.5	≦* <	182.5	144	3.81562	2.236	2.236	
15	172.5	≦* <	177.5	140	3.73686	2.190	2.190	
14	167.5	≦* <	172.5	136	3.65810	2.144	2.144	
13	162.5	≦* <	167.5	132	3.57934	2.097	2.097	
12	157.5	≦* <	162.5	128	3.50059	2.051	2.051	
11	152.5	≦* <	157.5	124	3.42183	2.005	2.005	
10	147.5	≦* <	152.5	120	3.34307	1.959	1.959	
9	142.5	≦* <	147.5	116	3.26431	1.913	1.913	
8	137.5	≦* <	142.5	112	3.18555	1.867	1.867	
7	132.5	≦* <	137.5	108	3.10679	1.821	1.821	
6	127.5	≦* <	132.5	104	3.02803	1.774	1.774	
5	122.5	≦* <	127.5	100	2.94928	1.728	1.728	
4	117.5	≦* <	122.5	96	2.87052	1.682	1.682	
3	112.5	≦* <	117.5	92	2.79176	1.636	1.636	
2	107.5	≦* <	112.5	88	2.71300	1.590	1.590	
1	102.5	≦* <	107.5	84	2.63424	1.544	1.544	
0	97.5	≦* <	102.5	80	2.55548	1.498	1.498	
-1	92.5	≦* <	97.5	76	2.47672	1.451	1.451	
-2	87.5	≦* <	92.5	72	2.39797	1.405	1.405	
-3	82.5	≦* <	87.5	68	2.31921	1.359	1.359	
-4	77.5	≦* <	82.5	64	2.24045	1.313	1.313	
-5	72.5	≦* <	77.5	60	2.16169	1.267	1.267	
-6	67.5	≦* <	72.5	56	2.08293	1.221	1.221	
-7	62.5	≦* <	67.5	52	2.00417	1.174	1.174	
-8	57.5	≦* <	62.5	48	1.92541	1.128	1.128	
-9	52.5	≦* <	57.5	44	1.84666	1.082	1.082	
-10	47.5	≦* <	52.5	40	1.76790	1.036	1.036	
-11	42.5	≦* <	47.5	36	1.68914	0.990	0.990	
-12	37.5	≦* <	42.5	32	1.61038	0.944	0.944	
-13	32.5	≦* <	37.5	28	1.53162	0.898	0.898	
-14	27.5	≦* <	32.5	24	1.45286	0.851	0.851	
-15	22.5	≦* <	27.5	20	1.37410	0.805	0.805	
-16	17.5	≦* <	22.5	16	1.29534	0.759	0.759	
-17	12.5	≦* <	17.5	12	1.21659	0.713	0.713	
-18	7.5	≦* <	12.5	8	1.13783	0.667	0.667	
-19	2.5	≦* <	7.5	4	1.05907	0.621	0.621	
-20	0.0	≦* <	2.5	1.00	1.00000	0.586	0.586	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 1.172 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	2.918	2.918	
19	192.5	≦* <	197.5	156	4.05190	2.255	2.255	
18	187.5	≦* <	192.5	152	3.97314	2.212	2.212	
17	182.5	≦* <	187.5	148	3.89438	2.168	2.168	
16	177.5	≦* <	182.5	144	3.81562	2.124	2.124	
15	172.5	≦* <	177.5	140	3.73686	2.081	2.081	
14	167.5	≦* <	172.5	136	3.65810	2.037	2.037	
13	162.5	≦* <	167.5	132	3.57934	1.992	1.992	
12	157.5	≦* <	162.5	128	3.50059	1.948	1.948	
11	152.5	≦* <	157.5	124	3.42183	1.905	1.905	
10	147.5	≦* <	152.5	120	3.34307	1.861	1.861	
9	142.5	≦* <	147.5	116	3.26431	1.817	1.817	
8	137.5	≦* <	142.5	112	3.18555	1.774	1.774	
7	132.5	≦* <	137.5	108	3.10679	1.730	1.730	
6	127.5	≦* <	132.5	104	3.02803	1.685	1.685	
5	122.5	≦* <	127.5	100	2.94928	1.642	1.642	
4	117.5	≦* <	122.5	96	2.87052	1.598	1.598	
3	112.5	≦* <	117.5	92	2.79176	1.554	1.554	
2	107.5	≦* <	112.5	88	2.71300	1.511	1.511	
1	102.5	≦* <	107.5	84	2.63424	1.467	1.467	
0	97.5	≦* <	102.5	80	2.55548	1.423	1.423	
-1	92.5	≦* <	97.5	76	2.47672	1.378	1.378	
-2	87.5	≦* <	92.5	72	2.39797	1.335	1.335	
-3	82.5	≦* <	87.5	68	2.31921	1.291	1.291	
-4	77.5	≦* <	82.5	64	2.24045	1.247	1.247	
-5	72.5	≦* <	77.5	60	2.16169	1.204	1.204	
-6	67.5	≦* <	72.5	56	2.08293	1.160	1.160	
-7	62.5	≦* <	67.5	52	2.00417	1.115	1.115	
-8	57.5	≦* <	62.5	48	1.92541	1.072	1.072	
-9	52.5	≦* <	57.5	44	1.84666	1.028	1.028	
-10	47.5	≦* <	52.5	40	1.76790	0.984	0.984	
-11	42.5	≦* <	47.5	36	1.68914	0.941	0.941	
-12	37.5	≦* <	42.5	32	1.61038	0.897	0.897	
-13	32.5	≦* <	37.5	28	1.53162	0.853	0.853	
-14	27.5	≦* <	32.5	24	1.45286	0.808	0.808	
-15	22.5	≦* <	27.5	20	1.37410	0.765	0.765	
-16	17.5	≦* <	22.5	16	1.29534	0.721	0.721	
-17	12.5	≦* <	17.5	12	1.21659	0.677	0.677	
-18	7.5	≦* <	12.5	8	1.13783	0.634	0.634	
-19	2.5	≦* <	7.5	4	1.05907	0.590	0.590	
-20	0.0	≦* <	2.5	1.00	1.00000	0.557	0.557	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 1.131 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	2.965	2.965	
19	192.5	≦* <	197.5	156	4.05190	2.291	2.291	
18	187.5	≦* <	192.5	152	3.97314	2.247	2.247	
17	182.5	≦* <	187.5	148	3.89438	2.202	2.202	
16	177.5	≦* <	182.5	144	3.81562	2.158	2.158	
15	172.5	≦* <	177.5	140	3.73686	2.113	2.113	
14	167.5	≦* <	172.5	136	3.65810	2.069	2.069	
13	162.5	≦* <	167.5	132	3.57934	2.024	2.024	
12	157.5	≦* <	162.5	128	3.50059	1.980	1.980	
11	152.5	≦* <	157.5	124	3.42183	1.935	1.935	
10	147.5	≦* <	152.5	120	3.34307	1.891	1.891	
9	142.5	≦* <	147.5	116	3.26431	1.846	1.846	
8	137.5	≦* <	142.5	112	3.18555	1.801	1.801	
7	132.5	≦* <	137.5	108	3.10679	1.757	1.757	
6	127.5	≦* <	132.5	104	3.02803	1.712	1.712	
5	122.5	≦* <	127.5	100	2.94928	1.668	1.668	
4	117.5	≦* <	122.5	96	2.87052	1.623	1.623	
3	112.5	≦* <	117.5	92	2.79176	1.579	1.579	
2	107.5	≦* <	112.5	88	2.71300	1.534	1.534	
1	102.5	≦* <	107.5	84	2.63424	1.490	1.490	
0	97.5	≦* <	102.5	80	2.55548	1.445	1.445	
-1	92.5	≦* <	97.5	76	2.47672	1.401	1.401	
-2	87.5	≦* <	92.5	72	2.39797	1.356	1.356	
-3	82.5	≦* <	87.5	68	2.31921	1.312	1.312	
-4	77.5	≦* <	82.5	64	2.24045	1.267	1.267	
-5	72.5	≦* <	77.5	60	2.16169	1.222	1.222	
-6	67.5	≦* <	72.5	56	2.08293	1.178	1.178	
-7	62.5	≦* <	67.5	52	2.00417	1.133	1.133	
-8	57.5	≦* <	62.5	48	1.92541	1.089	1.089	
-9	52.5	≦* <	57.5	44	1.84666	1.044	1.044	
-10	47.5	≦* <	52.5	40	1.76790	1.000	1.000	
-11	42.5	≦* <	47.5	36	1.68914	0.955	0.955	
-12	37.5	≦* <	42.5	32	1.61038	0.911	0.911	
-13	32.5	≦* <	37.5	28	1.53162	0.866	0.866	
-14	27.5	≦* <	32.5	24	1.45286	0.822	0.822	
-15	22.5	≦* <	27.5	20	1.37410	0.777	0.777	
-16	17.5	≦* <	22.5	16	1.29534	0.733	0.733	
-17	12.5	≦* <	17.5	12	1.21659	0.688	0.688	
-18	7.5	≦* <	12.5	8	1.13783	0.643	0.643	
-19	2.5	≦* <	7.5	4	1.05907	0.599	0.599	
-20	0.0	≦* <	2.5	1.00	1.00000	0.565	0.565	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 1.131 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	2.817	2.817	
19	192.5	≦* <	197.5	156	4.05190	2.176	2.176	
18	187.5	≦* <	192.5	152	3.97314	2.135	2.135	
17	182.5	≦* <	187.5	148	3.89438	2.092	2.092	
16	177.5	≦* <	182.5	144	3.81562	2.050	2.050	
15	172.5	≦* <	177.5	140	3.73686	2.007	2.007	
14	167.5	≦* <	172.5	136	3.65810	1.966	1.966	
13	162.5	≦* <	167.5	132	3.57934	1.923	1.923	
12	157.5	≦* <	162.5	128	3.50059	1.881	1.881	
11	152.5	≦* <	157.5	124	3.42183	1.838	1.838	
10	147.5	≦* <	152.5	120	3.34307	1.796	1.796	
9	142.5	≦* <	147.5	116	3.26431	1.754	1.754	
8	137.5	≦* <	142.5	112	3.18555	1.711	1.711	
7	132.5	≦* <	137.5	108	3.10679	1.669	1.669	
6	127.5	≦* <	132.5	104	3.02803	1.626	1.626	
5	122.5	≦* <	127.5	100	2.94928	1.585	1.585	
4	117.5	≦* <	122.5	96	2.87052	1.542	1.542	
3	112.5	≦* <	117.5	92	2.79176	1.500	1.500	
2	107.5	≦* <	112.5	88	2.71300	1.457	1.457	
1	102.5	≦* <	107.5	84	2.63424	1.416	1.416	
0	97.5	≦* <	102.5	80	2.55548	1.373	1.373	
-1	92.5	≦* <	97.5	76	2.47672	1.331	1.331	
-2	87.5	≦* <	92.5	72	2.39797	1.288	1.288	
-3	82.5	≦* <	87.5	68	2.31921	1.246	1.246	
-4	77.5	≦* <	82.5	64	2.24045	1.204	1.204	
-5	72.5	≦* <	77.5	60	2.16169	1.161	1.161	
-6	67.5	≦* <	72.5	56	2.08293	1.119	1.119	
-7	62.5	≦* <	67.5	52	2.00417	1.076	1.076	
-8	57.5	≦* <	62.5	48	1.92541	1.035	1.035	
-9	52.5	≦* <	57.5	44	1.84666	0.992	0.992	
-10	47.5	≦* <	52.5	40	1.76790	0.950	0.950	
-11	42.5	≦* <	47.5	36	1.68914	0.907	0.907	
-12	37.5	≦* <	42.5	32	1.61038	0.865	0.865	
-13	32.5	≦* <	37.5	28	1.53162	0.823	0.823	
-14	27.5	≦* <	32.5	24	1.45286	0.781	0.781	
-15	22.5	≦* <	27.5	20	1.37410	0.738	0.738	
-16	17.5	≦* <	22.5	16	1.29534	0.696	0.696	
-17	12.5	≦* <	17.5	12	1.21659	0.654	0.654	
-18	7.5	≦* <	12.5	8	1.13783	0.611	0.611	
-19	2.5	≦* <	7.5	4	1.05907	0.569	0.569	
-20	0.0	≦* <	2.5	1.00	1.00000	0.537	0.537	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.772 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	2.024	2.024	
19	192.5	≦* <	197.5	156	4.05190	1.564	1.564	
18	187.5	≦* <	192.5	152	3.97314	1.534	1.534	
17	182.5	≦* <	187.5	148	3.89438	1.503	1.503	
16	177.5	≦* <	182.5	144	3.81562	1.473	1.473	
15	172.5	≦* <	177.5	140	3.73686	1.442	1.442	
14	167.5	≦* <	172.5	136	3.65810	1.412	1.412	
13	162.5	≦* <	167.5	132	3.57934	1.382	1.382	
12	157.5	≦* <	162.5	128	3.50059	1.351	1.351	
11	152.5	≦* <	157.5	124	3.42183	1.321	1.321	
10	147.5	≦* <	152.5	120	3.34307	1.290	1.290	
9	142.5	≦* <	147.5	116	3.26431	1.260	1.260	
8	137.5	≦* <	142.5	112	3.18555	1.230	1.230	
7	132.5	≦* <	137.5	108	3.10679	1.199	1.199	
6	127.5	≦* <	132.5	104	3.02803	1.169	1.169	
5	122.5	≦* <	127.5	100	2.94928	1.138	1.138	
4	117.5	≦* <	122.5	96	2.87052	1.108	1.108	
3	112.5	≦* <	117.5	92	2.79176	1.078	1.078	
2	107.5	≦* <	112.5	88	2.71300	1.047	1.047	
1	102.5	≦* <	107.5	84	2.63424	1.017	1.017	
0	97.5	≦* <	102.5	80	2.55548	0.986	0.986	
-1	92.5	≦* <	97.5	76	2.47672	0.956	0.956	
-2	87.5	≦* <	92.5	72	2.39797	0.926	0.926	
-3	82.5	≦* <	87.5	68	2.31921	0.895	0.895	
-4	77.5	≦* <	82.5	64	2.24045	0.865	0.865	
-5	72.5	≦* <	77.5	60	2.16169	0.834	0.834	
-6	67.5	≦* <	72.5	56	2.08293	0.804	0.804	
-7	62.5	≦* <	67.5	52	2.00417	0.774	0.774	
-8	57.5	≦* <	62.5	48	1.92541	0.743	0.743	
-9	52.5	≦* <	57.5	44	1.84666	0.713	0.713	
-10	47.5	≦* <	52.5	40	1.76790	0.682	0.682	
-11	42.5	≦* <	47.5	36	1.68914	0.652	0.652	
-12	37.5	≦* <	42.5	32	1.61038	0.622	0.622	
-13	32.5	≦* <	37.5	28	1.53162	0.591	0.591	
-14	27.5	≦* <	32.5	24	1.45286	0.561	0.561	
-15	22.5	≦* <	27.5	20	1.37410	0.530	0.530	
-16	17.5	≦* <	22.5	16	1.29534	0.500	0.500	
-17	12.5	≦* <	17.5	12	1.21659	0.470	0.470	
-18	7.5	≦* <	12.5	8	1.13783	0.439	0.439	
-19	2.5	≦* <	7.5	4	1.05907	0.409	0.409	
-20	0.0	≦* <	2.5	1.00	1.00000	0.386	0.386	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.772 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.923	1.923	
19	192.5	≧* <	197.5	156	4.05190	1.486	1.486	
18	187.5	≧* <	192.5	152	3.97314	1.457	1.457	
17	182.5	≧* <	187.5	148	3.89438	1.428	1.428	
16	177.5	≧* <	182.5	144	3.81562	1.399	1.399	
15	172.5	≧* <	177.5	140	3.73686	1.370	1.370	
14	167.5	≧* <	172.5	136	3.65810	1.341	1.341	
13	162.5	≧* <	167.5	132	3.57934	1.313	1.313	
12	157.5	≧* <	162.5	128	3.50059	1.283	1.283	
11	152.5	≧* <	157.5	124	3.42183	1.255	1.255	
10	147.5	≧* <	152.5	120	3.34307	1.226	1.226	
9	142.5	≧* <	147.5	116	3.26431	1.197	1.197	
8	137.5	≧* <	142.5	112	3.18555	1.169	1.169	
7	132.5	≧* <	137.5	108	3.10679	1.139	1.139	
6	127.5	≧* <	132.5	104	3.02803	1.111	1.111	
5	122.5	≧* <	127.5	100	2.94928	1.081	1.081	
4	117.5	≧* <	122.5	96	2.87052	1.053	1.053	
3	112.5	≧* <	117.5	92	2.79176	1.024	1.024	
2	107.5	≧* <	112.5	88	2.71300	0.995	0.995	
1	102.5	≧* <	107.5	84	2.63424	0.966	0.966	
0	97.5	≧* <	102.5	80	2.55548	0.937	0.937	
-1	92.5	≧* <	97.5	76	2.47672	0.908	0.908	
-2	87.5	≧* <	92.5	72	2.39797	0.880	0.880	
-3	82.5	≧* <	87.5	68	2.31921	0.850	0.850	
-4	77.5	≧* <	82.5	64	2.24045	0.822	0.822	
-5	72.5	≧* <	77.5	60	2.16169	0.792	0.792	
-6	67.5	≧* <	72.5	56	2.08293	0.764	0.764	
-7	62.5	≧* <	67.5	52	2.00417	0.735	0.735	
-8	57.5	≧* <	62.5	48	1.92541	0.706	0.706	
-9	52.5	≧* <	57.5	44	1.84666	0.677	0.677	
-10	47.5	≧* <	52.5	40	1.76790	0.648	0.648	
-11	42.5	≧* <	47.5	36	1.68914	0.619	0.619	
-12	37.5	≧* <	42.5	32	1.61038	0.591	0.591	
-13	32.5	≧* <	37.5	28	1.53162	0.561	0.561	
-14	27.5	≧* <	32.5	24	1.45286	0.533	0.533	
-15	22.5	≧* <	27.5	20	1.37410	0.504	0.504	
-16	17.5	≧* <	22.5	16	1.29534	0.475	0.475	
-17	12.5	≧* <	17.5	12	1.21659	0.447	0.447	
-18	7.5	≧* <	12.5	8	1.13783	0.417	0.417	
-19	2.5	≧* <	7.5	4	1.05907	0.389	0.389	
-20	0.0	≧* <	2.5	1.00	1.00000	0.367	0.367	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.520 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.363	1.363	
19	192.5	≦* <	197.5	156	4.05190	1.053	1.053	
18	187.5	≦* <	192.5	152	3.97314	1.033	1.033	
17	182.5	≦* <	187.5	148	3.89438	1.013	1.013	
16	177.5	≦* <	182.5	144	3.81562	0.992	0.992	
15	172.5	≦* <	177.5	140	3.73686	0.972	0.972	
14	167.5	≦* <	172.5	136	3.65810	0.951	0.951	
13	162.5	≦* <	167.5	132	3.57934	0.931	0.931	
12	157.5	≦* <	162.5	128	3.50059	0.910	0.910	
11	152.5	≦* <	157.5	124	3.42183	0.890	0.890	
10	147.5	≦* <	152.5	120	3.34307	0.869	0.869	
9	142.5	≦* <	147.5	116	3.26431	0.849	0.849	
8	137.5	≦* <	142.5	112	3.18555	0.828	0.828	
7	132.5	≦* <	137.5	108	3.10679	0.808	0.808	
6	127.5	≦* <	132.5	104	3.02803	0.787	0.787	
5	122.5	≦* <	127.5	100	2.94928	0.767	0.767	
4	117.5	≦* <	122.5	96	2.87052	0.746	0.746	
3	112.5	≦* <	117.5	92	2.79176	0.726	0.726	
2	107.5	≦* <	112.5	88	2.71300	0.705	0.705	
1	102.5	≦* <	107.5	84	2.63424	0.685	0.685	
0	97.5	≦* <	102.5	80	2.55548	0.664	0.664	
-1	92.5	≦* <	97.5	76	2.47672	0.644	0.644	
-2	87.5	≦* <	92.5	72	2.39797	0.623	0.623	
-3	82.5	≦* <	87.5	68	2.31921	0.603	0.603	
-4	77.5	≦* <	82.5	64	2.24045	0.583	0.583	
-5	72.5	≦* <	77.5	60	2.16169	0.562	0.562	
-6	67.5	≦* <	72.5	56	2.08293	0.542	0.542	
-7	62.5	≦* <	67.5	52	2.00417	0.521	0.521	
-8	57.5	≦* <	62.5	48	1.92541	0.501	0.501	
-9	52.5	≦* <	57.5	44	1.84666	0.480	0.480	
-10	47.5	≦* <	52.5	40	1.76790	0.460	0.460	
-11	42.5	≦* <	47.5	36	1.68914	0.439	0.439	
-12	37.5	≦* <	42.5	32	1.61038	0.419	0.419	
-13	32.5	≦* <	37.5	28	1.53162	0.398	0.398	
-14	27.5	≦* <	32.5	24	1.45286	0.378	0.378	
-15	22.5	≦* <	27.5	20	1.37410	0.357	0.357	
-16	17.5	≦* <	22.5	16	1.29534	0.337	0.337	
-17	12.5	≦* <	17.5	12	1.21659	0.316	0.316	
-18	7.5	≦* <	12.5	8	1.13783	0.296	0.296	
-19	2.5	≦* <	7.5	4	1.05907	0.275	0.275	
-20	0.0	≦* <	2.5	1.00	1.00000	0.260	0.260	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 50 プラスチックハウスⅢ類

共済掛金標準率: 0.520 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		216.49387	5.24300	1.295	1.295	
19	192.5	≦* <	197.5	156	4.05190	1.000	1.000	
18	187.5	≦* <	192.5	152	3.97314	0.981	0.981	
17	182.5	≦* <	187.5	148	3.89438	0.962	0.962	
16	177.5	≦* <	182.5	144	3.81562	0.942	0.942	
15	172.5	≦* <	177.5	140	3.73686	0.923	0.923	
14	167.5	≦* <	172.5	136	3.65810	0.903	0.903	
13	162.5	≦* <	167.5	132	3.57934	0.884	0.884	
12	157.5	≦* <	162.5	128	3.50059	0.865	0.865	
11	152.5	≦* <	157.5	124	3.42183	0.846	0.846	
10	147.5	≦* <	152.5	120	3.34307	0.826	0.826	
9	142.5	≦* <	147.5	116	3.26431	0.807	0.807	
8	137.5	≦* <	142.5	112	3.18555	0.787	0.787	
7	132.5	≦* <	137.5	108	3.10679	0.768	0.768	
6	127.5	≦* <	132.5	104	3.02803	0.748	0.748	
5	122.5	≦* <	127.5	100	2.94928	0.729	0.729	
4	117.5	≦* <	122.5	96	2.87052	0.709	0.709	
3	112.5	≦* <	117.5	92	2.79176	0.690	0.690	
2	107.5	≦* <	112.5	88	2.71300	0.670	0.670	
1	102.5	≦* <	107.5	84	2.63424	0.651	0.651	
0	97.5	≦* <	102.5	80	2.55548	0.631	0.631	
-1	92.5	≦* <	97.5	76	2.47672	0.612	0.612	
-2	87.5	≦* <	92.5	72	2.39797	0.592	0.592	
-3	82.5	≦* <	87.5	68	2.31921	0.573	0.573	
-4	77.5	≦* <	82.5	64	2.24045	0.554	0.554	
-5	72.5	≦* <	77.5	60	2.16169	0.534	0.534	
-6	67.5	≦* <	72.5	56	2.08293	0.515	0.515	
-7	62.5	≦* <	67.5	52	2.00417	0.495	0.495	
-8	57.5	≦* <	62.5	48	1.92541	0.476	0.476	
-9	52.5	≦* <	57.5	44	1.84666	0.456	0.456	
-10	47.5	≦* <	52.5	40	1.76790	0.437	0.437	
-11	42.5	≦* <	47.5	36	1.68914	0.417	0.417	
-12	37.5	≦* <	42.5	32	1.61038	0.398	0.398	
-13	32.5	≦* <	37.5	28	1.53162	0.378	0.378	
-14	27.5	≦* <	32.5	24	1.45286	0.359	0.359	
-15	22.5	≦* <	27.5	20	1.37410	0.339	0.339	
-16	17.5	≦* <	22.5	16	1.29534	0.320	0.320	
-17	12.5	≦* <	17.5	12	1.21659	0.300	0.300	
-18	7.5	≦* <	12.5	8	1.13783	0.281	0.281	
-19	2.5	≦* <	7.5	4	1.05907	0.261	0.261	
-20	0.0	≦* <	2.5	1.00	1.00000	0.247	0.247	
計	平均			51.78814	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 1.308 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	3.611	3.611	
19	192.5	≦* <	197.5	156	3.46093	2.263	2.263	
18	187.5	≦* <	192.5	152	3.39742	2.222	2.222	
17	182.5	≦* <	187.5	148	3.33391	2.180	2.180	
16	177.5	≦* <	182.5	144	3.27041	2.139	2.139	
15	172.5	≦* <	177.5	140	3.20690	2.097	2.097	
14	167.5	≦* <	172.5	136	3.14339	2.056	2.056	
13	162.5	≦* <	167.5	132	3.07988	2.014	2.014	
12	157.5	≦* <	162.5	128	3.01637	1.973	1.973	
11	152.5	≦* <	157.5	124	2.95287	1.931	1.931	
10	147.5	≦* <	152.5	120	2.88936	1.890	1.890	
9	142.5	≦* <	147.5	116	2.82585	1.848	1.848	
8	137.5	≦* <	142.5	112	2.76234	1.807	1.807	
7	132.5	≦* <	137.5	108	2.69884	1.765	1.765	
6	127.5	≦* <	132.5	104	2.63533	1.724	1.724	
5	122.5	≦* <	127.5	100	2.57182	1.682	1.682	
4	117.5	≦* <	122.5	96	2.50831	1.640	1.640	
3	112.5	≦* <	117.5	92	2.44480	1.599	1.599	
2	107.5	≦* <	112.5	88	2.38130	1.557	1.557	
1	102.5	≦* <	107.5	84	2.31779	1.516	1.516	
0	97.5	≦* <	102.5	80	2.25428	1.474	1.474	
-1	92.5	≦* <	97.5	76	2.19077	1.433	1.433	
-2	87.5	≦* <	92.5	72	2.12726	1.391	1.391	
-3	82.5	≦* <	87.5	68	2.06376	1.350	1.350	
-4	77.5	≦* <	82.5	64	2.00025	1.308	1.308	
-5	72.5	≦* <	77.5	60	1.93674	1.267	1.267	
-6	67.5	≦* <	72.5	56	1.87323	1.225	1.225	
-7	62.5	≦* <	67.5	52	1.80973	1.184	1.184	
-8	57.5	≦* <	62.5	48	1.74622	1.142	1.142	
-9	52.5	≦* <	57.5	44	1.68271	1.100	1.100	
-10	47.5	≦* <	52.5	40	1.61920	1.059	1.059	
-11	42.5	≦* <	47.5	36	1.55569	1.017	1.017	
-12	37.5	≦* <	42.5	32	1.49219	0.976	0.976	
-13	32.5	≦* <	37.5	28	1.42868	0.934	0.934	
-14	27.5	≦* <	32.5	24	1.36517	0.893	0.893	
-15	22.5	≦* <	27.5	20	1.30166	0.851	0.851	
-16	17.5	≦* <	22.5	16	1.23815	0.810	0.810	
-17	12.5	≦* <	17.5	12	1.17465	0.768	0.768	
-18	7.5	≦* <	12.5	8	1.11114	0.727	0.727	
-19	2.5	≦* <	7.5	4	1.04763	0.685	0.685	
-20	0.0	≦* <	2.5	1.00	1.00000	0.654	0.654	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 1.308 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	3.430	3.430	
19	192.5	≦* <	197.5	156	3.46093	2.150	2.150	
18	187.5	≦* <	192.5	152	3.39742	2.111	2.111	
17	182.5	≦* <	187.5	148	3.33391	2.071	2.071	
16	177.5	≦* <	182.5	144	3.27041	2.032	2.032	
15	172.5	≦* <	177.5	140	3.20690	1.992	1.992	
14	167.5	≦* <	172.5	136	3.14339	1.953	1.953	
13	162.5	≦* <	167.5	132	3.07988	1.913	1.913	
12	157.5	≦* <	162.5	128	3.01637	1.874	1.874	
11	152.5	≦* <	157.5	124	2.95287	1.834	1.834	
10	147.5	≦* <	152.5	120	2.88936	1.796	1.796	
9	142.5	≦* <	147.5	116	2.82585	1.756	1.756	
8	137.5	≦* <	142.5	112	2.76234	1.717	1.717	
7	132.5	≦* <	137.5	108	2.69884	1.677	1.677	
6	127.5	≦* <	132.5	104	2.63533	1.638	1.638	
5	122.5	≦* <	127.5	100	2.57182	1.598	1.598	
4	117.5	≦* <	122.5	96	2.50831	1.558	1.558	
3	112.5	≦* <	117.5	92	2.44480	1.519	1.519	
2	107.5	≦* <	112.5	88	2.38130	1.479	1.479	
1	102.5	≦* <	107.5	84	2.31779	1.440	1.440	
0	97.5	≦* <	102.5	80	2.25428	1.400	1.400	
-1	92.5	≦* <	97.5	76	2.19077	1.361	1.361	
-2	87.5	≦* <	92.5	72	2.12726	1.321	1.321	
-3	82.5	≦* <	87.5	68	2.06376	1.283	1.283	
-4	77.5	≦* <	82.5	64	2.00025	1.243	1.243	
-5	72.5	≦* <	77.5	60	1.93674	1.204	1.204	
-6	67.5	≦* <	72.5	56	1.87323	1.164	1.164	
-7	62.5	≦* <	67.5	52	1.80973	1.125	1.125	
-8	57.5	≦* <	62.5	48	1.74622	1.085	1.085	
-9	52.5	≦* <	57.5	44	1.68271	1.045	1.045	
-10	47.5	≦* <	52.5	40	1.61920	1.006	1.006	
-11	42.5	≦* <	47.5	36	1.55569	0.966	0.966	
-12	37.5	≦* <	42.5	32	1.49219	0.927	0.927	
-13	32.5	≦* <	37.5	28	1.42868	0.887	0.887	
-14	27.5	≦* <	32.5	24	1.36517	0.848	0.848	
-15	22.5	≦* <	27.5	20	1.30166	0.808	0.808	
-16	17.5	≦* <	22.5	16	1.23815	0.770	0.770	
-17	12.5	≦* <	17.5	12	1.17465	0.730	0.730	
-18	7.5	≦* <	12.5	8	1.11114	0.691	0.691	
-19	2.5	≦* <	7.5	4	1.04763	0.651	0.651	
-20	0.0	≦* <	2.5	1.00	1.00000	0.621	0.621	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 1.295 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	3.576	3.576	
19	192.5	≧* <	197.5	156	3.46093	2.241	2.241	
18	187.5	≧* <	192.5	152	3.39742	2.200	2.200	
17	182.5	≧* <	187.5	148	3.33391	2.159	2.159	
16	177.5	≧* <	182.5	144	3.27041	2.118	2.118	
15	172.5	≧* <	177.5	140	3.20690	2.076	2.076	
14	167.5	≧* <	172.5	136	3.14339	2.035	2.035	
13	162.5	≧* <	167.5	132	3.07988	1.994	1.994	
12	157.5	≧* <	162.5	128	3.01637	1.953	1.953	
11	152.5	≧* <	157.5	124	2.95287	1.912	1.912	
10	147.5	≧* <	152.5	120	2.88936	1.871	1.871	
9	142.5	≧* <	147.5	116	2.82585	1.830	1.830	
8	137.5	≧* <	142.5	112	2.76234	1.789	1.789	
7	132.5	≧* <	137.5	108	2.69884	1.747	1.747	
6	127.5	≧* <	132.5	104	2.63533	1.706	1.706	
5	122.5	≧* <	127.5	100	2.57182	1.665	1.665	
4	117.5	≧* <	122.5	96	2.50831	1.624	1.624	
3	112.5	≧* <	117.5	92	2.44480	1.583	1.583	
2	107.5	≧* <	112.5	88	2.38130	1.542	1.542	
1	102.5	≧* <	107.5	84	2.31779	1.501	1.501	
0	97.5	≧* <	102.5	80	2.25428	1.460	1.460	
-1	92.5	≧* <	97.5	76	2.19077	1.419	1.419	
-2	87.5	≧* <	92.5	72	2.12726	1.377	1.377	
-3	82.5	≧* <	87.5	68	2.06376	1.336	1.336	
-4	77.5	≧* <	82.5	64	2.00025	1.295	1.295	
-5	72.5	≧* <	77.5	60	1.93674	1.254	1.254	
-6	67.5	≧* <	72.5	56	1.87323	1.213	1.213	
-7	62.5	≧* <	67.5	52	1.80973	1.172	1.172	
-8	57.5	≧* <	62.5	48	1.74622	1.131	1.131	
-9	52.5	≧* <	57.5	44	1.68271	1.090	1.090	
-10	47.5	≧* <	52.5	40	1.61920	1.048	1.048	
-11	42.5	≧* <	47.5	36	1.55569	1.007	1.007	
-12	37.5	≧* <	42.5	32	1.49219	0.966	0.966	
-13	32.5	≧* <	37.5	28	1.42868	0.925	0.925	
-14	27.5	≧* <	32.5	24	1.36517	0.884	0.884	
-15	22.5	≧* <	27.5	20	1.30166	0.843	0.843	
-16	17.5	≧* <	22.5	16	1.23815	0.802	0.802	
-17	12.5	≧* <	17.5	12	1.17465	0.761	0.761	
-18	7.5	≧* <	12.5	8	1.11114	0.719	0.719	
-19	2.5	≧* <	7.5	4	1.04763	0.678	0.678	
-20	0.0	≧* <	2.5	1.00	1.00000	0.647	0.647	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 1.295 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	3.397	3.397	
19	192.5	≧* <	197.5	156	3.46093	2.129	2.129	
18	187.5	≧* <	192.5	152	3.39742	2.090	2.090	
17	182.5	≧* <	187.5	148	3.33391	2.051	2.051	
16	177.5	≧* <	182.5	144	3.27041	2.012	2.012	
15	172.5	≧* <	177.5	140	3.20690	1.972	1.972	
14	167.5	≧* <	172.5	136	3.14339	1.933	1.933	
13	162.5	≧* <	167.5	132	3.07988	1.894	1.894	
12	157.5	≧* <	162.5	128	3.01637	1.855	1.855	
11	152.5	≧* <	157.5	124	2.95287	1.816	1.816	
10	147.5	≧* <	152.5	120	2.88936	1.777	1.777	
9	142.5	≧* <	147.5	116	2.82585	1.739	1.739	
8	137.5	≧* <	142.5	112	2.76234	1.700	1.700	
7	132.5	≧* <	137.5	108	2.69884	1.660	1.660	
6	127.5	≧* <	132.5	104	2.63533	1.621	1.621	
5	122.5	≧* <	127.5	100	2.57182	1.582	1.582	
4	117.5	≧* <	122.5	96	2.50831	1.543	1.543	
3	112.5	≧* <	117.5	92	2.44480	1.504	1.504	
2	107.5	≧* <	112.5	88	2.38130	1.465	1.465	
1	102.5	≧* <	107.5	84	2.31779	1.426	1.426	
0	97.5	≧* <	102.5	80	2.25428	1.387	1.387	
-1	92.5	≧* <	97.5	76	2.19077	1.348	1.348	
-2	87.5	≧* <	92.5	72	2.12726	1.308	1.308	
-3	82.5	≧* <	87.5	68	2.06376	1.269	1.269	
-4	77.5	≧* <	82.5	64	2.00025	1.230	1.230	
-5	72.5	≧* <	77.5	60	1.93674	1.191	1.191	
-6	67.5	≧* <	72.5	56	1.87323	1.152	1.152	
-7	62.5	≧* <	67.5	52	1.80973	1.113	1.113	
-8	57.5	≧* <	62.5	48	1.74622	1.074	1.074	
-9	52.5	≧* <	57.5	44	1.68271	1.036	1.036	
-10	47.5	≧* <	52.5	40	1.61920	0.996	0.996	
-11	42.5	≧* <	47.5	36	1.55569	0.957	0.957	
-12	37.5	≧* <	42.5	32	1.49219	0.918	0.918	
-13	32.5	≧* <	37.5	28	1.42868	0.879	0.879	
-14	27.5	≧* <	32.5	24	1.36517	0.840	0.840	
-15	22.5	≧* <	27.5	20	1.30166	0.801	0.801	
-16	17.5	≧* <	22.5	16	1.23815	0.762	0.762	
-17	12.5	≧* <	17.5	12	1.17465	0.723	0.723	
-18	7.5	≧* <	12.5	8	1.11114	0.683	0.683	
-19	2.5	≧* <	7.5	4	1.04763	0.644	0.644	
-20	0.0	≧* <	2.5	1.00	1.00000	0.615	0.615	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 1.261 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	3.482	3.482	
19	192.5	≦* <	197.5	156	3.46093	2.182	2.182	
18	187.5	≦* <	192.5	152	3.39742	2.142	2.142	
17	182.5	≦* <	187.5	148	3.33391	2.102	2.102	
16	177.5	≦* <	182.5	144	3.27041	2.062	2.062	
15	172.5	≦* <	177.5	140	3.20690	2.022	2.022	
14	167.5	≦* <	172.5	136	3.14339	1.982	1.982	
13	162.5	≦* <	167.5	132	3.07988	1.942	1.942	
12	157.5	≦* <	162.5	128	3.01637	1.902	1.902	
11	152.5	≦* <	157.5	124	2.95287	1.862	1.862	
10	147.5	≦* <	152.5	120	2.88936	1.822	1.822	
9	142.5	≦* <	147.5	116	2.82585	1.782	1.782	
8	137.5	≦* <	142.5	112	2.76234	1.742	1.742	
7	132.5	≦* <	137.5	108	2.69884	1.702	1.702	
6	127.5	≦* <	132.5	104	2.63533	1.662	1.662	
5	122.5	≦* <	127.5	100	2.57182	1.622	1.622	
4	117.5	≦* <	122.5	96	2.50831	1.581	1.581	
3	112.5	≦* <	117.5	92	2.44480	1.541	1.541	
2	107.5	≦* <	112.5	88	2.38130	1.501	1.501	
1	102.5	≦* <	107.5	84	2.31779	1.461	1.461	
0	97.5	≦* <	102.5	80	2.25428	1.421	1.421	
-1	92.5	≦* <	97.5	76	2.19077	1.381	1.381	
-2	87.5	≦* <	92.5	72	2.12726	1.341	1.341	
-3	82.5	≦* <	87.5	68	2.06376	1.301	1.301	
-4	77.5	≦* <	82.5	64	2.00025	1.261	1.261	
-5	72.5	≦* <	77.5	60	1.93674	1.221	1.221	
-6	67.5	≦* <	72.5	56	1.87323	1.181	1.181	
-7	62.5	≦* <	67.5	52	1.80973	1.141	1.141	
-8	57.5	≦* <	62.5	48	1.74622	1.101	1.101	
-9	52.5	≦* <	57.5	44	1.68271	1.061	1.061	
-10	47.5	≦* <	52.5	40	1.61920	1.021	1.021	
-11	42.5	≦* <	47.5	36	1.55569	0.981	0.981	
-12	37.5	≦* <	42.5	32	1.49219	0.941	0.941	
-13	32.5	≦* <	37.5	28	1.42868	0.901	0.901	
-14	27.5	≦* <	32.5	24	1.36517	0.861	0.861	
-15	22.5	≦* <	27.5	20	1.30166	0.821	0.821	
-16	17.5	≦* <	22.5	16	1.23815	0.781	0.781	
-17	12.5	≦* <	17.5	12	1.17465	0.741	0.741	
-18	7.5	≦* <	12.5	8	1.11114	0.701	0.701	
-19	2.5	≦* <	7.5	4	1.04763	0.661	0.661	
-20	0.0	≦* <	2.5	1.00	1.00000	0.630	0.630	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 1.261 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	3.308	3.308	
19	192.5	≧* <	197.5	156	3.46093	2.073	2.073	
18	187.5	≧* <	192.5	152	3.39742	2.035	2.035	
17	182.5	≧* <	187.5	148	3.33391	1.997	1.997	
16	177.5	≧* <	182.5	144	3.27041	1.959	1.959	
15	172.5	≧* <	177.5	140	3.20690	1.921	1.921	
14	167.5	≧* <	172.5	136	3.14339	1.883	1.883	
13	162.5	≧* <	167.5	132	3.07988	1.845	1.845	
12	157.5	≧* <	162.5	128	3.01637	1.807	1.807	
11	152.5	≧* <	157.5	124	2.95287	1.769	1.769	
10	147.5	≧* <	152.5	120	2.88936	1.731	1.731	
9	142.5	≧* <	147.5	116	2.82585	1.693	1.693	
8	137.5	≧* <	142.5	112	2.76234	1.655	1.655	
7	132.5	≧* <	137.5	108	2.69884	1.617	1.617	
6	127.5	≧* <	132.5	104	2.63533	1.579	1.579	
5	122.5	≧* <	127.5	100	2.57182	1.541	1.541	
4	117.5	≧* <	122.5	96	2.50831	1.502	1.502	
3	112.5	≧* <	117.5	92	2.44480	1.464	1.464	
2	107.5	≧* <	112.5	88	2.38130	1.426	1.426	
1	102.5	≧* <	107.5	84	2.31779	1.388	1.388	
0	97.5	≧* <	102.5	80	2.25428	1.350	1.350	
-1	92.5	≧* <	97.5	76	2.19077	1.312	1.312	
-2	87.5	≧* <	92.5	72	2.12726	1.274	1.274	
-3	82.5	≧* <	87.5	68	2.06376	1.236	1.236	
-4	77.5	≧* <	82.5	64	2.00025	1.198	1.198	
-5	72.5	≧* <	77.5	60	1.93674	1.160	1.160	
-6	67.5	≧* <	72.5	56	1.87323	1.122	1.122	
-7	62.5	≧* <	67.5	52	1.80973	1.084	1.084	
-8	57.5	≧* <	62.5	48	1.74622	1.046	1.046	
-9	52.5	≧* <	57.5	44	1.68271	1.008	1.008	
-10	47.5	≧* <	52.5	40	1.61920	0.970	0.970	
-11	42.5	≧* <	47.5	36	1.55569	0.932	0.932	
-12	37.5	≧* <	42.5	32	1.49219	0.894	0.894	
-13	32.5	≧* <	37.5	28	1.42868	0.856	0.856	
-14	27.5	≧* <	32.5	24	1.36517	0.818	0.818	
-15	22.5	≧* <	27.5	20	1.30166	0.780	0.780	
-16	17.5	≧* <	22.5	16	1.23815	0.742	0.742	
-17	12.5	≧* <	17.5	12	1.17465	0.704	0.704	
-18	7.5	≧* <	12.5	8	1.11114	0.666	0.666	
-19	2.5	≧* <	7.5	4	1.04763	0.628	0.628	
-20	0.0	≧* <	2.5	1.00	1.00000	0.599	0.599	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.884 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	2.441	2.441	
19	192.5	≦* <	197.5	156	3.46093	1.530	1.530	
18	187.5	≦* <	192.5	152	3.39742	1.502	1.502	
17	182.5	≦* <	187.5	148	3.33391	1.474	1.474	
16	177.5	≦* <	182.5	144	3.27041	1.446	1.446	
15	172.5	≦* <	177.5	140	3.20690	1.417	1.417	
14	167.5	≦* <	172.5	136	3.14339	1.389	1.389	
13	162.5	≦* <	167.5	132	3.07988	1.361	1.361	
12	157.5	≦* <	162.5	128	3.01637	1.333	1.333	
11	152.5	≦* <	157.5	124	2.95287	1.305	1.305	
10	147.5	≦* <	152.5	120	2.88936	1.277	1.277	
9	142.5	≦* <	147.5	116	2.82585	1.249	1.249	
8	137.5	≦* <	142.5	112	2.76234	1.221	1.221	
7	132.5	≦* <	137.5	108	2.69884	1.193	1.193	
6	127.5	≦* <	132.5	104	2.63533	1.165	1.165	
5	122.5	≦* <	127.5	100	2.57182	1.137	1.137	
4	117.5	≦* <	122.5	96	2.50831	1.109	1.109	
3	112.5	≦* <	117.5	92	2.44480	1.081	1.081	
2	107.5	≦* <	112.5	88	2.38130	1.053	1.053	
1	102.5	≦* <	107.5	84	2.31779	1.024	1.024	
0	97.5	≦* <	102.5	80	2.25428	0.996	0.996	
-1	92.5	≦* <	97.5	76	2.19077	0.968	0.968	
-2	87.5	≦* <	92.5	72	2.12726	0.940	0.940	
-3	82.5	≦* <	87.5	68	2.06376	0.912	0.912	
-4	77.5	≦* <	82.5	64	2.00025	0.884	0.884	
-5	72.5	≦* <	77.5	60	1.93674	0.856	0.856	
-6	67.5	≦* <	72.5	56	1.87323	0.828	0.828	
-7	62.5	≦* <	67.5	52	1.80973	0.800	0.800	
-8	57.5	≦* <	62.5	48	1.74622	0.772	0.772	
-9	52.5	≦* <	57.5	44	1.68271	0.744	0.744	
-10	47.5	≦* <	52.5	40	1.61920	0.716	0.716	
-11	42.5	≦* <	47.5	36	1.55569	0.688	0.688	
-12	37.5	≦* <	42.5	32	1.49219	0.660	0.660	
-13	32.5	≦* <	37.5	28	1.42868	0.631	0.631	
-14	27.5	≦* <	32.5	24	1.36517	0.603	0.603	
-15	22.5	≦* <	27.5	20	1.30166	0.575	0.575	
-16	17.5	≦* <	22.5	16	1.23815	0.547	0.547	
-17	12.5	≦* <	17.5	12	1.17465	0.519	0.519	
-18	7.5	≦* <	12.5	8	1.11114	0.491	0.491	
-19	2.5	≦* <	7.5	4	1.04763	0.463	0.463	
-20	0.0	≦* <	2.5	1.00	1.00000	0.442	0.442	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.884 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	2.319	2.319	
19	192.5	≦* <	197.5	156	3.46093	1.454	1.454	
18	187.5	≦* <	192.5	152	3.39742	1.427	1.427	
17	182.5	≦* <	187.5	148	3.33391	1.400	1.400	
16	177.5	≦* <	182.5	144	3.27041	1.374	1.374	
15	172.5	≦* <	177.5	140	3.20690	1.346	1.346	
14	167.5	≦* <	172.5	136	3.14339	1.320	1.320	
13	162.5	≦* <	167.5	132	3.07988	1.293	1.293	
12	157.5	≦* <	162.5	128	3.01637	1.266	1.266	
11	152.5	≦* <	157.5	124	2.95287	1.240	1.240	
10	147.5	≦* <	152.5	120	2.88936	1.213	1.213	
9	142.5	≦* <	147.5	116	2.82585	1.187	1.187	
8	137.5	≦* <	142.5	112	2.76234	1.160	1.160	
7	132.5	≦* <	137.5	108	2.69884	1.133	1.133	
6	127.5	≦* <	132.5	104	2.63533	1.107	1.107	
5	122.5	≦* <	127.5	100	2.57182	1.080	1.080	
4	117.5	≦* <	122.5	96	2.50831	1.054	1.054	
3	112.5	≦* <	117.5	92	2.44480	1.027	1.027	
2	107.5	≦* <	112.5	88	2.38130	1.000	1.000	
1	102.5	≦* <	107.5	84	2.31779	0.973	0.973	
0	97.5	≦* <	102.5	80	2.25428	0.946	0.946	
-1	92.5	≦* <	97.5	76	2.19077	0.920	0.920	
-2	87.5	≦* <	92.5	72	2.12726	0.893	0.893	
-3	82.5	≦* <	87.5	68	2.06376	0.866	0.866	
-4	77.5	≦* <	82.5	64	2.00025	0.840	0.840	
-5	72.5	≦* <	77.5	60	1.93674	0.813	0.813	
-6	67.5	≦* <	72.5	56	1.87323	0.787	0.787	
-7	62.5	≦* <	67.5	52	1.80973	0.760	0.760	
-8	57.5	≦* <	62.5	48	1.74622	0.733	0.733	
-9	52.5	≦* <	57.5	44	1.68271	0.707	0.707	
-10	47.5	≦* <	52.5	40	1.61920	0.680	0.680	
-11	42.5	≦* <	47.5	36	1.55569	0.654	0.654	
-12	37.5	≦* <	42.5	32	1.49219	0.627	0.627	
-13	32.5	≦* <	37.5	28	1.42868	0.599	0.599	
-14	27.5	≦* <	32.5	24	1.36517	0.573	0.573	
-15	22.5	≦* <	27.5	20	1.30166	0.546	0.546	
-16	17.5	≦* <	22.5	16	1.23815	0.520	0.520	
-17	12.5	≦* <	17.5	12	1.17465	0.493	0.493	
-18	7.5	≦* <	12.5	8	1.11114	0.466	0.466	
-19	2.5	≦* <	7.5	4	1.04763	0.440	0.440	
-20	0.0	≦* <	2.5	1.00	1.00000	0.420	0.420	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.544 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	1.502	1.502	
19	192.5	≦* <	197.5	156	3.46093	0.941	0.941	
18	187.5	≦* <	192.5	152	3.39742	0.924	0.924	
17	182.5	≦* <	187.5	148	3.33391	0.907	0.907	
16	177.5	≦* <	182.5	144	3.27041	0.890	0.890	
15	172.5	≦* <	177.5	140	3.20690	0.872	0.872	
14	167.5	≦* <	172.5	136	3.14339	0.855	0.855	
13	162.5	≦* <	167.5	132	3.07988	0.838	0.838	
12	157.5	≦* <	162.5	128	3.01637	0.820	0.820	
11	152.5	≦* <	157.5	124	2.95287	0.803	0.803	
10	147.5	≦* <	152.5	120	2.88936	0.786	0.786	
9	142.5	≦* <	147.5	116	2.82585	0.769	0.769	
8	137.5	≦* <	142.5	112	2.76234	0.751	0.751	
7	132.5	≦* <	137.5	108	2.69884	0.734	0.734	
6	127.5	≦* <	132.5	104	2.63533	0.717	0.717	
5	122.5	≦* <	127.5	100	2.57182	0.700	0.700	
4	117.5	≦* <	122.5	96	2.50831	0.682	0.682	
3	112.5	≦* <	117.5	92	2.44480	0.665	0.665	
2	107.5	≦* <	112.5	88	2.38130	0.648	0.648	
1	102.5	≦* <	107.5	84	2.31779	0.630	0.630	
0	97.5	≦* <	102.5	80	2.25428	0.613	0.613	
-1	92.5	≦* <	97.5	76	2.19077	0.596	0.596	
-2	87.5	≦* <	92.5	72	2.12726	0.579	0.579	
-3	82.5	≦* <	87.5	68	2.06376	0.561	0.561	
-4	77.5	≦* <	82.5	64	2.00025	0.544	0.544	
-5	72.5	≦* <	77.5	60	1.93674	0.527	0.527	
-6	67.5	≦* <	72.5	56	1.87323	0.510	0.510	
-7	62.5	≦* <	67.5	52	1.80973	0.492	0.492	
-8	57.5	≦* <	62.5	48	1.74622	0.475	0.475	
-9	52.5	≦* <	57.5	44	1.68271	0.458	0.458	
-10	47.5	≦* <	52.5	40	1.61920	0.440	0.440	
-11	42.5	≦* <	47.5	36	1.55569	0.423	0.423	
-12	37.5	≦* <	42.5	32	1.49219	0.406	0.406	
-13	32.5	≦* <	37.5	28	1.42868	0.389	0.389	
-14	27.5	≦* <	32.5	24	1.36517	0.371	0.371	
-15	22.5	≦* <	27.5	20	1.30166	0.354	0.354	
-16	17.5	≦* <	22.5	16	1.23815	0.337	0.337	
-17	12.5	≦* <	17.5	12	1.17465	0.320	0.320	
-18	7.5	≦* <	12.5	8	1.11114	0.302	0.302	
-19	2.5	≦* <	7.5	4	1.04763	0.285	0.285	
-20	0.0	≦* <	2.5	1.00	1.00000	0.272	0.272	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 61 プラスチックハウスIV類甲

共済掛金標準率: 0.544 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		285.81954	5.52207	1.427	1.427	
19	192.5	≧* <	197.5	156	3.46093	0.894	0.894	
18	187.5	≧* <	192.5	152	3.39742	0.878	0.878	
17	182.5	≧* <	187.5	148	3.33391	0.862	0.862	
16	177.5	≧* <	182.5	144	3.27041	0.846	0.846	
15	172.5	≧* <	177.5	140	3.20690	0.828	0.828	
14	167.5	≧* <	172.5	136	3.14339	0.812	0.812	
13	162.5	≧* <	167.5	132	3.07988	0.796	0.796	
12	157.5	≧* <	162.5	128	3.01637	0.779	0.779	
11	152.5	≧* <	157.5	124	2.95287	0.763	0.763	
10	147.5	≧* <	152.5	120	2.88936	0.747	0.747	
9	142.5	≧* <	147.5	116	2.82585	0.731	0.731	
8	137.5	≧* <	142.5	112	2.76234	0.713	0.713	
7	132.5	≧* <	137.5	108	2.69884	0.697	0.697	
6	127.5	≧* <	132.5	104	2.63533	0.681	0.681	
5	122.5	≧* <	127.5	100	2.57182	0.665	0.665	
4	117.5	≧* <	122.5	96	2.50831	0.648	0.648	
3	112.5	≧* <	117.5	92	2.44480	0.632	0.632	
2	107.5	≧* <	112.5	88	2.38130	0.616	0.616	
1	102.5	≧* <	107.5	84	2.31779	0.599	0.599	
0	97.5	≧* <	102.5	80	2.25428	0.582	0.582	
-1	92.5	≧* <	97.5	76	2.19077	0.566	0.566	
-2	87.5	≧* <	92.5	72	2.12726	0.550	0.550	
-3	82.5	≧* <	87.5	68	2.06376	0.533	0.533	
-4	77.5	≧* <	82.5	64	2.00025	0.517	0.517	
-5	72.5	≧* <	77.5	60	1.93674	0.501	0.501	
-6	67.5	≧* <	72.5	56	1.87323	0.485	0.485	
-7	62.5	≧* <	67.5	52	1.80973	0.467	0.467	
-8	57.5	≧* <	62.5	48	1.74622	0.451	0.451	
-9	52.5	≧* <	57.5	44	1.68271	0.435	0.435	
-10	47.5	≧* <	52.5	40	1.61920	0.418	0.418	
-11	42.5	≧* <	47.5	36	1.55569	0.402	0.402	
-12	37.5	≧* <	42.5	32	1.49219	0.386	0.386	
-13	32.5	≧* <	37.5	28	1.42868	0.370	0.370	
-14	27.5	≧* <	32.5	24	1.36517	0.352	0.352	
-15	22.5	≧* <	27.5	20	1.30166	0.336	0.336	
-16	17.5	≧* <	22.5	16	1.23815	0.320	0.320	
-17	12.5	≧* <	17.5	12	1.17465	0.304	0.304	
-18	7.5	≧* <	12.5	8	1.11114	0.287	0.287	
-19	2.5	≧* <	7.5	4	1.04763	0.271	0.271	
-20	0.0	≧* <	2.5	1.00	1.00000	0.258	0.258	
計	平均			63.98438	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.954 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	2.421	2.421	
19	192.5	≦* <	197.5	156	3.42820	1.635	1.635	
18	187.5	≦* <	192.5	152	3.36553	1.605	1.605	
17	182.5	≦* <	187.5	148	3.30287	1.575	1.575	
16	177.5	≦* <	182.5	144	3.24021	1.546	1.546	
15	172.5	≦* <	177.5	140	3.17754	1.516	1.516	
14	167.5	≦* <	172.5	136	3.11488	1.486	1.486	
13	162.5	≦* <	167.5	132	3.05222	1.456	1.456	
12	157.5	≦* <	162.5	128	2.98955	1.426	1.426	
11	152.5	≦* <	157.5	124	2.92689	1.396	1.396	
10	147.5	≦* <	152.5	120	2.86423	1.366	1.366	
9	142.5	≦* <	147.5	116	2.80157	1.336	1.336	
8	137.5	≦* <	142.5	112	2.73890	1.306	1.306	
7	132.5	≦* <	137.5	108	2.67624	1.277	1.277	
6	127.5	≦* <	132.5	104	2.61358	1.247	1.247	
5	122.5	≦* <	127.5	100	2.55091	1.217	1.217	
4	117.5	≦* <	122.5	96	2.48825	1.187	1.187	
3	112.5	≦* <	117.5	92	2.42559	1.157	1.157	
2	107.5	≦* <	112.5	88	2.36292	1.127	1.127	
1	102.5	≦* <	107.5	84	2.30026	1.097	1.097	
0	97.5	≦* <	102.5	80	2.23760	1.067	1.067	
-1	92.5	≦* <	97.5	76	2.17493	1.037	1.037	
-2	87.5	≦* <	92.5	72	2.11227	1.008	1.008	
-3	82.5	≦* <	87.5	68	2.04961	0.978	0.978	
-4	77.5	≦* <	82.5	64	1.98694	0.948	0.948	
-5	72.5	≦* <	77.5	60	1.92428	0.918	0.918	
-6	67.5	≦* <	72.5	56	1.86162	0.888	0.888	
-7	62.5	≦* <	67.5	52	1.79896	0.858	0.858	
-8	57.5	≦* <	62.5	48	1.73629	0.828	0.828	
-9	52.5	≦* <	57.5	44	1.67363	0.798	0.798	
-10	47.5	≦* <	52.5	40	1.61097	0.768	0.768	
-11	42.5	≦* <	47.5	36	1.54830	0.739	0.739	
-12	37.5	≦* <	42.5	32	1.48564	0.709	0.709	
-13	32.5	≦* <	37.5	28	1.42298	0.679	0.679	
-14	27.5	≦* <	32.5	24	1.36031	0.649	0.649	
-15	22.5	≦* <	27.5	20	1.29765	0.619	0.619	
-16	17.5	≦* <	22.5	16	1.23499	0.589	0.589	
-17	12.5	≦* <	17.5	12	1.17232	0.559	0.559	
-18	7.5	≦* <	12.5	8	1.10966	0.529	0.529	
-19	2.5	≦* <	7.5	4	1.04700	0.499	0.499	
-20	0.0	≦* <	2.5	1.00	1.00000	0.477	0.477	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.954 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	2.300	2.300	
19	192.5	≦* <	197.5	156	3.42820	1.553	1.553	
18	187.5	≦* <	192.5	152	3.36553	1.525	1.525	
17	182.5	≦* <	187.5	148	3.30287	1.496	1.496	
16	177.5	≦* <	182.5	144	3.24021	1.469	1.469	
15	172.5	≦* <	177.5	140	3.17754	1.440	1.440	
14	167.5	≦* <	172.5	136	3.11488	1.412	1.412	
13	162.5	≦* <	167.5	132	3.05222	1.383	1.383	
12	157.5	≦* <	162.5	128	2.98955	1.355	1.355	
11	152.5	≦* <	157.5	124	2.92689	1.326	1.326	
10	147.5	≦* <	152.5	120	2.86423	1.298	1.298	
9	142.5	≦* <	147.5	116	2.80157	1.269	1.269	
8	137.5	≦* <	142.5	112	2.73890	1.241	1.241	
7	132.5	≦* <	137.5	108	2.67624	1.213	1.213	
6	127.5	≦* <	132.5	104	2.61358	1.185	1.185	
5	122.5	≦* <	127.5	100	2.55091	1.156	1.156	
4	117.5	≦* <	122.5	96	2.48825	1.128	1.128	
3	112.5	≦* <	117.5	92	2.42559	1.099	1.099	
2	107.5	≦* <	112.5	88	2.36292	1.071	1.071	
1	102.5	≦* <	107.5	84	2.30026	1.042	1.042	
0	97.5	≦* <	102.5	80	2.23760	1.014	1.014	
-1	92.5	≦* <	97.5	76	2.17493	0.985	0.985	
-2	87.5	≦* <	92.5	72	2.11227	0.958	0.958	
-3	82.5	≦* <	87.5	68	2.04961	0.929	0.929	
-4	77.5	≦* <	82.5	64	1.98694	0.901	0.901	
-5	72.5	≦* <	77.5	60	1.92428	0.872	0.872	
-6	67.5	≦* <	72.5	56	1.86162	0.844	0.844	
-7	62.5	≦* <	67.5	52	1.79896	0.815	0.815	
-8	57.5	≦* <	62.5	48	1.73629	0.787	0.787	
-9	52.5	≦* <	57.5	44	1.67363	0.758	0.758	
-10	47.5	≦* <	52.5	40	1.61097	0.730	0.730	
-11	42.5	≦* <	47.5	36	1.54830	0.702	0.702	
-12	37.5	≦* <	42.5	32	1.48564	0.674	0.674	
-13	32.5	≦* <	37.5	28	1.42298	0.645	0.645	
-14	27.5	≦* <	32.5	24	1.36031	0.617	0.617	
-15	22.5	≦* <	27.5	20	1.29765	0.588	0.588	
-16	17.5	≦* <	22.5	16	1.23499	0.560	0.560	
-17	12.5	≦* <	17.5	12	1.17232	0.531	0.531	
-18	7.5	≦* <	12.5	8	1.10966	0.503	0.503	
-19	2.5	≦* <	7.5	4	1.04700	0.474	0.474	
-20	0.0	≦* <	2.5	1.00	1.00000	0.453	0.453	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.946 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	2.401	2.401	
19	192.5	≦* <	197.5	156	3.42820	1.622	1.622	
18	187.5	≦* <	192.5	152	3.36553	1.592	1.592	
17	182.5	≦* <	187.5	148	3.30287	1.562	1.562	
16	177.5	≦* <	182.5	144	3.24021	1.533	1.533	
15	172.5	≦* <	177.5	140	3.17754	1.503	1.503	
14	167.5	≦* <	172.5	136	3.11488	1.473	1.473	
13	162.5	≦* <	167.5	132	3.05222	1.444	1.444	
12	157.5	≦* <	162.5	128	2.98955	1.414	1.414	
11	152.5	≦* <	157.5	124	2.92689	1.384	1.384	
10	147.5	≦* <	152.5	120	2.86423	1.355	1.355	
9	142.5	≦* <	147.5	116	2.80157	1.325	1.325	
8	137.5	≦* <	142.5	112	2.73890	1.295	1.295	
7	132.5	≦* <	137.5	108	2.67624	1.266	1.266	
6	127.5	≦* <	132.5	104	2.61358	1.236	1.236	
5	122.5	≦* <	127.5	100	2.55091	1.207	1.207	
4	117.5	≦* <	122.5	96	2.48825	1.177	1.177	
3	112.5	≦* <	117.5	92	2.42559	1.147	1.147	
2	107.5	≦* <	112.5	88	2.36292	1.118	1.118	
1	102.5	≦* <	107.5	84	2.30026	1.088	1.088	
0	97.5	≦* <	102.5	80	2.23760	1.058	1.058	
-1	92.5	≦* <	97.5	76	2.17493	1.029	1.029	
-2	87.5	≦* <	92.5	72	2.11227	0.999	0.999	
-3	82.5	≦* <	87.5	68	2.04961	0.969	0.969	
-4	77.5	≦* <	82.5	64	1.98694	0.940	0.940	
-5	72.5	≦* <	77.5	60	1.92428	0.910	0.910	
-6	67.5	≦* <	72.5	56	1.86162	0.881	0.881	
-7	62.5	≦* <	67.5	52	1.79896	0.851	0.851	
-8	57.5	≦* <	62.5	48	1.73629	0.821	0.821	
-9	52.5	≦* <	57.5	44	1.67363	0.792	0.792	
-10	47.5	≦* <	52.5	40	1.61097	0.762	0.762	
-11	42.5	≦* <	47.5	36	1.54830	0.732	0.732	
-12	37.5	≦* <	42.5	32	1.48564	0.703	0.703	
-13	32.5	≦* <	37.5	28	1.42298	0.673	0.673	
-14	27.5	≦* <	32.5	24	1.36031	0.643	0.643	
-15	22.5	≦* <	27.5	20	1.29765	0.614	0.614	
-16	17.5	≦* <	22.5	16	1.23499	0.584	0.584	
-17	12.5	≦* <	17.5	12	1.17232	0.555	0.555	
-18	7.5	≦* <	12.5	8	1.10966	0.525	0.525	
-19	2.5	≦* <	7.5	4	1.04700	0.495	0.495	
-20	0.0	≦* <	2.5	1.00	1.00000	0.473	0.473	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.946 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	2.281	2.281	
19	192.5	≦* <	197.5	156	3.42820	1.541	1.541	
18	187.5	≦* <	192.5	152	3.36553	1.512	1.512	
17	182.5	≦* <	187.5	148	3.30287	1.484	1.484	
16	177.5	≦* <	182.5	144	3.24021	1.456	1.456	
15	172.5	≦* <	177.5	140	3.17754	1.428	1.428	
14	167.5	≦* <	172.5	136	3.11488	1.399	1.399	
13	162.5	≦* <	167.5	132	3.05222	1.372	1.372	
12	157.5	≦* <	162.5	128	2.98955	1.343	1.343	
11	152.5	≦* <	157.5	124	2.92689	1.315	1.315	
10	147.5	≦* <	152.5	120	2.86423	1.287	1.287	
9	142.5	≦* <	147.5	116	2.80157	1.259	1.259	
8	137.5	≦* <	142.5	112	2.73890	1.230	1.230	
7	132.5	≦* <	137.5	108	2.67624	1.203	1.203	
6	127.5	≦* <	132.5	104	2.61358	1.174	1.174	
5	122.5	≦* <	127.5	100	2.55091	1.147	1.147	
4	117.5	≦* <	122.5	96	2.48825	1.118	1.118	
3	112.5	≦* <	117.5	92	2.42559	1.090	1.090	
2	107.5	≦* <	112.5	88	2.36292	1.062	1.062	
1	102.5	≦* <	107.5	84	2.30026	1.034	1.034	
0	97.5	≦* <	102.5	80	2.23760	1.005	1.005	
-1	92.5	≦* <	97.5	76	2.17493	0.978	0.978	
-2	87.5	≦* <	92.5	72	2.11227	0.949	0.949	
-3	82.5	≦* <	87.5	68	2.04961	0.921	0.921	
-4	77.5	≦* <	82.5	64	1.98694	0.893	0.893	
-5	72.5	≦* <	77.5	60	1.92428	0.865	0.865	
-6	67.5	≦* <	72.5	56	1.86162	0.837	0.837	
-7	62.5	≦* <	67.5	52	1.79896	0.808	0.808	
-8	57.5	≦* <	62.5	48	1.73629	0.780	0.780	
-9	52.5	≦* <	57.5	44	1.67363	0.752	0.752	
-10	47.5	≦* <	52.5	40	1.61097	0.724	0.724	
-11	42.5	≦* <	47.5	36	1.54830	0.695	0.695	
-12	37.5	≦* <	42.5	32	1.48564	0.668	0.668	
-13	32.5	≦* <	37.5	28	1.42298	0.639	0.639	
-14	27.5	≦* <	32.5	24	1.36031	0.611	0.611	
-15	22.5	≦* <	27.5	20	1.29765	0.583	0.583	
-16	17.5	≦* <	22.5	16	1.23499	0.555	0.555	
-17	12.5	≦* <	17.5	12	1.17232	0.527	0.527	
-18	7.5	≦* <	12.5	8	1.10966	0.499	0.499	
-19	2.5	≦* <	7.5	4	1.04700	0.470	0.470	
-20	0.0	≦* <	2.5	1.00	1.00000	0.449	0.449	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.901 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	2.286	2.286	
19	192.5	≦* <	197.5	156	3.42820	1.544	1.544	
18	187.5	≦* <	192.5	152	3.36553	1.516	1.516	
17	182.5	≦* <	187.5	148	3.30287	1.488	1.488	
16	177.5	≦* <	182.5	144	3.24021	1.460	1.460	
15	172.5	≦* <	177.5	140	3.17754	1.431	1.431	
14	167.5	≦* <	172.5	136	3.11488	1.403	1.403	
13	162.5	≦* <	167.5	132	3.05222	1.375	1.375	
12	157.5	≦* <	162.5	128	2.98955	1.347	1.347	
11	152.5	≦* <	157.5	124	2.92689	1.319	1.319	
10	147.5	≦* <	152.5	120	2.86423	1.290	1.290	
9	142.5	≦* <	147.5	116	2.80157	1.262	1.262	
8	137.5	≦* <	142.5	112	2.73890	1.234	1.234	
7	132.5	≦* <	137.5	108	2.67624	1.206	1.206	
6	127.5	≦* <	132.5	104	2.61358	1.177	1.177	
5	122.5	≦* <	127.5	100	2.55091	1.149	1.149	
4	117.5	≦* <	122.5	96	2.48825	1.121	1.121	
3	112.5	≦* <	117.5	92	2.42559	1.093	1.093	
2	107.5	≦* <	112.5	88	2.36292	1.064	1.064	
1	102.5	≦* <	107.5	84	2.30026	1.036	1.036	
0	97.5	≦* <	102.5	80	2.23760	1.008	1.008	
-1	92.5	≦* <	97.5	76	2.17493	0.980	0.980	
-2	87.5	≦* <	92.5	72	2.11227	0.952	0.952	
-3	82.5	≦* <	87.5	68	2.04961	0.923	0.923	
-4	77.5	≦* <	82.5	64	1.98694	0.895	0.895	
-5	72.5	≦* <	77.5	60	1.92428	0.867	0.867	
-6	67.5	≦* <	72.5	56	1.86162	0.839	0.839	
-7	62.5	≦* <	67.5	52	1.79896	0.810	0.810	
-8	57.5	≦* <	62.5	48	1.73629	0.782	0.782	
-9	52.5	≦* <	57.5	44	1.67363	0.754	0.754	
-10	47.5	≦* <	52.5	40	1.61097	0.726	0.726	
-11	42.5	≦* <	47.5	36	1.54830	0.698	0.698	
-12	37.5	≦* <	42.5	32	1.48564	0.669	0.669	
-13	32.5	≦* <	37.5	28	1.42298	0.641	0.641	
-14	27.5	≦* <	32.5	24	1.36031	0.613	0.613	
-15	22.5	≦* <	27.5	20	1.29765	0.585	0.585	
-16	17.5	≦* <	22.5	16	1.23499	0.556	0.556	
-17	12.5	≦* <	17.5	12	1.17232	0.528	0.528	
-18	7.5	≦* <	12.5	8	1.10966	0.500	0.500	
-19	2.5	≦* <	7.5	4	1.04700	0.472	0.472	
-20	0.0	≦* <	2.5	1.00	1.00000	0.450	0.450	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.901 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	2.172	2.172	
19	192.5	≦* <	197.5	156	3.42820	1.467	1.467	
18	187.5	≦* <	192.5	152	3.36553	1.440	1.440	
17	182.5	≦* <	187.5	148	3.30287	1.414	1.414	
16	177.5	≦* <	182.5	144	3.24021	1.387	1.387	
15	172.5	≦* <	177.5	140	3.17754	1.359	1.359	
14	167.5	≦* <	172.5	136	3.11488	1.333	1.333	
13	162.5	≦* <	167.5	132	3.05222	1.306	1.306	
12	157.5	≦* <	162.5	128	2.98955	1.280	1.280	
11	152.5	≦* <	157.5	124	2.92689	1.253	1.253	
10	147.5	≦* <	152.5	120	2.86423	1.226	1.226	
9	142.5	≦* <	147.5	116	2.80157	1.199	1.199	
8	137.5	≦* <	142.5	112	2.73890	1.172	1.172	
7	132.5	≦* <	137.5	108	2.67624	1.146	1.146	
6	127.5	≦* <	132.5	104	2.61358	1.118	1.118	
5	122.5	≦* <	127.5	100	2.55091	1.092	1.092	
4	117.5	≦* <	122.5	96	2.48825	1.065	1.065	
3	112.5	≦* <	117.5	92	2.42559	1.038	1.038	
2	107.5	≦* <	112.5	88	2.36292	1.011	1.011	
1	102.5	≦* <	107.5	84	2.30026	0.984	0.984	
0	97.5	≦* <	102.5	80	2.23760	0.958	0.958	
-1	92.5	≦* <	97.5	76	2.17493	0.931	0.931	
-2	87.5	≦* <	92.5	72	2.11227	0.904	0.904	
-3	82.5	≦* <	87.5	68	2.04961	0.877	0.877	
-4	77.5	≦* <	82.5	64	1.98694	0.850	0.850	
-5	72.5	≦* <	77.5	60	1.92428	0.824	0.824	
-6	67.5	≦* <	72.5	56	1.86162	0.797	0.797	
-7	62.5	≦* <	67.5	52	1.79896	0.770	0.770	
-8	57.5	≦* <	62.5	48	1.73629	0.743	0.743	
-9	52.5	≦* <	57.5	44	1.67363	0.716	0.716	
-10	47.5	≦* <	52.5	40	1.61097	0.690	0.690	
-11	42.5	≦* <	47.5	36	1.54830	0.663	0.663	
-12	37.5	≦* <	42.5	32	1.48564	0.636	0.636	
-13	32.5	≦* <	37.5	28	1.42298	0.609	0.609	
-14	27.5	≦* <	32.5	24	1.36031	0.582	0.582	
-15	22.5	≦* <	27.5	20	1.29765	0.556	0.556	
-16	17.5	≦* <	22.5	16	1.23499	0.528	0.528	
-17	12.5	≦* <	17.5	12	1.17232	0.502	0.502	
-18	7.5	≦* <	12.5	8	1.10966	0.475	0.475	
-19	2.5	≦* <	7.5	4	1.04700	0.448	0.448	
-20	0.0	≦* <	2.5	1.00	1.00000	0.428	0.428	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.635 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	1.611	1.611	
19	192.5	≧* <	197.5	156	3.42820	1.088	1.088	
18	187.5	≧* <	192.5	152	3.36553	1.069	1.069	
17	182.5	≧* <	187.5	148	3.30287	1.049	1.049	
16	177.5	≧* <	182.5	144	3.24021	1.029	1.029	
15	172.5	≧* <	177.5	140	3.17754	1.009	1.009	
14	167.5	≧* <	172.5	136	3.11488	0.989	0.989	
13	162.5	≧* <	167.5	132	3.05222	0.969	0.969	
12	157.5	≧* <	162.5	128	2.98955	0.949	0.949	
11	152.5	≧* <	157.5	124	2.92689	0.929	0.929	
10	147.5	≧* <	152.5	120	2.86423	0.909	0.909	
9	142.5	≧* <	147.5	116	2.80157	0.889	0.889	
8	137.5	≧* <	142.5	112	2.73890	0.870	0.870	
7	132.5	≧* <	137.5	108	2.67624	0.850	0.850	
6	127.5	≧* <	132.5	104	2.61358	0.830	0.830	
5	122.5	≧* <	127.5	100	2.55091	0.810	0.810	
4	117.5	≧* <	122.5	96	2.48825	0.790	0.790	
3	112.5	≧* <	117.5	92	2.42559	0.770	0.770	
2	107.5	≧* <	112.5	88	2.36292	0.750	0.750	
1	102.5	≧* <	107.5	84	2.30026	0.730	0.730	
0	97.5	≧* <	102.5	80	2.23760	0.710	0.710	
-1	92.5	≧* <	97.5	76	2.17493	0.691	0.691	
-2	87.5	≧* <	92.5	72	2.11227	0.671	0.671	
-3	82.5	≧* <	87.5	68	2.04961	0.651	0.651	
-4	77.5	≧* <	82.5	64	1.98694	0.631	0.631	
-5	72.5	≧* <	77.5	60	1.92428	0.611	0.611	
-6	67.5	≧* <	72.5	56	1.86162	0.591	0.591	
-7	62.5	≧* <	67.5	52	1.79896	0.571	0.571	
-8	57.5	≧* <	62.5	48	1.73629	0.551	0.551	
-9	52.5	≧* <	57.5	44	1.67363	0.531	0.531	
-10	47.5	≧* <	52.5	40	1.61097	0.511	0.511	
-11	42.5	≧* <	47.5	36	1.54830	0.492	0.492	
-12	37.5	≧* <	42.5	32	1.48564	0.472	0.472	
-13	32.5	≧* <	37.5	28	1.42298	0.452	0.452	
-14	27.5	≧* <	32.5	24	1.36031	0.432	0.432	
-15	22.5	≧* <	27.5	20	1.29765	0.412	0.412	
-16	17.5	≧* <	22.5	16	1.23499	0.392	0.392	
-17	12.5	≧* <	17.5	12	1.17232	0.372	0.372	
-18	7.5	≧* <	12.5	8	1.10966	0.352	0.352	
-19	2.5	≧* <	7.5	4	1.04700	0.332	0.332	
-20	0.0	≧* <	2.5	1.00	1.00000	0.317	0.317	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.635 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	1.530	1.530	
19	192.5	≦* <	197.5	156	3.42820	1.034	1.034	
18	187.5	≦* <	192.5	152	3.36553	1.016	1.016	
17	182.5	≦* <	187.5	148	3.30287	0.997	0.997	
16	177.5	≦* <	182.5	144	3.24021	0.978	0.978	
15	172.5	≦* <	177.5	140	3.17754	0.959	0.959	
14	167.5	≦* <	172.5	136	3.11488	0.940	0.940	
13	162.5	≦* <	167.5	132	3.05222	0.921	0.921	
12	157.5	≦* <	162.5	128	2.98955	0.902	0.902	
11	152.5	≦* <	157.5	124	2.92689	0.883	0.883	
10	147.5	≦* <	152.5	120	2.86423	0.864	0.864	
9	142.5	≦* <	147.5	116	2.80157	0.845	0.845	
8	137.5	≦* <	142.5	112	2.73890	0.827	0.827	
7	132.5	≦* <	137.5	108	2.67624	0.808	0.808	
6	127.5	≦* <	132.5	104	2.61358	0.789	0.789	
5	122.5	≦* <	127.5	100	2.55091	0.770	0.770	
4	117.5	≦* <	122.5	96	2.48825	0.751	0.751	
3	112.5	≦* <	117.5	92	2.42559	0.732	0.732	
2	107.5	≦* <	112.5	88	2.36292	0.713	0.713	
1	102.5	≦* <	107.5	84	2.30026	0.694	0.694	
0	97.5	≦* <	102.5	80	2.23760	0.675	0.675	
-1	92.5	≦* <	97.5	76	2.17493	0.656	0.656	
-2	87.5	≦* <	92.5	72	2.11227	0.637	0.637	
-3	82.5	≦* <	87.5	68	2.04961	0.618	0.618	
-4	77.5	≦* <	82.5	64	1.98694	0.599	0.599	
-5	72.5	≦* <	77.5	60	1.92428	0.580	0.580	
-6	67.5	≦* <	72.5	56	1.86162	0.561	0.561	
-7	62.5	≦* <	67.5	52	1.79896	0.542	0.542	
-8	57.5	≦* <	62.5	48	1.73629	0.523	0.523	
-9	52.5	≦* <	57.5	44	1.67363	0.504	0.504	
-10	47.5	≦* <	52.5	40	1.61097	0.485	0.485	
-11	42.5	≦* <	47.5	36	1.54830	0.467	0.467	
-12	37.5	≦* <	42.5	32	1.48564	0.448	0.448	
-13	32.5	≦* <	37.5	28	1.42298	0.429	0.429	
-14	27.5	≦* <	32.5	24	1.36031	0.410	0.410	
-15	22.5	≦* <	27.5	20	1.29765	0.391	0.391	
-16	17.5	≦* <	22.5	16	1.23499	0.372	0.372	
-17	12.5	≦* <	17.5	12	1.17232	0.353	0.353	
-18	7.5	≦* <	12.5	8	1.10966	0.334	0.334	
-19	2.5	≦* <	7.5	4	1.04700	0.315	0.315	
-20	0.0	≦* <	2.5	1.00	1.00000	0.301	0.301	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.370 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.939	0.939	
19	192.5	≧* <	197.5	156	3.42820	0.634	0.634	
18	187.5	≧* <	192.5	152	3.36553	0.623	0.623	
17	182.5	≧* <	187.5	148	3.30287	0.611	0.611	
16	177.5	≧* <	182.5	144	3.24021	0.599	0.599	
15	172.5	≧* <	177.5	140	3.17754	0.588	0.588	
14	167.5	≧* <	172.5	136	3.11488	0.576	0.576	
13	162.5	≧* <	167.5	132	3.05222	0.565	0.565	
12	157.5	≧* <	162.5	128	2.98955	0.553	0.553	
11	152.5	≧* <	157.5	124	2.92689	0.541	0.541	
10	147.5	≧* <	152.5	120	2.86423	0.530	0.530	
9	142.5	≧* <	147.5	116	2.80157	0.518	0.518	
8	137.5	≧* <	142.5	112	2.73890	0.507	0.507	
7	132.5	≧* <	137.5	108	2.67624	0.495	0.495	
6	127.5	≧* <	132.5	104	2.61358	0.484	0.484	
5	122.5	≧* <	127.5	100	2.55091	0.472	0.472	
4	117.5	≧* <	122.5	96	2.48825	0.460	0.460	
3	112.5	≧* <	117.5	92	2.42559	0.449	0.449	
2	107.5	≧* <	112.5	88	2.36292	0.437	0.437	
1	102.5	≧* <	107.5	84	2.30026	0.426	0.426	
0	97.5	≧* <	102.5	80	2.23760	0.414	0.414	
-1	92.5	≧* <	97.5	76	2.17493	0.402	0.402	
-2	87.5	≧* <	92.5	72	2.11227	0.391	0.391	
-3	82.5	≧* <	87.5	68	2.04961	0.379	0.379	
-4	77.5	≧* <	82.5	64	1.98694	0.368	0.368	
-5	72.5	≧* <	77.5	60	1.92428	0.356	0.356	
-6	67.5	≧* <	72.5	56	1.86162	0.344	0.344	
-7	62.5	≧* <	67.5	52	1.79896	0.333	0.333	
-8	57.5	≧* <	62.5	48	1.73629	0.321	0.321	
-9	52.5	≧* <	57.5	44	1.67363	0.310	0.310	
-10	47.5	≧* <	52.5	40	1.61097	0.298	0.298	
-11	42.5	≧* <	47.5	36	1.54830	0.286	0.286	
-12	37.5	≧* <	42.5	32	1.48564	0.275	0.275	
-13	32.5	≧* <	37.5	28	1.42298	0.263	0.263	
-14	27.5	≧* <	32.5	24	1.36031	0.252	0.252	
-15	22.5	≧* <	27.5	20	1.29765	0.240	0.240	
-16	17.5	≧* <	22.5	16	1.23499	0.228	0.228	
-17	12.5	≧* <	17.5	12	1.17232	0.217	0.217	
-18	7.5	≧* <	12.5	8	1.10966	0.205	0.205	
-19	2.5	≧* <	7.5	4	1.04700	0.194	0.194	
-20	0.0	≧* <	2.5	1.00	1.00000	0.185	0.185	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 62 プラスチックハウスIV類乙

共済掛金標準率: 0.370 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		261.15038	5.07546	0.892	0.892	
19	192.5	≦* <	197.5	156	3.42820	0.602	0.602	
18	187.5	≦* <	192.5	152	3.36553	0.592	0.592	
17	182.5	≦* <	187.5	148	3.30287	0.580	0.580	
16	177.5	≦* <	182.5	144	3.24021	0.569	0.569	
15	172.5	≦* <	177.5	140	3.17754	0.559	0.559	
14	167.5	≦* <	172.5	136	3.11488	0.547	0.547	
13	162.5	≦* <	167.5	132	3.05222	0.537	0.537	
12	157.5	≦* <	162.5	128	2.98955	0.525	0.525	
11	152.5	≦* <	157.5	124	2.92689	0.514	0.514	
10	147.5	≦* <	152.5	120	2.86423	0.504	0.504	
9	142.5	≦* <	147.5	116	2.80157	0.492	0.492	
8	137.5	≦* <	142.5	112	2.73890	0.482	0.482	
7	132.5	≦* <	137.5	108	2.67624	0.470	0.470	
6	127.5	≦* <	132.5	104	2.61358	0.460	0.460	
5	122.5	≦* <	127.5	100	2.55091	0.448	0.448	
4	117.5	≦* <	122.5	96	2.48825	0.437	0.437	
3	112.5	≦* <	117.5	92	2.42559	0.427	0.427	
2	107.5	≦* <	112.5	88	2.36292	0.415	0.415	
1	102.5	≦* <	107.5	84	2.30026	0.405	0.405	
0	97.5	≦* <	102.5	80	2.23760	0.393	0.393	
-1	92.5	≦* <	97.5	76	2.17493	0.382	0.382	
-2	87.5	≦* <	92.5	72	2.11227	0.371	0.371	
-3	82.5	≦* <	87.5	68	2.04961	0.360	0.360	
-4	77.5	≦* <	82.5	64	1.98694	0.350	0.350	
-5	72.5	≦* <	77.5	60	1.92428	0.338	0.338	
-6	67.5	≦* <	72.5	56	1.86162	0.327	0.327	
-7	62.5	≦* <	67.5	52	1.79896	0.316	0.316	
-8	57.5	≦* <	62.5	48	1.73629	0.305	0.305	
-9	52.5	≦* <	57.5	44	1.67363	0.295	0.295	
-10	47.5	≦* <	52.5	40	1.61097	0.283	0.283	
-11	42.5	≦* <	47.5	36	1.54830	0.272	0.272	
-12	37.5	≦* <	42.5	32	1.48564	0.261	0.261	
-13	32.5	≦* <	37.5	28	1.42298	0.250	0.250	
-14	27.5	≦* <	32.5	24	1.36031	0.239	0.239	
-15	22.5	≦* <	27.5	20	1.29765	0.228	0.228	
-16	17.5	≦* <	22.5	16	1.23499	0.217	0.217	
-17	12.5	≦* <	17.5	12	1.17232	0.206	0.206	
-18	7.5	≦* <	12.5	8	1.10966	0.195	0.195	
-19	2.5	≦* <	7.5	4	1.04700	0.184	0.184	
-20	0.0	≦* <	2.5	1.00	1.00000	0.176	0.176	
計	平均			64.83341	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.053 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.121	0.121	
19	192.5	≦* <	197.5	156	4.49034	0.119	0.119	
18	187.5	≦* <	192.5	152	4.40026	0.117	0.117	
17	182.5	≦* <	187.5	148	4.31019	0.114	0.114	
16	177.5	≦* <	182.5	144	4.22012	0.112	0.112	
15	172.5	≦* <	177.5	140	4.13004	0.109	0.109	
14	167.5	≦* <	172.5	136	4.03997	0.107	0.107	
13	162.5	≦* <	167.5	132	3.94990	0.105	0.105	
12	157.5	≦* <	162.5	128	3.85982	0.102	0.102	
11	152.5	≦* <	157.5	124	3.76975	0.100	0.100	
10	147.5	≦* <	152.5	120	3.67968	0.098	0.098	
9	142.5	≦* <	147.5	116	3.58960	0.095	0.095	
8	137.5	≦* <	142.5	112	3.49953	0.093	0.093	
7	132.5	≦* <	137.5	108	3.40946	0.090	0.090	
6	127.5	≦* <	132.5	104	3.31939	0.088	0.088	
5	122.5	≦* <	127.5	100	3.22931	0.086	0.086	
4	117.5	≦* <	122.5	96	3.13924	0.083	0.083	
3	112.5	≦* <	117.5	92	3.04917	0.081	0.081	
2	107.5	≦* <	112.5	88	2.95909	0.078	0.078	
1	102.5	≦* <	107.5	84	2.86902	0.076	0.076	
0	97.5	≦* <	102.5	80	2.77895	0.074	0.074	
-1	92.5	≦* <	97.5	76	2.68887	0.071	0.071	
-2	87.5	≦* <	92.5	72	2.59880	0.069	0.069	
-3	82.5	≦* <	87.5	68	2.50873	0.066	0.066	
-4	77.5	≦* <	82.5	64	2.41865	0.064	0.064	
-5	72.5	≦* <	77.5	60	2.32858	0.062	0.062	
-6	67.5	≦* <	72.5	56	2.23851	0.059	0.059	
-7	62.5	≦* <	67.5	52	2.14843	0.057	0.057	
-8	57.5	≦* <	62.5	48	2.05836	0.055	0.055	
-9	52.5	≦* <	57.5	44	1.96829	0.052	0.052	
-10	47.5	≦* <	52.5	40	1.87821	0.050	0.050	
-11	42.5	≦* <	47.5	36	1.78814	0.047	0.047	
-12	37.5	≦* <	42.5	32	1.69807	0.045	0.045	
-13	32.5	≦* <	37.5	28	1.60799	0.043	0.043	
-14	27.5	≦* <	32.5	24	1.51792	0.040	0.040	
-15	22.5	≦* <	27.5	20	1.42785	0.038	0.038	
-16	17.5	≦* <	22.5	16	1.33777	0.035	0.035	
-17	12.5	≦* <	17.5	12	1.24770	0.033	0.033	
-18	7.5	≦* <	12.5	8	1.15763	0.031	0.031	
-19	2.5	≦* <	7.5	4	1.06755	0.028	0.028	
-20	0.0	≦* <	2.5	1.00	1.00000	0.026	0.026	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.053 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.115	0.115	
19	192.5	≦* <	197.5	156	4.49034	0.113	0.113	
18	187.5	≦* <	192.5	152	4.40026	0.111	0.111	
17	182.5	≦* <	187.5	148	4.31019	0.108	0.108	
16	177.5	≦* <	182.5	144	4.22012	0.106	0.106	
15	172.5	≦* <	177.5	140	4.13004	0.104	0.104	
14	167.5	≦* <	172.5	136	4.03997	0.102	0.102	
13	162.5	≦* <	167.5	132	3.94990	0.100	0.100	
12	157.5	≦* <	162.5	128	3.85982	0.097	0.097	
11	152.5	≦* <	157.5	124	3.76975	0.095	0.095	
10	147.5	≦* <	152.5	120	3.67968	0.093	0.093	
9	142.5	≦* <	147.5	116	3.58960	0.090	0.090	
8	137.5	≦* <	142.5	112	3.49953	0.088	0.088	
7	132.5	≦* <	137.5	108	3.40946	0.086	0.086	
6	127.5	≦* <	132.5	104	3.31939	0.084	0.084	
5	122.5	≦* <	127.5	100	3.22931	0.082	0.082	
4	117.5	≦* <	122.5	96	3.13924	0.079	0.079	
3	112.5	≦* <	117.5	92	3.04917	0.077	0.077	
2	107.5	≦* <	112.5	88	2.95909	0.074	0.074	
1	102.5	≦* <	107.5	84	2.86902	0.072	0.072	
0	97.5	≦* <	102.5	80	2.77895	0.070	0.070	
-1	92.5	≦* <	97.5	76	2.68887	0.067	0.067	
-2	87.5	≦* <	92.5	72	2.59880	0.066	0.066	
-3	82.5	≦* <	87.5	68	2.50873	0.063	0.063	
-4	77.5	≦* <	82.5	64	2.41865	0.061	0.061	
-5	72.5	≦* <	77.5	60	2.32858	0.059	0.059	
-6	67.5	≦* <	72.5	56	2.23851	0.056	0.056	
-7	62.5	≦* <	67.5	52	2.14843	0.054	0.054	
-8	57.5	≦* <	62.5	48	2.05836	0.052	0.052	
-9	52.5	≦* <	57.5	44	1.96829	0.049	0.049	
-10	47.5	≦* <	52.5	40	1.87821	0.048	0.048	
-11	42.5	≦* <	47.5	36	1.78814	0.045	0.045	
-12	37.5	≦* <	42.5	32	1.69807	0.043	0.043	
-13	32.5	≦* <	37.5	28	1.60799	0.041	0.041	
-14	27.5	≦* <	32.5	24	1.51792	0.038	0.038	
-15	22.5	≦* <	27.5	20	1.42785	0.036	0.036	
-16	17.5	≦* <	22.5	16	1.33777	0.033	0.033	
-17	12.5	≦* <	17.5	12	1.24770	0.031	0.031	
-18	7.5	≦* <	12.5	8	1.15763	0.029	0.029	
-19	2.5	≦* <	7.5	4	1.06755	0.027	0.027	
-20	0.0	≦* <	2.5	1.00	1.00000	0.025	0.025	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.048 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.110	0.110	
19	192.5	≦* <	197.5	156	4.49034	0.108	0.108	
18	187.5	≦* <	192.5	152	4.40026	0.106	0.106	
17	182.5	≦* <	187.5	148	4.31019	0.103	0.103	
16	177.5	≦* <	182.5	144	4.22012	0.101	0.101	
15	172.5	≦* <	177.5	140	4.13004	0.099	0.099	
14	167.5	≦* <	172.5	136	4.03997	0.097	0.097	
13	162.5	≦* <	167.5	132	3.94990	0.095	0.095	
12	157.5	≦* <	162.5	128	3.85982	0.093	0.093	
11	152.5	≦* <	157.5	124	3.76975	0.090	0.090	
10	147.5	≦* <	152.5	120	3.67968	0.088	0.088	
9	142.5	≦* <	147.5	116	3.58960	0.086	0.086	
8	137.5	≦* <	142.5	112	3.49953	0.084	0.084	
7	132.5	≦* <	137.5	108	3.40946	0.082	0.082	
6	127.5	≦* <	132.5	104	3.31939	0.080	0.080	
5	122.5	≦* <	127.5	100	3.22931	0.078	0.078	
4	117.5	≦* <	122.5	96	3.13924	0.075	0.075	
3	112.5	≦* <	117.5	92	3.04917	0.073	0.073	
2	107.5	≦* <	112.5	88	2.95909	0.071	0.071	
1	102.5	≦* <	107.5	84	2.86902	0.069	0.069	
0	97.5	≦* <	102.5	80	2.77895	0.067	0.067	
-1	92.5	≦* <	97.5	76	2.68887	0.065	0.065	
-2	87.5	≦* <	92.5	72	2.59880	0.062	0.062	
-3	82.5	≦* <	87.5	68	2.50873	0.060	0.060	
-4	77.5	≦* <	82.5	64	2.41865	0.058	0.058	
-5	72.5	≦* <	77.5	60	2.32858	0.056	0.056	
-6	67.5	≦* <	72.5	56	2.23851	0.054	0.054	
-7	62.5	≦* <	67.5	52	2.14843	0.052	0.052	
-8	57.5	≦* <	62.5	48	2.05836	0.049	0.049	
-9	52.5	≦* <	57.5	44	1.96829	0.047	0.047	
-10	47.5	≦* <	52.5	40	1.87821	0.045	0.045	
-11	42.5	≦* <	47.5	36	1.78814	0.043	0.043	
-12	37.5	≦* <	42.5	32	1.69807	0.041	0.041	
-13	32.5	≦* <	37.5	28	1.60799	0.039	0.039	
-14	27.5	≦* <	32.5	24	1.51792	0.036	0.036	
-15	22.5	≦* <	27.5	20	1.42785	0.034	0.034	
-16	17.5	≦* <	22.5	16	1.33777	0.032	0.032	
-17	12.5	≦* <	17.5	12	1.24770	0.030	0.030	
-18	7.5	≦* <	12.5	8	1.15763	0.028	0.028	
-19	2.5	≦* <	7.5	4	1.06755	0.026	0.026	
-20	0.0	≦* <	2.5	1.00	1.00000	0.024	0.024	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.048 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.105	0.105	
19	192.5	≦* <	197.5	156	4.49034	0.103	0.103	
18	187.5	≦* <	192.5	152	4.40026	0.101	0.101	
17	182.5	≦* <	187.5	148	4.31019	0.098	0.098	
16	177.5	≦* <	182.5	144	4.22012	0.096	0.096	
15	172.5	≦* <	177.5	140	4.13004	0.094	0.094	
14	167.5	≦* <	172.5	136	4.03997	0.092	0.092	
13	162.5	≦* <	167.5	132	3.94990	0.090	0.090	
12	157.5	≦* <	162.5	128	3.85982	0.088	0.088	
11	152.5	≦* <	157.5	124	3.76975	0.086	0.086	
10	147.5	≦* <	152.5	120	3.67968	0.084	0.084	
9	142.5	≦* <	147.5	116	3.58960	0.082	0.082	
8	137.5	≦* <	142.5	112	3.49953	0.080	0.080	
7	132.5	≦* <	137.5	108	3.40946	0.078	0.078	
6	127.5	≦* <	132.5	104	3.31939	0.076	0.076	
5	122.5	≦* <	127.5	100	3.22931	0.074	0.074	
4	117.5	≦* <	122.5	96	3.13924	0.071	0.071	
3	112.5	≦* <	117.5	92	3.04917	0.069	0.069	
2	107.5	≦* <	112.5	88	2.95909	0.067	0.067	
1	102.5	≦* <	107.5	84	2.86902	0.066	0.066	
0	97.5	≦* <	102.5	80	2.77895	0.064	0.064	
-1	92.5	≦* <	97.5	76	2.68887	0.062	0.062	
-2	87.5	≦* <	92.5	72	2.59880	0.059	0.059	
-3	82.5	≦* <	87.5	68	2.50873	0.057	0.057	
-4	77.5	≦* <	82.5	64	2.41865	0.055	0.055	
-5	72.5	≦* <	77.5	60	2.32858	0.053	0.053	
-6	67.5	≦* <	72.5	56	2.23851	0.051	0.051	
-7	62.5	≦* <	67.5	52	2.14843	0.049	0.049	
-8	57.5	≦* <	62.5	48	2.05836	0.047	0.047	
-9	52.5	≦* <	57.5	44	1.96829	0.045	0.045	
-10	47.5	≦* <	52.5	40	1.87821	0.043	0.043	
-11	42.5	≦* <	47.5	36	1.78814	0.041	0.041	
-12	37.5	≦* <	42.5	32	1.69807	0.039	0.039	
-13	32.5	≦* <	37.5	28	1.60799	0.037	0.037	
-14	27.5	≦* <	32.5	24	1.51792	0.034	0.034	
-15	22.5	≦* <	27.5	20	1.42785	0.032	0.032	
-16	17.5	≦* <	22.5	16	1.33777	0.030	0.030	
-17	12.5	≦* <	17.5	12	1.24770	0.029	0.029	
-18	7.5	≦* <	12.5	8	1.15763	0.027	0.027	
-19	2.5	≦* <	7.5	4	1.06755	0.025	0.025	
-20	0.0	≦* <	2.5	1.00	1.00000	0.023	0.023	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.042 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.096	0.096	
19	192.5	≦* <	197.5	156	4.49034	0.094	0.094	
18	187.5	≦* <	192.5	152	4.40026	0.092	0.092	
17	182.5	≦* <	187.5	148	4.31019	0.091	0.091	
16	177.5	≦* <	182.5	144	4.22012	0.089	0.089	
15	172.5	≦* <	177.5	140	4.13004	0.087	0.087	
14	167.5	≦* <	172.5	136	4.03997	0.085	0.085	
13	162.5	≦* <	167.5	132	3.94990	0.083	0.083	
12	157.5	≦* <	162.5	128	3.85982	0.081	0.081	
11	152.5	≦* <	157.5	124	3.76975	0.079	0.079	
10	147.5	≦* <	152.5	120	3.67968	0.077	0.077	
9	142.5	≦* <	147.5	116	3.58960	0.075	0.075	
8	137.5	≦* <	142.5	112	3.49953	0.073	0.073	
7	132.5	≦* <	137.5	108	3.40946	0.072	0.072	
6	127.5	≦* <	132.5	104	3.31939	0.070	0.070	
5	122.5	≦* <	127.5	100	3.22931	0.068	0.068	
4	117.5	≦* <	122.5	96	3.13924	0.066	0.066	
3	112.5	≦* <	117.5	92	3.04917	0.064	0.064	
2	107.5	≦* <	112.5	88	2.95909	0.062	0.062	
1	102.5	≦* <	107.5	84	2.86902	0.060	0.060	
0	97.5	≦* <	102.5	80	2.77895	0.058	0.058	
-1	92.5	≦* <	97.5	76	2.68887	0.056	0.056	
-2	87.5	≦* <	92.5	72	2.59880	0.055	0.055	
-3	82.5	≦* <	87.5	68	2.50873	0.053	0.053	
-4	77.5	≦* <	82.5	64	2.41865	0.051	0.051	
-5	72.5	≦* <	77.5	60	2.32858	0.049	0.049	
-6	67.5	≦* <	72.5	56	2.23851	0.047	0.047	
-7	62.5	≦* <	67.5	52	2.14843	0.045	0.045	
-8	57.5	≦* <	62.5	48	2.05836	0.043	0.043	
-9	52.5	≦* <	57.5	44	1.96829	0.041	0.041	
-10	47.5	≦* <	52.5	40	1.87821	0.039	0.039	
-11	42.5	≦* <	47.5	36	1.78814	0.038	0.038	
-12	37.5	≦* <	42.5	32	1.69807	0.036	0.036	
-13	32.5	≦* <	37.5	28	1.60799	0.034	0.034	
-14	27.5	≦* <	32.5	24	1.51792	0.032	0.032	
-15	22.5	≦* <	27.5	20	1.42785	0.030	0.030	
-16	17.5	≦* <	22.5	16	1.33777	0.028	0.028	
-17	12.5	≦* <	17.5	12	1.24770	0.026	0.026	
-18	7.5	≦* <	12.5	8	1.15763	0.024	0.024	
-19	2.5	≦* <	7.5	4	1.06755	0.022	0.022	
-20	0.0	≦* <	2.5	1.00	1.00000	0.021	0.021	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.042 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.091	0.091	
19	192.5	≦* <	197.5	156	4.49034	0.089	0.089	
18	187.5	≦* <	192.5	152	4.40026	0.087	0.087	
17	182.5	≦* <	187.5	148	4.31019	0.086	0.086	
16	177.5	≦* <	182.5	144	4.22012	0.085	0.085	
15	172.5	≦* <	177.5	140	4.13004	0.083	0.083	
14	167.5	≦* <	172.5	136	4.03997	0.081	0.081	
13	162.5	≦* <	167.5	132	3.94990	0.079	0.079	
12	157.5	≦* <	162.5	128	3.85982	0.077	0.077	
11	152.5	≦* <	157.5	124	3.76975	0.075	0.075	
10	147.5	≦* <	152.5	120	3.67968	0.073	0.073	
9	142.5	≦* <	147.5	116	3.58960	0.071	0.071	
8	137.5	≦* <	142.5	112	3.49953	0.069	0.069	
7	132.5	≦* <	137.5	108	3.40946	0.068	0.068	
6	127.5	≦* <	132.5	104	3.31939	0.067	0.067	
5	122.5	≦* <	127.5	100	3.22931	0.065	0.065	
4	117.5	≦* <	122.5	96	3.13924	0.063	0.063	
3	112.5	≦* <	117.5	92	3.04917	0.061	0.061	
2	107.5	≦* <	112.5	88	2.95909	0.059	0.059	
1	102.5	≦* <	107.5	84	2.86902	0.057	0.057	
0	97.5	≦* <	102.5	80	2.77895	0.055	0.055	
-1	92.5	≦* <	97.5	76	2.68887	0.053	0.053	
-2	87.5	≦* <	92.5	72	2.59880	0.052	0.052	
-3	82.5	≦* <	87.5	68	2.50873	0.050	0.050	
-4	77.5	≦* <	82.5	64	2.41865	0.048	0.048	
-5	72.5	≦* <	77.5	60	2.32858	0.047	0.047	
-6	67.5	≦* <	72.5	56	2.23851	0.045	0.045	
-7	62.5	≦* <	67.5	52	2.14843	0.043	0.043	
-8	57.5	≦* <	62.5	48	2.05836	0.041	0.041	
-9	52.5	≦* <	57.5	44	1.96829	0.039	0.039	
-10	47.5	≦* <	52.5	40	1.87821	0.037	0.037	
-11	42.5	≦* <	47.5	36	1.78814	0.036	0.036	
-12	37.5	≦* <	42.5	32	1.69807	0.034	0.034	
-13	32.5	≦* <	37.5	28	1.60799	0.032	0.032	
-14	27.5	≦* <	32.5	24	1.51792	0.030	0.030	
-15	22.5	≦* <	27.5	20	1.42785	0.029	0.029	
-16	17.5	≦* <	22.5	16	1.33777	0.027	0.027	
-17	12.5	≦* <	17.5	12	1.24770	0.025	0.025	
-18	7.5	≦* <	12.5	8	1.15763	0.023	0.023	
-19	2.5	≦* <	7.5	4	1.06755	0.021	0.021	
-20	0.0	≦* <	2.5	1.00	1.00000	0.020	0.020	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.041 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.094	0.094	
19	192.5	≦* <	197.5	156	4.49034	0.092	0.092	
18	187.5	≦* <	192.5	152	4.40026	0.090	0.090	
17	182.5	≦* <	187.5	148	4.31019	0.088	0.088	
16	177.5	≦* <	182.5	144	4.22012	0.087	0.087	
15	172.5	≦* <	177.5	140	4.13004	0.085	0.085	
14	167.5	≦* <	172.5	136	4.03997	0.083	0.083	
13	162.5	≦* <	167.5	132	3.94990	0.081	0.081	
12	157.5	≦* <	162.5	128	3.85982	0.079	0.079	
11	152.5	≦* <	157.5	124	3.76975	0.077	0.077	
10	147.5	≦* <	152.5	120	3.67968	0.075	0.075	
9	142.5	≦* <	147.5	116	3.58960	0.074	0.074	
8	137.5	≦* <	142.5	112	3.49953	0.072	0.072	
7	132.5	≦* <	137.5	108	3.40946	0.070	0.070	
6	127.5	≦* <	132.5	104	3.31939	0.068	0.068	
5	122.5	≦* <	127.5	100	3.22931	0.066	0.066	
4	117.5	≦* <	122.5	96	3.13924	0.064	0.064	
3	112.5	≦* <	117.5	92	3.04917	0.063	0.063	
2	107.5	≦* <	112.5	88	2.95909	0.061	0.061	
1	102.5	≦* <	107.5	84	2.86902	0.059	0.059	
0	97.5	≦* <	102.5	80	2.77895	0.057	0.057	
-1	92.5	≦* <	97.5	76	2.68887	0.055	0.055	
-2	87.5	≦* <	92.5	72	2.59880	0.053	0.053	
-3	82.5	≦* <	87.5	68	2.50873	0.051	0.051	
-4	77.5	≦* <	82.5	64	2.41865	0.050	0.050	
-5	72.5	≦* <	77.5	60	2.32858	0.048	0.048	
-6	67.5	≦* <	72.5	56	2.23851	0.046	0.046	
-7	62.5	≦* <	67.5	52	2.14843	0.044	0.044	
-8	57.5	≦* <	62.5	48	2.05836	0.042	0.042	
-9	52.5	≦* <	57.5	44	1.96829	0.040	0.040	
-10	47.5	≦* <	52.5	40	1.87821	0.039	0.039	
-11	42.5	≦* <	47.5	36	1.78814	0.037	0.037	
-12	37.5	≦* <	42.5	32	1.69807	0.035	0.035	
-13	32.5	≦* <	37.5	28	1.60799	0.033	0.033	
-14	27.5	≦* <	32.5	24	1.51792	0.031	0.031	
-15	22.5	≦* <	27.5	20	1.42785	0.029	0.029	
-16	17.5	≦* <	22.5	16	1.33777	0.027	0.027	
-17	12.5	≦* <	17.5	12	1.24770	0.026	0.026	
-18	7.5	≦* <	12.5	8	1.15763	0.024	0.024	
-19	2.5	≦* <	7.5	4	1.06755	0.022	0.022	
-20	0.0	≦* <	2.5	1.00	1.00000	0.020	0.020	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.041 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.089	0.089	
19	192.5	≦* <	197.5	156	4.49034	0.087	0.087	
18	187.5	≦* <	192.5	152	4.40026	0.086	0.086	
17	182.5	≦* <	187.5	148	4.31019	0.084	0.084	
16	177.5	≦* <	182.5	144	4.22012	0.083	0.083	
15	172.5	≦* <	177.5	140	4.13004	0.081	0.081	
14	167.5	≦* <	172.5	136	4.03997	0.079	0.079	
13	162.5	≦* <	167.5	132	3.94990	0.077	0.077	
12	157.5	≦* <	162.5	128	3.85982	0.075	0.075	
11	152.5	≦* <	157.5	124	3.76975	0.073	0.073	
10	147.5	≦* <	152.5	120	3.67968	0.071	0.071	
9	142.5	≦* <	147.5	116	3.58960	0.070	0.070	
8	137.5	≦* <	142.5	112	3.49953	0.068	0.068	
7	132.5	≦* <	137.5	108	3.40946	0.067	0.067	
6	127.5	≦* <	132.5	104	3.31939	0.065	0.065	
5	122.5	≦* <	127.5	100	3.22931	0.063	0.063	
4	117.5	≦* <	122.5	96	3.13924	0.061	0.061	
3	112.5	≦* <	117.5	92	3.04917	0.060	0.060	
2	107.5	≦* <	112.5	88	2.95909	0.058	0.058	
1	102.5	≦* <	107.5	84	2.86902	0.056	0.056	
0	97.5	≦* <	102.5	80	2.77895	0.054	0.054	
-1	92.5	≦* <	97.5	76	2.68887	0.052	0.052	
-2	87.5	≦* <	92.5	72	2.59880	0.050	0.050	
-3	82.5	≦* <	87.5	68	2.50873	0.048	0.048	
-4	77.5	≦* <	82.5	64	2.41865	0.048	0.048	
-5	72.5	≦* <	77.5	60	2.32858	0.046	0.046	
-6	67.5	≦* <	72.5	56	2.23851	0.044	0.044	
-7	62.5	≦* <	67.5	52	2.14843	0.042	0.042	
-8	57.5	≦* <	62.5	48	2.05836	0.040	0.040	
-9	52.5	≦* <	57.5	44	1.96829	0.038	0.038	
-10	47.5	≦* <	52.5	40	1.87821	0.037	0.037	
-11	42.5	≦* <	47.5	36	1.78814	0.035	0.035	
-12	37.5	≦* <	42.5	32	1.69807	0.033	0.033	
-13	32.5	≦* <	37.5	28	1.60799	0.031	0.031	
-14	27.5	≦* <	32.5	24	1.51792	0.029	0.029	
-15	22.5	≦* <	27.5	20	1.42785	0.028	0.028	
-16	17.5	≦* <	22.5	16	1.33777	0.026	0.026	
-17	12.5	≦* <	17.5	12	1.24770	0.025	0.025	
-18	7.5	≦* <	12.5	8	1.15763	0.023	0.023	
-19	2.5	≦* <	7.5	4	1.06755	0.021	0.021	
-20	0.0	≦* <	2.5	1.00	1.00000	0.019	0.019	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.039 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.089	0.089	
19	192.5	≦* <	197.5	156	4.49034	0.088	0.088	
18	187.5	≦* <	192.5	152	4.40026	0.086	0.086	
17	182.5	≦* <	187.5	148	4.31019	0.084	0.084	
16	177.5	≦* <	182.5	144	4.22012	0.082	0.082	
15	172.5	≦* <	177.5	140	4.13004	0.081	0.081	
14	167.5	≦* <	172.5	136	4.03997	0.079	0.079	
13	162.5	≦* <	167.5	132	3.94990	0.077	0.077	
12	157.5	≦* <	162.5	128	3.85982	0.075	0.075	
11	152.5	≦* <	157.5	124	3.76975	0.074	0.074	
10	147.5	≦* <	152.5	120	3.67968	0.072	0.072	
9	142.5	≦* <	147.5	116	3.58960	0.070	0.070	
8	137.5	≦* <	142.5	112	3.49953	0.068	0.068	
7	132.5	≦* <	137.5	108	3.40946	0.066	0.066	
6	127.5	≦* <	132.5	104	3.31939	0.065	0.065	
5	122.5	≦* <	127.5	100	3.22931	0.063	0.063	
4	117.5	≦* <	122.5	96	3.13924	0.061	0.061	
3	112.5	≦* <	117.5	92	3.04917	0.059	0.059	
2	107.5	≦* <	112.5	88	2.95909	0.058	0.058	
1	102.5	≦* <	107.5	84	2.86902	0.056	0.056	
0	97.5	≦* <	102.5	80	2.77895	0.054	0.054	
-1	92.5	≦* <	97.5	76	2.68887	0.052	0.052	
-2	87.5	≦* <	92.5	72	2.59880	0.051	0.051	
-3	82.5	≦* <	87.5	68	2.50873	0.049	0.049	
-4	77.5	≦* <	82.5	64	2.41865	0.047	0.047	
-5	72.5	≦* <	77.5	60	2.32858	0.045	0.045	
-6	67.5	≦* <	72.5	56	2.23851	0.044	0.044	
-7	62.5	≦* <	67.5	52	2.14843	0.042	0.042	
-8	57.5	≦* <	62.5	48	2.05836	0.040	0.040	
-9	52.5	≦* <	57.5	44	1.96829	0.038	0.038	
-10	47.5	≦* <	52.5	40	1.87821	0.037	0.037	
-11	42.5	≦* <	47.5	36	1.78814	0.035	0.035	
-12	37.5	≦* <	42.5	32	1.69807	0.033	0.033	
-13	32.5	≦* <	37.5	28	1.60799	0.031	0.031	
-14	27.5	≦* <	32.5	24	1.51792	0.030	0.030	
-15	22.5	≦* <	27.5	20	1.42785	0.028	0.028	
-16	17.5	≦* <	22.5	16	1.33777	0.026	0.026	
-17	12.5	≦* <	17.5	12	1.24770	0.024	0.024	
-18	7.5	≦* <	12.5	8	1.15763	0.023	0.023	
-19	2.5	≦* <	7.5	4	1.06755	0.021	0.021	
-20	0.0	≦* <	2.5	1.00	1.00000	0.019	0.019	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 70 プラスチックハウスV類

共済掛金標準率: 0.039 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	4.58041	0.085	0.085	
19	192.5	≦* <	197.5	156	4.49034	0.084	0.084	
18	187.5	≦* <	192.5	152	4.40026	0.082	0.082	
17	182.5	≦* <	187.5	148	4.31019	0.080	0.080	
16	177.5	≦* <	182.5	144	4.22012	0.078	0.078	
15	172.5	≦* <	177.5	140	4.13004	0.077	0.077	
14	167.5	≦* <	172.5	136	4.03997	0.075	0.075	
13	162.5	≦* <	167.5	132	3.94990	0.073	0.073	
12	157.5	≦* <	162.5	128	3.85982	0.071	0.071	
11	152.5	≦* <	157.5	124	3.76975	0.070	0.070	
10	147.5	≦* <	152.5	120	3.67968	0.068	0.068	
9	142.5	≦* <	147.5	116	3.58960	0.067	0.067	
8	137.5	≦* <	142.5	112	3.49953	0.065	0.065	
7	132.5	≦* <	137.5	108	3.40946	0.063	0.063	
6	127.5	≦* <	132.5	104	3.31939	0.062	0.062	
5	122.5	≦* <	127.5	100	3.22931	0.060	0.060	
4	117.5	≦* <	122.5	96	3.13924	0.058	0.058	
3	112.5	≦* <	117.5	92	3.04917	0.056	0.056	
2	107.5	≦* <	112.5	88	2.95909	0.055	0.055	
1	102.5	≦* <	107.5	84	2.86902	0.053	0.053	
0	97.5	≦* <	102.5	80	2.77895	0.051	0.051	
-1	92.5	≦* <	97.5	76	2.68887	0.049	0.049	
-2	87.5	≦* <	92.5	72	2.59880	0.048	0.048	
-3	82.5	≦* <	87.5	68	2.50873	0.047	0.047	
-4	77.5	≦* <	82.5	64	2.41865	0.045	0.045	
-5	72.5	≦* <	77.5	60	2.32858	0.043	0.043	
-6	67.5	≦* <	72.5	56	2.23851	0.042	0.042	
-7	62.5	≦* <	67.5	52	2.14843	0.040	0.040	
-8	57.5	≦* <	62.5	48	2.05836	0.038	0.038	
-9	52.5	≦* <	57.5	44	1.96829	0.036	0.036	
-10	47.5	≦* <	52.5	40	1.87821	0.035	0.035	
-11	42.5	≦* <	47.5	36	1.78814	0.033	0.033	
-12	37.5	≦* <	42.5	32	1.69807	0.031	0.031	
-13	32.5	≦* <	37.5	28	1.60799	0.029	0.029	
-14	27.5	≦* <	32.5	24	1.51792	0.029	0.029	
-15	22.5	≦* <	27.5	20	1.42785	0.027	0.027	
-16	17.5	≦* <	22.5	16	1.33777	0.025	0.025	
-17	12.5	≦* <	17.5	12	1.24770	0.023	0.023	
-18	7.5	≦* <	12.5	8	1.15763	0.022	0.022	
-19	2.5	≦* <	7.5	4	1.06755	0.020	0.020	
-20	0.0	≦* <	2.5	1.00	1.00000	0.018	0.018	
計	平均			45.40833	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 5.439 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	9.371	9.371	
19	192.5	≦* <	197.5	156	3.38446	9.204	9.204	
18	187.5	≦* <	192.5	152	3.32292	9.037	9.037	
17	182.5	≦* <	187.5	148	3.26139	8.869	8.869	
16	177.5	≦* <	182.5	144	3.19985	8.702	8.702	
15	172.5	≦* <	177.5	140	3.13832	8.535	8.535	
14	167.5	≦* <	172.5	136	3.07678	8.367	8.367	
13	162.5	≦* <	167.5	132	3.01525	8.200	8.200	
12	157.5	≦* <	162.5	128	2.95372	8.033	8.033	
11	152.5	≦* <	157.5	124	2.89218	7.865	7.865	
10	147.5	≦* <	152.5	120	2.83065	7.698	7.698	
9	142.5	≦* <	147.5	116	2.76911	7.531	7.531	
8	137.5	≦* <	142.5	112	2.70758	7.363	7.363	
7	132.5	≦* <	137.5	108	2.64604	7.196	7.196	
6	127.5	≦* <	132.5	104	2.58451	7.029	7.029	
5	122.5	≦* <	127.5	100	2.52297	6.861	6.861	
4	117.5	≦* <	122.5	96	2.46144	6.694	6.694	
3	112.5	≦* <	117.5	92	2.39991	6.527	6.527	
2	107.5	≦* <	112.5	88	2.33837	6.359	6.359	
1	102.5	≦* <	107.5	84	2.27684	6.192	6.192	
0	97.5	≦* <	102.5	80	2.21530	6.025	6.025	
-1	92.5	≦* <	97.5	76	2.15377	5.857	5.857	
-2	87.5	≦* <	92.5	72	2.09223	5.690	5.690	
-3	82.5	≦* <	87.5	68	2.03070	5.522	5.522	
-4	77.5	≦* <	82.5	64	1.96917	5.355	5.355	
-5	72.5	≦* <	77.5	60	1.90763	5.188	5.188	
-6	67.5	≦* <	72.5	56	1.84610	5.020	5.020	
-7	62.5	≦* <	67.5	52	1.78456	4.853	4.853	
-8	57.5	≦* <	62.5	48	1.72303	4.686	4.686	
-9	52.5	≦* <	57.5	44	1.66149	4.518	4.518	
-10	47.5	≦* <	52.5	40	1.59996	4.351	4.351	
-11	42.5	≦* <	47.5	36	1.53843	4.184	4.184	
-12	37.5	≦* <	42.5	32	1.47689	4.016	4.016	
-13	32.5	≦* <	37.5	28	1.41536	3.849	3.849	
-14	27.5	≦* <	32.5	24	1.35382	3.682	3.682	
-15	22.5	≦* <	27.5	20	1.29229	3.514	3.514	
-16	17.5	≦* <	22.5	16	1.23075	3.347	3.347	
-17	12.5	≦* <	17.5	12	1.16922	3.180	3.180	
-18	7.5	≦* <	12.5	8	1.10769	3.012	3.012	
-19	2.5	≦* <	7.5	4	1.04615	2.845	2.845	
-20	0.0	≦* <	2.5	1.00	1.00000	2.719	2.719	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 5.439 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	8.902	8.902	
19	192.5	≦* <	197.5	156	3.38446	8.744	8.744	
18	187.5	≦* <	192.5	152	3.32292	8.585	8.585	
17	182.5	≦* <	187.5	148	3.26139	8.426	8.426	
16	177.5	≦* <	182.5	144	3.19985	8.267	8.267	
15	172.5	≦* <	177.5	140	3.13832	8.108	8.108	
14	167.5	≦* <	172.5	136	3.07678	7.949	7.949	
13	162.5	≦* <	167.5	132	3.01525	7.790	7.790	
12	157.5	≦* <	162.5	128	2.95372	7.631	7.631	
11	152.5	≦* <	157.5	124	2.89218	7.472	7.472	
10	147.5	≦* <	152.5	120	2.83065	7.313	7.313	
9	142.5	≦* <	147.5	116	2.76911	7.154	7.154	
8	137.5	≦* <	142.5	112	2.70758	6.995	6.995	
7	132.5	≦* <	137.5	108	2.64604	6.836	6.836	
6	127.5	≦* <	132.5	104	2.58451	6.678	6.678	
5	122.5	≦* <	127.5	100	2.52297	6.518	6.518	
4	117.5	≦* <	122.5	96	2.46144	6.359	6.359	
3	112.5	≦* <	117.5	92	2.39991	6.201	6.201	
2	107.5	≦* <	112.5	88	2.33837	6.041	6.041	
1	102.5	≦* <	107.5	84	2.27684	5.882	5.882	
0	97.5	≦* <	102.5	80	2.21530	5.724	5.724	
-1	92.5	≦* <	97.5	76	2.15377	5.564	5.564	
-2	87.5	≦* <	92.5	72	2.09223	5.406	5.406	
-3	82.5	≦* <	87.5	68	2.03070	5.246	5.246	
-4	77.5	≦* <	82.5	64	1.96917	5.087	5.087	
-5	72.5	≦* <	77.5	60	1.90763	4.929	4.929	
-6	67.5	≦* <	72.5	56	1.84610	4.769	4.769	
-7	62.5	≦* <	67.5	52	1.78456	4.610	4.610	
-8	57.5	≦* <	62.5	48	1.72303	4.452	4.452	
-9	52.5	≦* <	57.5	44	1.66149	4.292	4.292	
-10	47.5	≦* <	52.5	40	1.59996	4.133	4.133	
-11	42.5	≦* <	47.5	36	1.53843	3.975	3.975	
-12	37.5	≦* <	42.5	32	1.47689	3.815	3.815	
-13	32.5	≦* <	37.5	28	1.41536	3.657	3.657	
-14	27.5	≦* <	32.5	24	1.35382	3.498	3.498	
-15	22.5	≦* <	27.5	20	1.29229	3.338	3.338	
-16	17.5	≦* <	22.5	16	1.23075	3.180	3.180	
-17	12.5	≦* <	17.5	12	1.16922	3.021	3.021	
-18	7.5	≦* <	12.5	8	1.10769	2.861	2.861	
-19	2.5	≦* <	7.5	4	1.04615	2.703	2.703	
-20	0.0	≦* <	2.5	1.00	1.00000	2.583	2.583	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 2.113 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	3.641	3.641	
19	192.5	≦* <	197.5	156	3.38446	3.576	3.576	
18	187.5	≦* <	192.5	152	3.32292	3.511	3.511	
17	182.5	≦* <	187.5	148	3.26139	3.446	3.446	
16	177.5	≦* <	182.5	144	3.19985	3.381	3.381	
15	172.5	≦* <	177.5	140	3.13832	3.316	3.316	
14	167.5	≦* <	172.5	136	3.07678	3.251	3.251	
13	162.5	≦* <	167.5	132	3.01525	3.186	3.186	
12	157.5	≦* <	162.5	128	2.95372	3.121	3.121	
11	152.5	≦* <	157.5	124	2.89218	3.056	3.056	
10	147.5	≦* <	152.5	120	2.83065	2.991	2.991	
9	142.5	≦* <	147.5	116	2.76911	2.926	2.926	
8	137.5	≦* <	142.5	112	2.70758	2.861	2.861	
7	132.5	≦* <	137.5	108	2.64604	2.796	2.796	
6	127.5	≦* <	132.5	104	2.58451	2.731	2.731	
5	122.5	≦* <	127.5	100	2.52297	2.666	2.666	
4	117.5	≦* <	122.5	96	2.46144	2.601	2.601	
3	112.5	≦* <	117.5	92	2.39991	2.536	2.536	
2	107.5	≦* <	112.5	88	2.33837	2.470	2.470	
1	102.5	≦* <	107.5	84	2.27684	2.405	2.405	
0	97.5	≦* <	102.5	80	2.21530	2.340	2.340	
-1	92.5	≦* <	97.5	76	2.15377	2.275	2.275	
-2	87.5	≦* <	92.5	72	2.09223	2.210	2.210	
-3	82.5	≦* <	87.5	68	2.03070	2.145	2.145	
-4	77.5	≦* <	82.5	64	1.96917	2.080	2.080	
-5	72.5	≦* <	77.5	60	1.90763	2.015	2.015	
-6	67.5	≦* <	72.5	56	1.84610	1.950	1.950	
-7	62.5	≦* <	67.5	52	1.78456	1.885	1.885	
-8	57.5	≦* <	62.5	48	1.72303	1.820	1.820	
-9	52.5	≦* <	57.5	44	1.66149	1.755	1.755	
-10	47.5	≦* <	52.5	40	1.59996	1.690	1.690	
-11	42.5	≦* <	47.5	36	1.53843	1.625	1.625	
-12	37.5	≦* <	42.5	32	1.47689	1.560	1.560	
-13	32.5	≦* <	37.5	28	1.41536	1.495	1.495	
-14	27.5	≦* <	32.5	24	1.35382	1.430	1.430	
-15	22.5	≦* <	27.5	20	1.29229	1.365	1.365	
-16	17.5	≦* <	22.5	16	1.23075	1.300	1.300	
-17	12.5	≦* <	17.5	12	1.16922	1.235	1.235	
-18	7.5	≦* <	12.5	8	1.10769	1.170	1.170	
-19	2.5	≦* <	7.5	4	1.04615	1.105	1.105	
-20	0.0	≦* <	2.5	1.00	1.00000	1.056	1.056	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 2.113 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	3.459	3.459	
19	192.5	≦* <	197.5	156	3.38446	3.397	3.397	
18	187.5	≦* <	192.5	152	3.32292	3.335	3.335	
17	182.5	≦* <	187.5	148	3.26139	3.274	3.274	
16	177.5	≦* <	182.5	144	3.19985	3.212	3.212	
15	172.5	≦* <	177.5	140	3.13832	3.150	3.150	
14	167.5	≦* <	172.5	136	3.07678	3.088	3.088	
13	162.5	≦* <	167.5	132	3.01525	3.027	3.027	
12	157.5	≦* <	162.5	128	2.95372	2.965	2.965	
11	152.5	≦* <	157.5	124	2.89218	2.903	2.903	
10	147.5	≦* <	152.5	120	2.83065	2.841	2.841	
9	142.5	≦* <	147.5	116	2.76911	2.780	2.780	
8	137.5	≦* <	142.5	112	2.70758	2.718	2.718	
7	132.5	≦* <	137.5	108	2.64604	2.656	2.656	
6	127.5	≦* <	132.5	104	2.58451	2.594	2.594	
5	122.5	≦* <	127.5	100	2.52297	2.533	2.533	
4	117.5	≦* <	122.5	96	2.46144	2.471	2.471	
3	112.5	≦* <	117.5	92	2.39991	2.409	2.409	
2	107.5	≦* <	112.5	88	2.33837	2.347	2.347	
1	102.5	≦* <	107.5	84	2.27684	2.285	2.285	
0	97.5	≦* <	102.5	80	2.21530	2.223	2.223	
-1	92.5	≦* <	97.5	76	2.15377	2.161	2.161	
-2	87.5	≦* <	92.5	72	2.09223	2.100	2.100	
-3	82.5	≦* <	87.5	68	2.03070	2.038	2.038	
-4	77.5	≦* <	82.5	64	1.96917	1.976	1.976	
-5	72.5	≦* <	77.5	60	1.90763	1.914	1.914	
-6	67.5	≦* <	72.5	56	1.84610	1.853	1.853	
-7	62.5	≦* <	67.5	52	1.78456	1.791	1.791	
-8	57.5	≦* <	62.5	48	1.72303	1.729	1.729	
-9	52.5	≦* <	57.5	44	1.66149	1.667	1.667	
-10	47.5	≦* <	52.5	40	1.59996	1.606	1.606	
-11	42.5	≦* <	47.5	36	1.53843	1.544	1.544	
-12	37.5	≦* <	42.5	32	1.47689	1.482	1.482	
-13	32.5	≦* <	37.5	28	1.41536	1.420	1.420	
-14	27.5	≦* <	32.5	24	1.35382	1.359	1.359	
-15	22.5	≦* <	27.5	20	1.29229	1.297	1.297	
-16	17.5	≦* <	22.5	16	1.23075	1.235	1.235	
-17	12.5	≦* <	17.5	12	1.16922	1.173	1.173	
-18	7.5	≦* <	12.5	8	1.10769	1.112	1.112	
-19	2.5	≦* <	7.5	4	1.04615	1.050	1.050	
-20	0.0	≦* <	2.5	1.00	1.00000	1.003	1.003	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.081 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	1.863	1.863	
19	192.5	≦* <	197.5	156	3.38446	1.829	1.829	
18	187.5	≦* <	192.5	152	3.32292	1.796	1.796	
17	182.5	≦* <	187.5	148	3.26139	1.763	1.763	
16	177.5	≦* <	182.5	144	3.19985	1.730	1.730	
15	172.5	≦* <	177.5	140	3.13832	1.696	1.696	
14	167.5	≦* <	172.5	136	3.07678	1.663	1.663	
13	162.5	≦* <	167.5	132	3.01525	1.630	1.630	
12	157.5	≦* <	162.5	128	2.95372	1.596	1.596	
11	152.5	≦* <	157.5	124	2.89218	1.563	1.563	
10	147.5	≦* <	152.5	120	2.83065	1.530	1.530	
9	142.5	≦* <	147.5	116	2.76911	1.497	1.497	
8	137.5	≦* <	142.5	112	2.70758	1.463	1.463	
7	132.5	≦* <	137.5	108	2.64604	1.430	1.430	
6	127.5	≦* <	132.5	104	2.58451	1.397	1.397	
5	122.5	≦* <	127.5	100	2.52297	1.364	1.364	
4	117.5	≦* <	122.5	96	2.46144	1.330	1.330	
3	112.5	≦* <	117.5	92	2.39991	1.297	1.297	
2	107.5	≦* <	112.5	88	2.33837	1.264	1.264	
1	102.5	≦* <	107.5	84	2.27684	1.231	1.231	
0	97.5	≦* <	102.5	80	2.21530	1.197	1.197	
-1	92.5	≦* <	97.5	76	2.15377	1.164	1.164	
-2	87.5	≦* <	92.5	72	2.09223	1.131	1.131	
-3	82.5	≦* <	87.5	68	2.03070	1.098	1.098	
-4	77.5	≦* <	82.5	64	1.96917	1.064	1.064	
-5	72.5	≦* <	77.5	60	1.90763	1.031	1.031	
-6	67.5	≦* <	72.5	56	1.84610	0.998	0.998	
-7	62.5	≦* <	67.5	52	1.78456	0.965	0.965	
-8	57.5	≦* <	62.5	48	1.72303	0.931	0.931	
-9	52.5	≦* <	57.5	44	1.66149	0.898	0.898	
-10	47.5	≦* <	52.5	40	1.59996	0.865	0.865	
-11	42.5	≦* <	47.5	36	1.53843	0.832	0.832	
-12	37.5	≦* <	42.5	32	1.47689	0.798	0.798	
-13	32.5	≦* <	37.5	28	1.41536	0.765	0.765	
-14	27.5	≦* <	32.5	24	1.35382	0.732	0.732	
-15	22.5	≦* <	27.5	20	1.29229	0.698	0.698	
-16	17.5	≦* <	22.5	16	1.23075	0.665	0.665	
-17	12.5	≦* <	17.5	12	1.16922	0.632	0.632	
-18	7.5	≦* <	12.5	8	1.10769	0.599	0.599	
-19	2.5	≦* <	7.5	4	1.04615	0.565	0.565	
-20	0.0	≦* <	2.5	1.00	1.00000	0.540	0.540	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.081 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	1.770	1.770	
19	192.5	≦* <	197.5	156	3.38446	1.738	1.738	
18	187.5	≦* <	192.5	152	3.32292	1.706	1.706	
17	182.5	≦* <	187.5	148	3.26139	1.675	1.675	
16	177.5	≦* <	182.5	144	3.19985	1.644	1.644	
15	172.5	≦* <	177.5	140	3.13832	1.611	1.611	
14	167.5	≦* <	172.5	136	3.07678	1.580	1.580	
13	162.5	≦* <	167.5	132	3.01525	1.549	1.549	
12	157.5	≦* <	162.5	128	2.95372	1.516	1.516	
11	152.5	≦* <	157.5	124	2.89218	1.485	1.485	
10	147.5	≦* <	152.5	120	2.83065	1.454	1.454	
9	142.5	≦* <	147.5	116	2.76911	1.422	1.422	
8	137.5	≦* <	142.5	112	2.70758	1.390	1.390	
7	132.5	≦* <	137.5	108	2.64604	1.359	1.359	
6	127.5	≦* <	132.5	104	2.58451	1.327	1.327	
5	122.5	≦* <	127.5	100	2.52297	1.296	1.296	
4	117.5	≦* <	122.5	96	2.46144	1.264	1.264	
3	112.5	≦* <	117.5	92	2.39991	1.232	1.232	
2	107.5	≦* <	112.5	88	2.33837	1.201	1.201	
1	102.5	≦* <	107.5	84	2.27684	1.169	1.169	
0	97.5	≦* <	102.5	80	2.21530	1.137	1.137	
-1	92.5	≦* <	97.5	76	2.15377	1.106	1.106	
-2	87.5	≦* <	92.5	72	2.09223	1.074	1.074	
-3	82.5	≦* <	87.5	68	2.03070	1.043	1.043	
-4	77.5	≦* <	82.5	64	1.96917	1.011	1.011	
-5	72.5	≦* <	77.5	60	1.90763	0.979	0.979	
-6	67.5	≦* <	72.5	56	1.84610	0.948	0.948	
-7	62.5	≦* <	67.5	52	1.78456	0.917	0.917	
-8	57.5	≦* <	62.5	48	1.72303	0.884	0.884	
-9	52.5	≦* <	57.5	44	1.66149	0.853	0.853	
-10	47.5	≦* <	52.5	40	1.59996	0.822	0.822	
-11	42.5	≦* <	47.5	36	1.53843	0.790	0.790	
-12	37.5	≦* <	42.5	32	1.47689	0.758	0.758	
-13	32.5	≦* <	37.5	28	1.41536	0.727	0.727	
-14	27.5	≦* <	32.5	24	1.35382	0.695	0.695	
-15	22.5	≦* <	27.5	20	1.29229	0.663	0.663	
-16	17.5	≦* <	22.5	16	1.23075	0.632	0.632	
-17	12.5	≦* <	17.5	12	1.16922	0.600	0.600	
-18	7.5	≦* <	12.5	8	1.10769	0.569	0.569	
-19	2.5	≦* <	7.5	4	1.04615	0.537	0.537	
-20	0.0	≦* <	2.5	1.00	1.00000	0.513	0.513	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.080 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	1.861	1.861	
19	192.5	≦* <	197.5	156	3.38446	1.828	1.828	
18	187.5	≦* <	192.5	152	3.32292	1.794	1.794	
17	182.5	≦* <	187.5	148	3.26139	1.761	1.761	
16	177.5	≦* <	182.5	144	3.19985	1.728	1.728	
15	172.5	≦* <	177.5	140	3.13832	1.695	1.695	
14	167.5	≦* <	172.5	136	3.07678	1.661	1.661	
13	162.5	≦* <	167.5	132	3.01525	1.628	1.628	
12	157.5	≦* <	162.5	128	2.95372	1.595	1.595	
11	152.5	≦* <	157.5	124	2.89218	1.562	1.562	
10	147.5	≦* <	152.5	120	2.83065	1.529	1.529	
9	142.5	≦* <	147.5	116	2.76911	1.495	1.495	
8	137.5	≦* <	142.5	112	2.70758	1.462	1.462	
7	132.5	≦* <	137.5	108	2.64604	1.429	1.429	
6	127.5	≦* <	132.5	104	2.58451	1.396	1.396	
5	122.5	≦* <	127.5	100	2.52297	1.362	1.362	
4	117.5	≦* <	122.5	96	2.46144	1.329	1.329	
3	112.5	≦* <	117.5	92	2.39991	1.296	1.296	
2	107.5	≦* <	112.5	88	2.33837	1.263	1.263	
1	102.5	≦* <	107.5	84	2.27684	1.229	1.229	
0	97.5	≦* <	102.5	80	2.21530	1.196	1.196	
-1	92.5	≦* <	97.5	76	2.15377	1.163	1.163	
-2	87.5	≦* <	92.5	72	2.09223	1.130	1.130	
-3	82.5	≦* <	87.5	68	2.03070	1.097	1.097	
-4	77.5	≦* <	82.5	64	1.96917	1.063	1.063	
-5	72.5	≦* <	77.5	60	1.90763	1.030	1.030	
-6	67.5	≦* <	72.5	56	1.84610	0.997	0.997	
-7	62.5	≦* <	67.5	52	1.78456	0.964	0.964	
-8	57.5	≦* <	62.5	48	1.72303	0.930	0.930	
-9	52.5	≦* <	57.5	44	1.66149	0.897	0.897	
-10	47.5	≦* <	52.5	40	1.59996	0.864	0.864	
-11	42.5	≦* <	47.5	36	1.53843	0.831	0.831	
-12	37.5	≦* <	42.5	32	1.47689	0.798	0.798	
-13	32.5	≦* <	37.5	28	1.41536	0.764	0.764	
-14	27.5	≦* <	32.5	24	1.35382	0.731	0.731	
-15	22.5	≦* <	27.5	20	1.29229	0.698	0.698	
-16	17.5	≦* <	22.5	16	1.23075	0.665	0.665	
-17	12.5	≦* <	17.5	12	1.16922	0.631	0.631	
-18	7.5	≦* <	12.5	8	1.10769	0.598	0.598	
-19	2.5	≦* <	7.5	4	1.04615	0.565	0.565	
-20	0.0	≦* <	2.5	1.00	1.00000	0.540	0.540	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.080 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	1.768	1.768	
19	192.5	≦* <	197.5	156	3.38446	1.737	1.737	
18	187.5	≦* <	192.5	152	3.32292	1.704	1.704	
17	182.5	≦* <	187.5	148	3.26139	1.673	1.673	
16	177.5	≦* <	182.5	144	3.19985	1.642	1.642	
15	172.5	≦* <	177.5	140	3.13832	1.610	1.610	
14	167.5	≦* <	172.5	136	3.07678	1.578	1.578	
13	162.5	≦* <	167.5	132	3.01525	1.547	1.547	
12	157.5	≦* <	162.5	128	2.95372	1.515	1.515	
11	152.5	≦* <	157.5	124	2.89218	1.484	1.484	
10	147.5	≦* <	152.5	120	2.83065	1.453	1.453	
9	142.5	≦* <	147.5	116	2.76911	1.420	1.420	
8	137.5	≦* <	142.5	112	2.70758	1.389	1.389	
7	132.5	≦* <	137.5	108	2.64604	1.358	1.358	
6	127.5	≦* <	132.5	104	2.58451	1.326	1.326	
5	122.5	≦* <	127.5	100	2.52297	1.294	1.294	
4	117.5	≦* <	122.5	96	2.46144	1.263	1.263	
3	112.5	≦* <	117.5	92	2.39991	1.231	1.231	
2	107.5	≦* <	112.5	88	2.33837	1.200	1.200	
1	102.5	≦* <	107.5	84	2.27684	1.168	1.168	
0	97.5	≦* <	102.5	80	2.21530	1.136	1.136	
-1	92.5	≦* <	97.5	76	2.15377	1.105	1.105	
-2	87.5	≦* <	92.5	72	2.09223	1.074	1.074	
-3	82.5	≦* <	87.5	68	2.03070	1.042	1.042	
-4	77.5	≦* <	82.5	64	1.96917	1.010	1.010	
-5	72.5	≦* <	77.5	60	1.90763	0.979	0.979	
-6	67.5	≦* <	72.5	56	1.84610	0.947	0.947	
-7	62.5	≦* <	67.5	52	1.78456	0.916	0.916	
-8	57.5	≦* <	62.5	48	1.72303	0.884	0.884	
-9	52.5	≦* <	57.5	44	1.66149	0.852	0.852	
-10	47.5	≦* <	52.5	40	1.59996	0.821	0.821	
-11	42.5	≦* <	47.5	36	1.53843	0.789	0.789	
-12	37.5	≦* <	42.5	32	1.47689	0.758	0.758	
-13	32.5	≦* <	37.5	28	1.41536	0.726	0.726	
-14	27.5	≦* <	32.5	24	1.35382	0.694	0.694	
-15	22.5	≦* <	27.5	20	1.29229	0.663	0.663	
-16	17.5	≦* <	22.5	16	1.23075	0.632	0.632	
-17	12.5	≦* <	17.5	12	1.16922	0.599	0.599	
-18	7.5	≦* <	12.5	8	1.10769	0.568	0.568	
-19	2.5	≦* <	7.5	4	1.04615	0.537	0.537	
-20	0.0	≦* <	2.5	1.00	1.00000	0.513	0.513	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.007 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	1.735	1.735	
19	192.5	≦* <	197.5	156	3.38446	1.704	1.704	
18	187.5	≦* <	192.5	152	3.32292	1.673	1.673	
17	182.5	≦* <	187.5	148	3.26139	1.642	1.642	
16	177.5	≦* <	182.5	144	3.19985	1.611	1.611	
15	172.5	≦* <	177.5	140	3.13832	1.580	1.580	
14	167.5	≦* <	172.5	136	3.07678	1.549	1.549	
13	162.5	≦* <	167.5	132	3.01525	1.518	1.518	
12	157.5	≦* <	162.5	128	2.95372	1.487	1.487	
11	152.5	≦* <	157.5	124	2.89218	1.456	1.456	
10	147.5	≦* <	152.5	120	2.83065	1.425	1.425	
9	142.5	≦* <	147.5	116	2.76911	1.394	1.394	
8	137.5	≦* <	142.5	112	2.70758	1.363	1.363	
7	132.5	≦* <	137.5	108	2.64604	1.332	1.332	
6	127.5	≦* <	132.5	104	2.58451	1.301	1.301	
5	122.5	≦* <	127.5	100	2.52297	1.270	1.270	
4	117.5	≦* <	122.5	96	2.46144	1.239	1.239	
3	112.5	≦* <	117.5	92	2.39991	1.208	1.208	
2	107.5	≦* <	112.5	88	2.33837	1.177	1.177	
1	102.5	≦* <	107.5	84	2.27684	1.146	1.146	
0	97.5	≦* <	102.5	80	2.21530	1.115	1.115	
-1	92.5	≦* <	97.5	76	2.15377	1.084	1.084	
-2	87.5	≦* <	92.5	72	2.09223	1.053	1.053	
-3	82.5	≦* <	87.5	68	2.03070	1.022	1.022	
-4	77.5	≦* <	82.5	64	1.96917	0.991	0.991	
-5	72.5	≦* <	77.5	60	1.90763	0.960	0.960	
-6	67.5	≦* <	72.5	56	1.84610	0.930	0.930	
-7	62.5	≦* <	67.5	52	1.78456	0.899	0.899	
-8	57.5	≦* <	62.5	48	1.72303	0.868	0.868	
-9	52.5	≦* <	57.5	44	1.66149	0.837	0.837	
-10	47.5	≦* <	52.5	40	1.59996	0.806	0.806	
-11	42.5	≦* <	47.5	36	1.53843	0.775	0.775	
-12	37.5	≦* <	42.5	32	1.47689	0.744	0.744	
-13	32.5	≦* <	37.5	28	1.41536	0.713	0.713	
-14	27.5	≦* <	32.5	24	1.35382	0.682	0.682	
-15	22.5	≦* <	27.5	20	1.29229	0.651	0.651	
-16	17.5	≦* <	22.5	16	1.23075	0.620	0.620	
-17	12.5	≦* <	17.5	12	1.16922	0.589	0.589	
-18	7.5	≦* <	12.5	8	1.10769	0.558	0.558	
-19	2.5	≦* <	7.5	4	1.04615	0.527	0.527	
-20	0.0	≦* <	2.5	1.00	1.00000	0.503	0.503	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 80 プラスチックハウスⅥ類

共済掛金標準率: 1.007 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.44599	1.648	1.648	
19	192.5	≦* <	197.5	156	3.38446	1.619	1.619	
18	187.5	≦* <	192.5	152	3.32292	1.589	1.589	
17	182.5	≦* <	187.5	148	3.26139	1.560	1.560	
16	177.5	≦* <	182.5	144	3.19985	1.530	1.530	
15	172.5	≦* <	177.5	140	3.13832	1.501	1.501	
14	167.5	≦* <	172.5	136	3.07678	1.472	1.472	
13	162.5	≦* <	167.5	132	3.01525	1.442	1.442	
12	157.5	≦* <	162.5	128	2.95372	1.413	1.413	
11	152.5	≦* <	157.5	124	2.89218	1.383	1.383	
10	147.5	≦* <	152.5	120	2.83065	1.354	1.354	
9	142.5	≦* <	147.5	116	2.76911	1.324	1.324	
8	137.5	≦* <	142.5	112	2.70758	1.295	1.295	
7	132.5	≦* <	137.5	108	2.64604	1.265	1.265	
6	127.5	≦* <	132.5	104	2.58451	1.236	1.236	
5	122.5	≦* <	127.5	100	2.52297	1.207	1.207	
4	117.5	≦* <	122.5	96	2.46144	1.177	1.177	
3	112.5	≦* <	117.5	92	2.39991	1.148	1.148	
2	107.5	≦* <	112.5	88	2.33837	1.118	1.118	
1	102.5	≦* <	107.5	84	2.27684	1.089	1.089	
0	97.5	≦* <	102.5	80	2.21530	1.059	1.059	
-1	92.5	≦* <	97.5	76	2.15377	1.030	1.030	
-2	87.5	≦* <	92.5	72	2.09223	1.000	1.000	
-3	82.5	≦* <	87.5	68	2.03070	0.971	0.971	
-4	77.5	≦* <	82.5	64	1.96917	0.941	0.941	
-5	72.5	≦* <	77.5	60	1.90763	0.912	0.912	
-6	67.5	≦* <	72.5	56	1.84610	0.884	0.884	
-7	62.5	≦* <	67.5	52	1.78456	0.854	0.854	
-8	57.5	≦* <	62.5	48	1.72303	0.825	0.825	
-9	52.5	≦* <	57.5	44	1.66149	0.795	0.795	
-10	47.5	≦* <	52.5	40	1.59996	0.766	0.766	
-11	42.5	≦* <	47.5	36	1.53843	0.736	0.736	
-12	37.5	≦* <	42.5	32	1.47689	0.707	0.707	
-13	32.5	≦* <	37.5	28	1.41536	0.677	0.677	
-14	27.5	≦* <	32.5	24	1.35382	0.648	0.648	
-15	22.5	≦* <	27.5	20	1.29229	0.618	0.618	
-16	17.5	≦* <	22.5	16	1.23075	0.589	0.589	
-17	12.5	≦* <	17.5	12	1.16922	0.560	0.560	
-18	7.5	≦* <	12.5	8	1.10769	0.530	0.530	
-19	2.5	≦* <	7.5	4	1.04615	0.501	0.501	
-20	0.0	≦* <	2.5	1.00	1.00000	0.478	0.478	
計	平均			66.00436	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 1.261 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.899	1.899	
19	192.5	≦* <	197.5	156	2.96142	1.867	1.867	
18	187.5	≦* <	192.5	152	2.91081	1.835	1.835	
17	182.5	≦* <	187.5	148	2.86019	1.803	1.803	
16	177.5	≦* <	182.5	144	2.80957	1.771	1.771	
15	172.5	≦* <	177.5	140	2.75895	1.740	1.740	
14	167.5	≦* <	172.5	136	2.70834	1.708	1.708	
13	162.5	≦* <	167.5	132	2.65772	1.676	1.676	
12	157.5	≦* <	162.5	128	2.60710	1.644	1.644	
11	152.5	≦* <	157.5	124	2.55648	1.612	1.612	
10	147.5	≦* <	152.5	120	2.50587	1.580	1.580	
9	142.5	≦* <	147.5	116	2.45525	1.548	1.548	
8	137.5	≦* <	142.5	112	2.40463	1.516	1.516	
7	132.5	≦* <	137.5	108	2.35401	1.484	1.484	
6	127.5	≦* <	132.5	104	2.30340	1.452	1.452	
5	122.5	≦* <	127.5	100	2.25278	1.420	1.420	
4	117.5	≦* <	122.5	96	2.20216	1.388	1.388	
3	112.5	≦* <	117.5	92	2.15154	1.357	1.357	
2	107.5	≦* <	112.5	88	2.10093	1.325	1.325	
1	102.5	≦* <	107.5	84	2.05031	1.293	1.293	
0	97.5	≦* <	102.5	80	1.99969	1.261	1.261	
-1	92.5	≦* <	97.5	76	1.94908	1.229	1.229	
-2	87.5	≦* <	92.5	72	1.89846	1.197	1.197	
-3	82.5	≦* <	87.5	68	1.84784	1.165	1.165	
-4	77.5	≦* <	82.5	64	1.79722	1.133	1.133	
-5	72.5	≦* <	77.5	60	1.74661	1.101	1.101	
-6	67.5	≦* <	72.5	56	1.69599	1.069	1.069	
-7	62.5	≦* <	67.5	52	1.64537	1.037	1.037	
-8	57.5	≦* <	62.5	48	1.59475	1.005	1.005	
-9	52.5	≦* <	57.5	44	1.54414	0.974	0.974	
-10	47.5	≦* <	52.5	40	1.49352	0.942	0.942	
-11	42.5	≦* <	47.5	36	1.44290	0.910	0.910	
-12	37.5	≦* <	42.5	32	1.39228	0.878	0.878	
-13	32.5	≦* <	37.5	28	1.34167	0.846	0.846	
-14	27.5	≦* <	32.5	24	1.29105	0.814	0.814	
-15	22.5	≦* <	27.5	20	1.24043	0.782	0.782	
-16	17.5	≦* <	22.5	16	1.18982	0.750	0.750	
-17	12.5	≦* <	17.5	12	1.13920	0.718	0.718	
-18	7.5	≦* <	12.5	8	1.08858	0.686	0.686	
-19	2.5	≦* <	7.5	4	1.03796	0.654	0.654	
-20	0.0	≦* <	2.5	1.00	1.00000	0.630	0.630	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 1.261 %

小損害不填補: 0 3万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.804	1.804	
19	192.5	≦* <	197.5	156	2.96142	1.774	1.774	
18	187.5	≦* <	192.5	152	2.91081	1.743	1.743	
17	182.5	≦* <	187.5	148	2.86019	1.713	1.713	
16	177.5	≦* <	182.5	144	2.80957	1.682	1.682	
15	172.5	≦* <	177.5	140	2.75895	1.653	1.653	
14	167.5	≦* <	172.5	136	2.70834	1.623	1.623	
13	162.5	≦* <	167.5	132	2.65772	1.592	1.592	
12	157.5	≦* <	162.5	128	2.60710	1.562	1.562	
11	152.5	≦* <	157.5	124	2.55648	1.531	1.531	
10	147.5	≦* <	152.5	120	2.50587	1.501	1.501	
9	142.5	≦* <	147.5	116	2.45525	1.471	1.471	
8	137.5	≦* <	142.5	112	2.40463	1.440	1.440	
7	132.5	≦* <	137.5	108	2.35401	1.410	1.410	
6	127.5	≦* <	132.5	104	2.30340	1.379	1.379	
5	122.5	≦* <	127.5	100	2.25278	1.349	1.349	
4	117.5	≦* <	122.5	96	2.20216	1.319	1.319	
3	112.5	≦* <	117.5	92	2.15154	1.289	1.289	
2	107.5	≦* <	112.5	88	2.10093	1.259	1.259	
1	102.5	≦* <	107.5	84	2.05031	1.228	1.228	
0	97.5	≦* <	102.5	80	1.99969	1.198	1.198	
-1	92.5	≦* <	97.5	76	1.94908	1.168	1.168	
-2	87.5	≦* <	92.5	72	1.89846	1.137	1.137	
-3	82.5	≦* <	87.5	68	1.84784	1.107	1.107	
-4	77.5	≦* <	82.5	64	1.79722	1.076	1.076	
-5	72.5	≦* <	77.5	60	1.74661	1.046	1.046	
-6	67.5	≦* <	72.5	56	1.69599	1.016	1.016	
-7	62.5	≦* <	67.5	52	1.64537	0.985	0.985	
-8	57.5	≦* <	62.5	48	1.59475	0.955	0.955	
-9	52.5	≦* <	57.5	44	1.54414	0.925	0.925	
-10	47.5	≦* <	52.5	40	1.49352	0.895	0.895	
-11	42.5	≦* <	47.5	36	1.44290	0.865	0.865	
-12	37.5	≦* <	42.5	32	1.39228	0.834	0.834	
-13	32.5	≦* <	37.5	28	1.34167	0.804	0.804	
-14	27.5	≦* <	32.5	24	1.29105	0.773	0.773	
-15	22.5	≦* <	27.5	20	1.24043	0.743	0.743	
-16	17.5	≦* <	22.5	16	1.18982	0.713	0.713	
-17	12.5	≦* <	17.5	12	1.13920	0.682	0.682	
-18	7.5	≦* <	12.5	8	1.08858	0.652	0.652	
-19	2.5	≦* <	7.5	4	1.03796	0.621	0.621	
-20	0.0	≦* <	2.5	1.00	1.00000	0.599	0.599	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.953 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.435	1.435	
19	192.5	≦* <	197.5	156	2.96142	1.411	1.411	
18	187.5	≦* <	192.5	152	2.91081	1.387	1.387	
17	182.5	≦* <	187.5	148	2.86019	1.363	1.363	
16	177.5	≦* <	182.5	144	2.80957	1.339	1.339	
15	172.5	≦* <	177.5	140	2.75895	1.315	1.315	
14	167.5	≦* <	172.5	136	2.70834	1.291	1.291	
13	162.5	≦* <	167.5	132	2.65772	1.266	1.266	
12	157.5	≦* <	162.5	128	2.60710	1.242	1.242	
11	152.5	≦* <	157.5	124	2.55648	1.218	1.218	
10	147.5	≦* <	152.5	120	2.50587	1.194	1.194	
9	142.5	≦* <	147.5	116	2.45525	1.170	1.170	
8	137.5	≦* <	142.5	112	2.40463	1.146	1.146	
7	132.5	≦* <	137.5	108	2.35401	1.122	1.122	
6	127.5	≦* <	132.5	104	2.30340	1.098	1.098	
5	122.5	≦* <	127.5	100	2.25278	1.073	1.073	
4	117.5	≦* <	122.5	96	2.20216	1.049	1.049	
3	112.5	≦* <	117.5	92	2.15154	1.025	1.025	
2	107.5	≦* <	112.5	88	2.10093	1.001	1.001	
1	102.5	≦* <	107.5	84	2.05031	0.977	0.977	
0	97.5	≦* <	102.5	80	1.99969	0.953	0.953	
-1	92.5	≦* <	97.5	76	1.94908	0.929	0.929	
-2	87.5	≦* <	92.5	72	1.89846	0.905	0.905	
-3	82.5	≦* <	87.5	68	1.84784	0.880	0.880	
-4	77.5	≦* <	82.5	64	1.79722	0.856	0.856	
-5	72.5	≦* <	77.5	60	1.74661	0.832	0.832	
-6	67.5	≦* <	72.5	56	1.69599	0.808	0.808	
-7	62.5	≦* <	67.5	52	1.64537	0.784	0.784	
-8	57.5	≦* <	62.5	48	1.59475	0.760	0.760	
-9	52.5	≦* <	57.5	44	1.54414	0.736	0.736	
-10	47.5	≦* <	52.5	40	1.49352	0.712	0.712	
-11	42.5	≦* <	47.5	36	1.44290	0.688	0.688	
-12	37.5	≦* <	42.5	32	1.39228	0.663	0.663	
-13	32.5	≦* <	37.5	28	1.34167	0.639	0.639	
-14	27.5	≦* <	32.5	24	1.29105	0.615	0.615	
-15	22.5	≦* <	27.5	20	1.24043	0.591	0.591	
-16	17.5	≦* <	22.5	16	1.18982	0.567	0.567	
-17	12.5	≦* <	17.5	12	1.13920	0.543	0.543	
-18	7.5	≦* <	12.5	8	1.08858	0.519	0.519	
-19	2.5	≦* <	7.5	4	1.03796	0.495	0.495	
-20	0.0	≦* <	2.5	1.00	1.00000	0.476	0.476	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.953 %

小損害不填補: 1 10万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.363	1.363	
19	192.5	≦* <	197.5	156	2.96142	1.340	1.340	
18	187.5	≦* <	192.5	152	2.91081	1.318	1.318	
17	182.5	≦* <	187.5	148	2.86019	1.295	1.295	
16	177.5	≦* <	182.5	144	2.80957	1.272	1.272	
15	172.5	≦* <	177.5	140	2.75895	1.249	1.249	
14	167.5	≦* <	172.5	136	2.70834	1.226	1.226	
13	162.5	≦* <	167.5	132	2.65772	1.203	1.203	
12	157.5	≦* <	162.5	128	2.60710	1.180	1.180	
11	152.5	≦* <	157.5	124	2.55648	1.157	1.157	
10	147.5	≦* <	152.5	120	2.50587	1.134	1.134	
9	142.5	≦* <	147.5	116	2.45525	1.112	1.112	
8	137.5	≦* <	142.5	112	2.40463	1.089	1.089	
7	132.5	≦* <	137.5	108	2.35401	1.066	1.066	
6	127.5	≦* <	132.5	104	2.30340	1.043	1.043	
5	122.5	≦* <	127.5	100	2.25278	1.019	1.019	
4	117.5	≦* <	122.5	96	2.20216	0.997	0.997	
3	112.5	≦* <	117.5	92	2.15154	0.974	0.974	
2	107.5	≦* <	112.5	88	2.10093	0.951	0.951	
1	102.5	≦* <	107.5	84	2.05031	0.928	0.928	
0	97.5	≦* <	102.5	80	1.99969	0.905	0.905	
-1	92.5	≦* <	97.5	76	1.94908	0.883	0.883	
-2	87.5	≦* <	92.5	72	1.89846	0.860	0.860	
-3	82.5	≦* <	87.5	68	1.84784	0.836	0.836	
-4	77.5	≦* <	82.5	64	1.79722	0.813	0.813	
-5	72.5	≦* <	77.5	60	1.74661	0.790	0.790	
-6	67.5	≦* <	72.5	56	1.69599	0.768	0.768	
-7	62.5	≦* <	67.5	52	1.64537	0.745	0.745	
-8	57.5	≦* <	62.5	48	1.59475	0.722	0.722	
-9	52.5	≦* <	57.5	44	1.54414	0.699	0.699	
-10	47.5	≦* <	52.5	40	1.49352	0.676	0.676	
-11	42.5	≦* <	47.5	36	1.44290	0.654	0.654	
-12	37.5	≦* <	42.5	32	1.39228	0.630	0.630	
-13	32.5	≦* <	37.5	28	1.34167	0.607	0.607	
-14	27.5	≦* <	32.5	24	1.29105	0.584	0.584	
-15	22.5	≦* <	27.5	20	1.24043	0.561	0.561	
-16	17.5	≦* <	22.5	16	1.18982	0.539	0.539	
-17	12.5	≦* <	17.5	12	1.13920	0.516	0.516	
-18	7.5	≦* <	12.5	8	1.08858	0.493	0.493	
-19	2.5	≦* <	7.5	4	1.03796	0.470	0.470	
-20	0.0	≦* <	2.5	1.00	1.00000	0.452	0.452	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.697 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	1.050	1.050	
19	192.5	≦* <	197.5	156	2.96142	1.032	1.032	
18	187.5	≦* <	192.5	152	2.91081	1.014	1.014	
17	182.5	≦* <	187.5	148	2.86019	0.997	0.997	
16	177.5	≦* <	182.5	144	2.80957	0.979	0.979	
15	172.5	≦* <	177.5	140	2.75895	0.961	0.961	
14	167.5	≦* <	172.5	136	2.70834	0.944	0.944	
13	162.5	≦* <	167.5	132	2.65772	0.926	0.926	
12	157.5	≦* <	162.5	128	2.60710	0.909	0.909	
11	152.5	≦* <	157.5	124	2.55648	0.891	0.891	
10	147.5	≦* <	152.5	120	2.50587	0.873	0.873	
9	142.5	≦* <	147.5	116	2.45525	0.856	0.856	
8	137.5	≦* <	142.5	112	2.40463	0.838	0.838	
7	132.5	≦* <	137.5	108	2.35401	0.820	0.820	
6	127.5	≦* <	132.5	104	2.30340	0.803	0.803	
5	122.5	≦* <	127.5	100	2.25278	0.785	0.785	
4	117.5	≦* <	122.5	96	2.20216	0.767	0.767	
3	112.5	≦* <	117.5	92	2.15154	0.750	0.750	
2	107.5	≦* <	112.5	88	2.10093	0.732	0.732	
1	102.5	≦* <	107.5	84	2.05031	0.715	0.715	
0	97.5	≦* <	102.5	80	1.99969	0.697	0.697	
-1	92.5	≦* <	97.5	76	1.94908	0.679	0.679	
-2	87.5	≦* <	92.5	72	1.89846	0.662	0.662	
-3	82.5	≦* <	87.5	68	1.84784	0.644	0.644	
-4	77.5	≦* <	82.5	64	1.79722	0.626	0.626	
-5	72.5	≦* <	77.5	60	1.74661	0.609	0.609	
-6	67.5	≦* <	72.5	56	1.69599	0.591	0.591	
-7	62.5	≦* <	67.5	52	1.64537	0.573	0.573	
-8	57.5	≦* <	62.5	48	1.59475	0.556	0.556	
-9	52.5	≦* <	57.5	44	1.54414	0.538	0.538	
-10	47.5	≦* <	52.5	40	1.49352	0.520	0.520	
-11	42.5	≦* <	47.5	36	1.44290	0.503	0.503	
-12	37.5	≦* <	42.5	32	1.39228	0.485	0.485	
-13	32.5	≦* <	37.5	28	1.34167	0.468	0.468	
-14	27.5	≦* <	32.5	24	1.29105	0.450	0.450	
-15	22.5	≦* <	27.5	20	1.24043	0.432	0.432	
-16	17.5	≦* <	22.5	16	1.18982	0.415	0.415	
-17	12.5	≦* <	17.5	12	1.13920	0.397	0.397	
-18	7.5	≦* <	12.5	8	1.08858	0.379	0.379	
-19	2.5	≦* <	7.5	4	1.03796	0.362	0.362	
-20	0.0	≦* <	2.5	1.00	1.00000	0.348	0.348	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.697 %

小損害不填補: 2 20万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.998	0.998	
19	192.5	≦* <	197.5	156	2.96142	0.980	0.980	
18	187.5	≦* <	192.5	152	2.91081	0.963	0.963	
17	182.5	≦* <	187.5	148	2.86019	0.947	0.947	
16	177.5	≦* <	182.5	144	2.80957	0.930	0.930	
15	172.5	≦* <	177.5	140	2.75895	0.913	0.913	
14	167.5	≦* <	172.5	136	2.70834	0.897	0.897	
13	162.5	≦* <	167.5	132	2.65772	0.880	0.880	
12	157.5	≦* <	162.5	128	2.60710	0.864	0.864	
11	152.5	≦* <	157.5	124	2.55648	0.846	0.846	
10	147.5	≦* <	152.5	120	2.50587	0.829	0.829	
9	142.5	≦* <	147.5	116	2.45525	0.813	0.813	
8	137.5	≦* <	142.5	112	2.40463	0.796	0.796	
7	132.5	≦* <	137.5	108	2.35401	0.779	0.779	
6	127.5	≦* <	132.5	104	2.30340	0.763	0.763	
5	122.5	≦* <	127.5	100	2.25278	0.746	0.746	
4	117.5	≦* <	122.5	96	2.20216	0.729	0.729	
3	112.5	≦* <	117.5	92	2.15154	0.713	0.713	
2	107.5	≦* <	112.5	88	2.10093	0.695	0.695	
1	102.5	≦* <	107.5	84	2.05031	0.679	0.679	
0	97.5	≦* <	102.5	80	1.99969	0.662	0.662	
-1	92.5	≦* <	97.5	76	1.94908	0.645	0.645	
-2	87.5	≦* <	92.5	72	1.89846	0.629	0.629	
-3	82.5	≦* <	87.5	68	1.84784	0.612	0.612	
-4	77.5	≦* <	82.5	64	1.79722	0.595	0.595	
-5	72.5	≦* <	77.5	60	1.74661	0.579	0.579	
-6	67.5	≦* <	72.5	56	1.69599	0.561	0.561	
-7	62.5	≦* <	67.5	52	1.64537	0.544	0.544	
-8	57.5	≦* <	62.5	48	1.59475	0.528	0.528	
-9	52.5	≦* <	57.5	44	1.54414	0.511	0.511	
-10	47.5	≦* <	52.5	40	1.49352	0.494	0.494	
-11	42.5	≦* <	47.5	36	1.44290	0.478	0.478	
-12	37.5	≦* <	42.5	32	1.39228	0.461	0.461	
-13	32.5	≦* <	37.5	28	1.34167	0.445	0.445	
-14	27.5	≦* <	32.5	24	1.29105	0.428	0.428	
-15	22.5	≦* <	27.5	20	1.24043	0.410	0.410	
-16	17.5	≦* <	22.5	16	1.18982	0.394	0.394	
-17	12.5	≦* <	17.5	12	1.13920	0.377	0.377	
-18	7.5	≦* <	12.5	8	1.08858	0.360	0.360	
-19	2.5	≦* <	7.5	4	1.03796	0.344	0.344	
-20	0.0	≦* <	2.5	1.00	1.00000	0.331	0.331	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.507 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.764	0.764	
19	192.5	≦* <	197.5	156	2.96142	0.751	0.751	
18	187.5	≦* <	192.5	152	2.91081	0.738	0.738	
17	182.5	≦* <	187.5	148	2.86019	0.725	0.725	
16	177.5	≦* <	182.5	144	2.80957	0.712	0.712	
15	172.5	≦* <	177.5	140	2.75895	0.699	0.699	
14	167.5	≦* <	172.5	136	2.70834	0.687	0.687	
13	162.5	≦* <	167.5	132	2.65772	0.674	0.674	
12	157.5	≦* <	162.5	128	2.60710	0.661	0.661	
11	152.5	≦* <	157.5	124	2.55648	0.648	0.648	
10	147.5	≦* <	152.5	120	2.50587	0.635	0.635	
9	142.5	≦* <	147.5	116	2.45525	0.622	0.622	
8	137.5	≦* <	142.5	112	2.40463	0.610	0.610	
7	132.5	≦* <	137.5	108	2.35401	0.597	0.597	
6	127.5	≦* <	132.5	104	2.30340	0.584	0.584	
5	122.5	≦* <	127.5	100	2.25278	0.571	0.571	
4	117.5	≦* <	122.5	96	2.20216	0.558	0.558	
3	112.5	≦* <	117.5	92	2.15154	0.545	0.545	
2	107.5	≦* <	112.5	88	2.10093	0.533	0.533	
1	102.5	≦* <	107.5	84	2.05031	0.520	0.520	
0	97.5	≦* <	102.5	80	1.99969	0.507	0.507	
-1	92.5	≦* <	97.5	76	1.94908	0.494	0.494	
-2	87.5	≦* <	92.5	72	1.89846	0.481	0.481	
-3	82.5	≦* <	87.5	68	1.84784	0.468	0.468	
-4	77.5	≦* <	82.5	64	1.79722	0.456	0.456	
-5	72.5	≦* <	77.5	60	1.74661	0.443	0.443	
-6	67.5	≦* <	72.5	56	1.69599	0.430	0.430	
-7	62.5	≦* <	67.5	52	1.64537	0.417	0.417	
-8	57.5	≦* <	62.5	48	1.59475	0.404	0.404	
-9	52.5	≦* <	57.5	44	1.54414	0.391	0.391	
-10	47.5	≦* <	52.5	40	1.49352	0.379	0.379	
-11	42.5	≦* <	47.5	36	1.44290	0.366	0.366	
-12	37.5	≦* <	42.5	32	1.39228	0.353	0.353	
-13	32.5	≦* <	37.5	28	1.34167	0.340	0.340	
-14	27.5	≦* <	32.5	24	1.29105	0.327	0.327	
-15	22.5	≦* <	27.5	20	1.24043	0.314	0.314	
-16	17.5	≦* <	22.5	16	1.18982	0.302	0.302	
-17	12.5	≦* <	17.5	12	1.13920	0.289	0.289	
-18	7.5	≦* <	12.5	8	1.08858	0.276	0.276	
-19	2.5	≦* <	7.5	4	1.03796	0.263	0.263	
-20	0.0	≦* <	2.5	1.00	1.00000	0.253	0.253	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.507 %

小損害不填補: 3 50万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.726	0.726	
19	192.5	≦* <	197.5	156	2.96142	0.713	0.713	
18	187.5	≦* <	192.5	152	2.91081	0.701	0.701	
17	182.5	≦* <	187.5	148	2.86019	0.689	0.689	
16	177.5	≦* <	182.5	144	2.80957	0.676	0.676	
15	172.5	≦* <	177.5	140	2.75895	0.664	0.664	
14	167.5	≦* <	172.5	136	2.70834	0.653	0.653	
13	162.5	≦* <	167.5	132	2.65772	0.640	0.640	
12	157.5	≦* <	162.5	128	2.60710	0.628	0.628	
11	152.5	≦* <	157.5	124	2.55648	0.616	0.616	
10	147.5	≦* <	152.5	120	2.50587	0.603	0.603	
9	142.5	≦* <	147.5	116	2.45525	0.591	0.591	
8	137.5	≦* <	142.5	112	2.40463	0.580	0.580	
7	132.5	≦* <	137.5	108	2.35401	0.567	0.567	
6	127.5	≦* <	132.5	104	2.30340	0.555	0.555	
5	122.5	≦* <	127.5	100	2.25278	0.542	0.542	
4	117.5	≦* <	122.5	96	2.20216	0.530	0.530	
3	112.5	≦* <	117.5	92	2.15154	0.518	0.518	
2	107.5	≦* <	112.5	88	2.10093	0.506	0.506	
1	102.5	≦* <	107.5	84	2.05031	0.494	0.494	
0	97.5	≦* <	102.5	80	1.99969	0.482	0.482	
-1	92.5	≦* <	97.5	76	1.94908	0.469	0.469	
-2	87.5	≦* <	92.5	72	1.89846	0.457	0.457	
-3	82.5	≦* <	87.5	68	1.84784	0.445	0.445	
-4	77.5	≦* <	82.5	64	1.79722	0.433	0.433	
-5	72.5	≦* <	77.5	60	1.74661	0.421	0.421	
-6	67.5	≦* <	72.5	56	1.69599	0.409	0.409	
-7	62.5	≦* <	67.5	52	1.64537	0.396	0.396	
-8	57.5	≦* <	62.5	48	1.59475	0.384	0.384	
-9	52.5	≦* <	57.5	44	1.54414	0.371	0.371	
-10	47.5	≦* <	52.5	40	1.49352	0.360	0.360	
-11	42.5	≦* <	47.5	36	1.44290	0.348	0.348	
-12	37.5	≦* <	42.5	32	1.39228	0.335	0.335	
-13	32.5	≦* <	37.5	28	1.34167	0.323	0.323	
-14	27.5	≦* <	32.5	24	1.29105	0.311	0.311	
-15	22.5	≦* <	27.5	20	1.24043	0.298	0.298	
-16	17.5	≦* <	22.5	16	1.18982	0.287	0.287	
-17	12.5	≦* <	17.5	12	1.13920	0.275	0.275	
-18	7.5	≦* <	12.5	8	1.08858	0.262	0.262	
-19	2.5	≦* <	7.5	4	1.03796	0.250	0.250	
-20	0.0	≦* <	2.5	1.00	1.00000	0.240	0.240	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.506 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 0 なし

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.762	0.762	
19	192.5	≦* <	197.5	156	2.96142	0.749	0.749	
18	187.5	≦* <	192.5	152	2.91081	0.736	0.736	
17	182.5	≦* <	187.5	148	2.86019	0.724	0.724	
16	177.5	≦* <	182.5	144	2.80957	0.711	0.711	
15	172.5	≦* <	177.5	140	2.75895	0.698	0.698	
14	167.5	≦* <	172.5	136	2.70834	0.685	0.685	
13	162.5	≦* <	167.5	132	2.65772	0.672	0.672	
12	157.5	≦* <	162.5	128	2.60710	0.660	0.660	
11	152.5	≦* <	157.5	124	2.55648	0.647	0.647	
10	147.5	≦* <	152.5	120	2.50587	0.634	0.634	
9	142.5	≦* <	147.5	116	2.45525	0.621	0.621	
8	137.5	≦* <	142.5	112	2.40463	0.608	0.608	
7	132.5	≦* <	137.5	108	2.35401	0.596	0.596	
6	127.5	≦* <	132.5	104	2.30340	0.583	0.583	
5	122.5	≦* <	127.5	100	2.25278	0.570	0.570	
4	117.5	≦* <	122.5	96	2.20216	0.557	0.557	
3	112.5	≦* <	117.5	92	2.15154	0.544	0.544	
2	107.5	≦* <	112.5	88	2.10093	0.532	0.532	
1	102.5	≦* <	107.5	84	2.05031	0.519	0.519	
0	97.5	≦* <	102.5	80	1.99969	0.506	0.506	
-1	92.5	≦* <	97.5	76	1.94908	0.493	0.493	
-2	87.5	≦* <	92.5	72	1.89846	0.480	0.480	
-3	82.5	≦* <	87.5	68	1.84784	0.468	0.468	
-4	77.5	≦* <	82.5	64	1.79722	0.455	0.455	
-5	72.5	≦* <	77.5	60	1.74661	0.442	0.442	
-6	67.5	≦* <	72.5	56	1.69599	0.429	0.429	
-7	62.5	≦* <	67.5	52	1.64537	0.416	0.416	
-8	57.5	≦* <	62.5	48	1.59475	0.403	0.403	
-9	52.5	≦* <	57.5	44	1.54414	0.391	0.391	
-10	47.5	≦* <	52.5	40	1.49352	0.378	0.378	
-11	42.5	≦* <	47.5	36	1.44290	0.365	0.365	
-12	37.5	≦* <	42.5	32	1.39228	0.352	0.352	
-13	32.5	≦* <	37.5	28	1.34167	0.339	0.339	
-14	27.5	≦* <	32.5	24	1.29105	0.327	0.327	
-15	22.5	≦* <	27.5	20	1.24043	0.314	0.314	
-16	17.5	≦* <	22.5	16	1.18982	0.301	0.301	
-17	12.5	≦* <	17.5	12	1.13920	0.288	0.288	
-18	7.5	≦* <	12.5	8	1.08858	0.275	0.275	
-19	2.5	≦* <	7.5	4	1.03796	0.263	0.263	
-20	0.0	≦* <	2.5	1.00	1.00000	0.253	0.253	
計	平均			80.02439	2.00000			

(表3) 危険段階別共済掛金率の表 (施設内農作物(事故除外))

組合等名: 102 鹿行

施設区分: 90 プラスチックハウスⅦ類

共済掛金標準率: 0.506 %

小損害不填補: 4 100万円

被覆期間: 1 被覆期間

集団割引: 1 有

危険段階区分	平均損害率(*)の範囲 (%)		危険指数		危険段階別基準共済掛金率(%)	危険段階別共済掛金率(%)	備考	
			圧縮前					
20	197.5	≦*		160	3.01204	0.724	0.724	
19	192.5	≦* <	197.5	156	2.96142	0.712	0.712	
18	187.5	≦* <	192.5	152	2.91081	0.699	0.699	
17	182.5	≦* <	187.5	148	2.86019	0.688	0.688	
16	177.5	≦* <	182.5	144	2.80957	0.675	0.675	
15	172.5	≦* <	177.5	140	2.75895	0.663	0.663	
14	167.5	≦* <	172.5	136	2.70834	0.651	0.651	
13	162.5	≦* <	167.5	132	2.65772	0.638	0.638	
12	157.5	≦* <	162.5	128	2.60710	0.627	0.627	
11	152.5	≦* <	157.5	124	2.55648	0.615	0.615	
10	147.5	≦* <	152.5	120	2.50587	0.602	0.602	
9	142.5	≦* <	147.5	116	2.45525	0.590	0.590	
8	137.5	≦* <	142.5	112	2.40463	0.578	0.578	
7	132.5	≦* <	137.5	108	2.35401	0.566	0.566	
6	127.5	≦* <	132.5	104	2.30340	0.554	0.554	
5	122.5	≦* <	127.5	100	2.25278	0.542	0.542	
4	117.5	≦* <	122.5	96	2.20216	0.529	0.529	
3	112.5	≦* <	117.5	92	2.15154	0.517	0.517	
2	107.5	≦* <	112.5	88	2.10093	0.505	0.505	
1	102.5	≦* <	107.5	84	2.05031	0.493	0.493	
0	97.5	≦* <	102.5	80	1.99969	0.481	0.481	
-1	92.5	≦* <	97.5	76	1.94908	0.468	0.468	
-2	87.5	≦* <	92.5	72	1.89846	0.456	0.456	
-3	82.5	≦* <	87.5	68	1.84784	0.445	0.445	
-4	77.5	≦* <	82.5	64	1.79722	0.432	0.432	
-5	72.5	≦* <	77.5	60	1.74661	0.420	0.420	
-6	67.5	≦* <	72.5	56	1.69599	0.408	0.408	
-7	62.5	≦* <	67.5	52	1.64537	0.395	0.395	
-8	57.5	≦* <	62.5	48	1.59475	0.383	0.383	
-9	52.5	≦* <	57.5	44	1.54414	0.371	0.371	
-10	47.5	≦* <	52.5	40	1.49352	0.359	0.359	
-11	42.5	≦* <	47.5	36	1.44290	0.347	0.347	
-12	37.5	≦* <	42.5	32	1.39228	0.334	0.334	
-13	32.5	≦* <	37.5	28	1.34167	0.322	0.322	
-14	27.5	≦* <	32.5	24	1.29105	0.311	0.311	
-15	22.5	≦* <	27.5	20	1.24043	0.298	0.298	
-16	17.5	≦* <	22.5	16	1.18982	0.286	0.286	
-17	12.5	≦* <	17.5	12	1.13920	0.274	0.274	
-18	7.5	≦* <	12.5	8	1.08858	0.261	0.261	
-19	2.5	≦* <	7.5	4	1.03796	0.250	0.250	
-20	0.0	≦* <	2.5	1.00	1.00000	0.240	0.240	
計	平均			80.02439	2.00000			